

|                                               |                                           |                                                                                                                                                         |
|-----------------------------------------------|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TENDER DOCUMENT<br/>GOODS AND SERVICES</b> |                                           |  <div>CITY OF CAPE TOWN<br/>ISIXEKO SASEKAPA<br/>STAD KAAPSTAD</div> |
| <b>SUPPLY CHAIN MANAGEMENT</b>                |                                           |                                                                                                                                                         |
| SCM - 542                                     | Approved by Branch Manager: February 2024 | Version: 10                                                                                                                                             |

**TENDER NO: 55G/2026/27**

**TENDER DESCRIPTION: VALVES: SUPPLY, INSTALLATION, SERVICING, REPAIRING, AND RECONDITIONING OF VALVES AND ASSOCIATED PIPEWORK FOR WATER AND SANITATION FOR THE CITY OF CAPE TOWN**

**CONTRACT PERIOD: 36 MONTHS FROM THE COMMENCEMENT DATE OF THE CONTRACT**

**CLOSING DATE** 28 September 2026

**CLOSING TIME** 10:00 am

**TENDER BOX NUMBER** 183

**TENDER FEE** R200

Non – refundable tender fee payable to the City of Cape Town (CCT) for a hard copy of the tender document. This fee is not applicable to website downloads of the tender document.

| <b>TENDERER</b>                                                                                                                                 |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>NAME of Company/Close Corporation or Partnership / Joint Venture/ Consortium or Sole Proprietor /Individual (hereinafter the "Tenderer")</b> |  |
| <b>TRADING AS</b> (if different from above)                                                                                                     |  |
| <b>Registration number of Tenderer</b>                                                                                                          |  |
| <b>Physical address and chosen domicilium citandi et executandi of Tenderer</b>                                                                 |  |

| <b>NATURE OF TENDER OFFER (please indicate below)</b> |  |
|-------------------------------------------------------|--|
| <b>Main Offer</b> (see clause 2.2.11.1)               |  |
| <b>Alternative Offer</b> (see clause 2.2.11.1)        |  |

|                                                          |
|----------------------------------------------------------|
| <b>TENDER SERIAL NO.:</b>                                |
| <b>SIGNATURES OF CCT OFFICIALS<br/>AT TENDER OPENING</b> |
| <b>1</b>                                                 |
| <b>2</b>                                                 |
| <b>3</b>                                                 |

## TABLE OF CONTENTS

|                                                                                                            |           |
|------------------------------------------------------------------------------------------------------------|-----------|
| <b>THE TENDER.....</b>                                                                                     | <b>3</b>  |
| T.1 GENERAL TENDER INFORMATION .....                                                                       | 3         |
| T.2 CONDITIONS OF TENDER .....                                                                             | 4         |
| 2.1 General.....                                                                                           | 4         |
| 2.2 Tenderer's obligations .....                                                                           | 8         |
| 2.3 The CCT's undertakings.....                                                                            | 16        |
| <b>THE CONTRACT .....</b>                                                                                  | <b>22</b> |
| C.1 DETAILS OF TENDERER/SUPPLIER .....                                                                     | 23        |
| C.2 FORM OF OFFER AND ACCEPTANCE .....                                                                     | 25        |
| C.2.1 OFFER (TO BE COMPLETED BY THE TENDERER AS PART OF TENDER SUBMISSION) .....                           | 25        |
| C.2.2 ACCEPTANCE (TO BE COMPLETED BY THE CCT) .....                                                        | 26        |
| C.2.3 SCHEDULE OF DEVIATIONS (TO BE COMPLETED BY THE CCT UPON ACCEPTANCE) .....                            | 27        |
| C.2.4 CONFIRMATION OF RECEIPT (TO BE COMPLETED BY SUPPLIER UPON ACCEPTANCE) .....                          | 28        |
| C.3 OCCUPATIONAL HEALTH AND SAFETY AGREEMENT .....                                                         | 29        |
| C.4 PRICE SCHEDULE .....                                                                                   | 30        |
| C.5 SPECIFICATION(S).....                                                                                  | 93        |
| C.6 SPECIAL CONDITIONS OF CONTRACT .....                                                                   | 163       |
| C.7 GENERAL CONDITIONS OF CONTRACT .....                                                                   | 178       |
| C.8 ANNEXURES .....                                                                                        | 188       |
| ANNEXURE A – PRO FORMA INSURANCE BROKER'S WARRANTY .....                                                   | 188       |
| ANNEXURE B – MONTHLY PROJECT LABOUR REPORT .....                                                           | 189       |
| ANNEXURE C – PRO FORMA PERFORMANCE SECURITY/ GUARANTEE .....                                               | 191       |
| ANNEXURE D – LIST OF APPROVED FINANCIAL INSTITUTIONS .....                                                 | 193       |
| ANNEXURE E – PRO FORMA ADVANCE PAYMENT GUARANTEE .....                                                     | 194       |
| ANNEXURE F – TENDER RETURNABLE DOCUMENTS.....                                                              | 196       |
| Schedule F.1: Contract Price Adjustment and/or Rate of Exchange Variation.....                             | 196       |
| Schedule F.2: Certificate of Authority for Partnerships/ Joint Ventures/ Consortiums .....                 | 223       |
| Schedule F.3: Declaration for Procurement above R10 million .....                                          | 224       |
| Schedule F.4: Preference Points Claim Form In Terms Of the Preferential Procurement Regulations 2022 ..... | 225       |
| Schedule F.5: Declaration of Interest – State Employees (MBD 4 amended).....                               | 235       |
| Schedule F.6: Conflict of Interest Declaration .....                                                       | 237       |
| Schedule F.7: Declaration of Tenderer's Past Supply Chain Management Practices (MBD 8) .....               | 238       |
| Schedule F.8: Authorisation for the Deduction of Outstanding Amounts Owed to the CCT .....                 | 240       |
| Schedule F.9: Certificate of Independent Tender Determination .....                                        | 241       |
| Schedule F.10: Proposed Deviations and Qualifications By Tenderer .....                                    | 242       |
| Schedule F.11: List of Other Documents Attached By Tenderer.....                                           | 243       |
| Schedule F.12: Record of Addenda to Tender Documents .....                                                 | 244       |
| Schedule F.13: Information to Be Provided with the Tender.....                                             | 245       |
| Schedule F.14: Appeal Application.....                                                                     | 246       |

# THE TENDER

## T.1 GENERAL TENDER INFORMATION

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |   |                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TENDER ADVERTISED</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | : | <b>28 August 2026</b>                                                                                                                                                            |
| <b>SITE VISIT/CLARIFICATION MEETING</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | : | Time: <b>10:00</b> on Date: <b>09 September 2026</b><br>(Not compulsory, but strongly recommended)                                                                               |
| <b>VENUE FOR SITE VISIT/CLARIFICATION MEETING</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | : | <b>Athlone Scientific Sciences Auditorium<br/>Athlone Waste Water Treatment Works<br/>C/o Jan Smuts Dr &amp; Waste Water Avenue,<br/>Kewtown, Athlone, Cape Town, 7764</b>       |
| <b>TENDER BOX &amp; ADDRESS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | : | <b>Tender Box as per front cover</b> at the <b>Tender &amp; Quotation Boxes Office</b> , 2 <sup>nd</sup> Floor (Concourse Level), Civic Centre, 12 Hertzog Boulevard, Cape Town. |
| <p>The Tender Document (which includes the Form of Offer and Acceptance) completed and signed in all respects, plus any additional supporting documents required, must be submitted in a sealed envelope with the name and address of the tenderer, the endorsement "<b>TENDER NO. 55G/2026/27: - TENDER DESCRIPTION: VALVES: SUPPLY, INSTALLATION, SERVICING, REPAIRING, AND RECONDITIONING OF VALVES AND ASSOCIATED PIPEWORK FOR WATER AND SANITATION FOR THE CITY OF CAPE TOWN</b>" the tender box number. and the closing date indicated on the envelope. The sealed envelope must be inserted into the appropriate official tender box before closing time.</p> <p>If the tender offer is too large to fit into the abovementioned box or the box is full, please enquire at the public counter (Tender Distribution Office) for alternative instructions. It remains the tenderer's responsibility to ensure that the tender is placed in either the original box or as alternatively instructed.</p> |   |                                                                                                                                                                                  |
| <b>CCT TENDER REPRESENTATIVE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | : | Email: <a href="mailto:SCM.Tenders22@capetown.gov.za">SCM.Tenders22@capetown.gov.za</a>                                                                                          |

**TENDERERS MUST NOTE THAT WHEREVER THIS DOCUMENT REFERS TO ANY PARTICULAR TRADEMARK, NAME, PATENT, DESIGN, TYPE, SPECIFIC ORIGIN OR PRODUCER, SUCH REFERENCE SHALL BE DEEMED TO BE ACCOMPANIED BY THE WORDS "OR EQUIVALENT"**

## T.2 CONDITIONS OF TENDER

### 2.1 General

#### 2.1.1 Actions

**2.1.1.1** The City of Cape Town (hereafter referred to as the “CCT”) and each tenderer submitting a tender offer (hereinafter referred to as the “tenderer” or the “supplier”) shall comply with item T.2 of this Tender Document Goods and Services (hereinafter referred to as these “Conditions of Tender”). The tenderer and the CCT shall collectively hereinafter be referred to as the “Parties” and individually a “Party”). In their dealings with each other, the Parties shall discharge their duties and obligations as set out in these Conditions of Tender, timeously and with integrity, and behave equitably, honestly and transparently, and shall comply with all legal obligations imposed on the Parties herein and in accordance with all applicable laws.

**The Parties agree that this tender Document Goods and Services (hereinafter referred to as the “Tender” / “Tender Document”), its evaluation and acceptance and any resulting contract shall also be subject to the CCT’s Supply Chain Management Policy (‘SCM Policy’) that was applicable on the date the bid was advertised and as amended from time to time. If the CCT adopts a new SCM Policy which contemplates that any clause therein would apply to the Contract emanating from this tender (hereinafter referred to as the “Contract”), such clause shall also be applicable to that Contract. Please refer to this document contained on the CCT’s website.**

**Abuse of the supply chain management system is not permitted and may result, inter alia, (1) in the tender being rejected; (2) cancellation of the contract; (3) restriction of the supplier, and/or (4) the exercise by the CCT of any other remedies available to it as provided for in the SCM Policy and/or the Contract and/or this tender and/or any applicable laws .**

**2.1.1.2** The CCT, the tenderer and their agents and employees involved in the tender process shall avoid conflicts of interest and where a conflict of interest is perceived or known, declare any such conflict of interest, indicating the nature of such conflict. Tenderers shall declare any potential conflict of interest in their tender submissions. Employees, agents and advisors of the CCT shall declare any conflict of interest to the CCT at the start of any deliberations relating to the procurement process or as soon as they become aware of such conflict and abstain from any decisions where such conflict exists or recuse themselves from the procurement process, as appropriate.

**2.1.1.3** The CCT shall not seek, and a tenderer shall not submit a tender, without having a firm intention and capacity to proceed with the contract.

#### 2.1.2 Interpretation

**2.1.2.1** The additional requirements contained in Annexure F to the contract (hereinafter referred to as the “returnable documents” / “Returnable Schedules”) are part of these Conditions of Tender and are specifically hereby incorporated into these Conditions of Tender.

**2.1.2.2** These Conditions of Tender and returnable Documents which are required for CCT’s tender evaluation purposes herein, shall form part of the Contract arising from the CCT’s corresponding invitation to tender.

#### 2.1.3 Communication during tender process

Verbal or any other form of communication, from the CCT, its employees, agents or advisors during site visits/clarification meetings or at any other time prior to the award of the Contract, will not be regarded as binding on the CCT, unless communicated by the CCT in writing to suppliers / tenderers by its Director: Supply Chain Management or his nominee. Similarly, any communication of the tenderer / supplier that is not reduced to writing by the tenderer / supplier, its employees, agents or advisors, shall not be regarded as binding on the CCT, unless communicated to the CCT in writing by the suppliers / tenderers, or their duly authorised representatives.

#### **2.1.4 The CCT's right to accept or reject any tender offer**

**2.1.4.1** The CCT may accept or reject any tender offer and may cancel the corresponding tender process or reject all tender offers at any time before the formation of a contract. The CCT may, prior to the award of the tender, cancel a tender if:

- (a) due to changed circumstances, there is no longer a need for the services, works or goods requested; or
- (b) funds are no longer available to cover the total envisaged expenditure; or
- (c) no acceptable tenders are received;
- (d) there is a material irregularity in the tender process; or
- (e) the Parties are unable to negotiate market related pricing.

The CCT shall not accept or incur any liability to a tenderer for such cancellation or rejection, but will give written reasons for such action upon receiving a written request to do so.

#### **2.1.5 Procurement procedures**

##### **2.1.5.1 General**

The CCT intends to appoint three tenderers; the highest ranked tenderer ("the winner") and in addition, two alternative tenderers for the allocation of work. If insufficient responsive bids are received, the CCT reserves the right to appoint fewer tenderers, or not to appoint any tenderers at all.

Suppliers, once appointed and subject to operational requirements, will be invited to deliver the goods or services on a "winner-takes-all" basis, whereby the order will always be offered and, if accepted, allocated to the highest ranked tenderer ("the winner"), and only if he refuses will the work be offered to the next highest ranked tenderer from the alternative tenderers).

The contract period shall be for a period of [ 36 ] months from the commencement date of the contract.

##### **2.1.5.2 Proposal procedure using the two stage-system**

A two-stage system will not be followed.

##### **2.1.5.3 Nomination of Standby Bidder**

"Standby Bidder" means a bidder, identified by the CCT at the time of awarding a bid that will be considered for award should the contract be terminated for any reason whatsoever. In the event that a contract is terminated during the execution thereof, the CCT may consider the award of the contract, or non-award, to the Standby Bidder in terms of the procedures included its SCM Policy, as amended from time to time.

#### **2.1.6 Objections, complaints, queries and disputes/ Appeals in terms of Section 62 of the Systems Act/ Access to court**

##### **2.1.6.1 Disputes, objections, complaints and queries**

In terms of Regulations 49 and 50 of the Local Government: Municipal Finance Management Act, 56 of 2003 Municipal Supply Chain Management Regulations (Board Notice 868 of 2005):

- a) Persons aggrieved by decisions or actions taken by the CCT in the implementation of its supply chain management system, may lodge within 14 days of the decision or action, a written objection or complaint or query or dispute against the decision or action.

##### **2.1.6.2 Appeals**

- a) In terms of Section 62 of the Local Government: Municipal Systems Act, 32 of 2000 a person whose rights are affected by a decision taken by the CCT, may appeal against that decision by giving written notice of the appeal and reasons to the City Manager within 21 days of the date of the notification of the decision.

- b) An appeal must contain the following:
  - i. Must be in writing
  - ii. It must set out the reasons for the appeal
  - iii. It must state in which way the Appellant's rights were affected by the decision;
  - iv. It must state the remedy sought; and
  - v. It must be accompanied with a copy of the notification advising the person of the decision
- c) The relevant CCT appeal authority must consider the appeal and **may confirm, vary or revoke** the decision that has been appealed, but no such revocation of a decision may detract from any rights that may have accrued as a result of the decision.

**2.1.6.3 Right to approach the courts and rights in terms of Promotion of Administrative Justice Act, 3 of 2000 and Promotion of Access to Information Act, 2 of 2000**

The sub- clauses above do not influence any affected person's rights to approach the High Court at any time or its rights in terms of the Promotion of Administrative Justice Act (PAJA) and Promotion of Access to Information Act (PAIA).

- 2.1.6.4** All requests referring to sub clauses 2.1.6.1 and 2.1.6.2 must be submitted in writing to:  
**The City Manager** - C/o the Manager: Legal Compliance Unit, Legal Services Department, Office of the City Manager  
**Via hand delivery at:** 20<sup>th</sup> Floor, Tower Block, 12 Hertzog Boulevard, Cape Town 8001  
**Via post at:** Private Bag X918, Cape Town, 8000  
**Via email at:** [MSA.Appeals@capetown.gov.za](mailto:MSA.Appeals@capetown.gov.za)

- 2.1.6.5** All requests referring to clause 2.1.6.3 must be submitted in writing to:  
**The City Manager** - C/o the Manager: Access to Information Unit, Legal Service Department, Office of the City Manager  
**Via hand delivery at:** 20<sup>th</sup> Floor, Tower Block, 12 Hertzog Boulevard, Cape Town 8001  
**Via post at:** Private Bag X918, Cape Town, 8000  
**Via email at:** [Access2info.Act@capetown.gov.za](mailto:Access2info.Act@capetown.gov.za)

**2.1.6.6 The minimum standards regarding accessing and 'processing' of any personal information belonging to another in terms of Protection of Personal Information Act, 2013 (POPIA).**

For purposes of this clause 2.1.6.6, the contract and these Conditions of Tender, the terms "data subject", "Personal Information" and "Processing" shall have the meaning as set out in section 1 of POPIA, and "Process" shall have the corresponding meaning.

The CCT, its employees, representatives and sub-contractors may, from time to time, Process the tenderer's and/or its employees', representatives' and/or sub-contractors' Personal Information, for purposes of, and/or relating to, the tender, the contract and these Conditions of Tender, for research purposes, and/or as otherwise may be envisaged in the CCT's Privacy Notice and/or in relation to the CCT's Supply Chain Management Policy or as may be otherwise permitted by law. This includes the Processing of the latter Personal Information by the CCT's due diligence assurance provider, professional advisors and the Appeal Authority as applicable. The CCT's justification for the processing of such aforesaid Personal Information is based on section 11(1)(b) of POPIA, i.e., in terms of which the CCT's Processing of the said Personal Information is necessary to carry out actions for the conclusion and/or performance of the contract, to which the applicable data subject (envisaged in this clause 2.1.6.6 above) is a party.

All requests relating to data protection must be submitted in writing to:  
**The City Manager** - C/o the Information Officer, Office of the City Manager  
**Via hand delivery at:** 20<sup>th</sup> Floor, Tower Block, 12 Hertzog Boulevard, Cape Town 8001  
**Via post at:** Private Bag X9181, Cape Town, 8000  
**Via email at:** [Popia@capetown.gov.za](mailto:Popia@capetown.gov.za)

**2.1.6.7 Compliance to the CCTs Appeals Policy.**

In terms of the CCT's Appeals Policy, a fixed upfront administration fee will be charged. In addition, a surcharge may be imposed for vexatious and frivolous or otherwise manifestly inappropriate tender related appeals.

The current approved administration fee is R300.00 and may be paid at any of the Municipal Offices or at the Civic Centre in Cape Town using the GL Data Capture Receipt attached as Annexure F.13: Appeal Application Form. Alternatively, via EFT into the CCT's NEDBANK Account: CITY OF CAPE TOWN and using Reference number: 198158966. You are required to send proof of

payment when lodging your appeal.

The current surcharge for vexatious and frivolous or otherwise manifestly inappropriate tender related appeals will be calculated as  $\frac{1}{2}$  (Administrative cost of the tender appeal) + 0.25 % (Appellant's tender price).

Should the payment of the administration fee of R300.00 or the surcharge not be received, such fee or surcharge will be added as a Sundry Tariff to the bidder's municipal account.

In the event where the bidder does not have a Municipal account with the CCT, the fee or surcharge may be recovered in terms of the CCT's Credit Control and Debt Collection By-law, 2006 (as amended) and its Credit Control and Debt Collection Policy.

### **2.1.7 CCT Supplier Database Registration**

Tenderers are required to be registered on the CCT Supplier Database as a service provider. Tenderers must register as such upon being requested to do so in writing and within the period contained in such a request, failing which no orders can be raised or payments processed from the resulting contract. In the case of Joint Venture partnerships this requirement will apply individually to each party of the Joint Venture.

Tenderers who wish to register on the CCT's Supplier Database may collect registration forms from the Supplier Management Unit located within the Supplier Management / Registration Office, 2nd Floor (Concourse Level), Civic Centre, 12 Hertzog Boulevard, Cape Town (Tel 021 400 9242/3/4/5). Registration forms and related information are also available on the CCT's website [www.capetown.gov.za](http://www.capetown.gov.za) (follow the Supply Chain Management link to Supplier registration).

It is each tenderer's responsibility to keep all the information on the CCT Supplier Database updated.

### **2.1.8 National Treasury Web Based Central Supplier Database (CSD) Registration**

Tenderers are required to be registered on the National Treasury Web Based Central Supplier Database (CSD) as a service provider. Tenderers must register as such upon being requested to do so in writing and within the period contained in such a request, failing which no orders can be raised or payments processed from the resulting contract. In the case of Joint Venture partnerships this requirement will apply individually to each party of the Joint Venture.

Tenderers who wish to register on the National Treasury Web Based Central Supplier Database (CSD) may do so via the web address <https://secure.csd.gov.za>

It is each tenderer's responsibility to keep all the information on the National Treasury Web Based Central Supplier Database (CSD) updated.

## 2.2 Tenderer's obligations

### 2.2.1 Eligibility Criteria

**2.2.1.1 Tenderers are obligated to submit a tender offer that complies in all aspects to the conditions as detailed in this tender document and the Conditions of Tender. An 'acceptable' tender must "COMPLY IN ALL" aspects with the tender, Conditions of Tender, all Specifications (i.e., item C.5 below, hereinafter the "Specifications"), pricing instructions herein and the Contract including its conditions.**

#### 2.2.1.1.1 Submit a tender offer

Only those tender submissions from which it can be established, *inter alia* that a clear, irrevocable and unambiguous offer has been made to CCT, by whom the offer has been made and what the offer constitutes, will be declared responsive.

#### 2.2.1.1.2 Compliance with requirements of CCT SCM Policy and procedures

Only those tenders that are compliant with the requirements below will be declared responsive:

- a) A completed **Details of Tenderer** to be provided (applicable schedule below to be completed);
- b) A completed **Certificate of Authority for Partnerships/ Joint Ventures/ Consortiums** to be provided authorising the tender to be made and the signatory to sign the tender on the partnership /joint venture/consortium's (applicable schedule below to be completed);
- c) A copy of the partnership / joint venture / consortium agreement to be provided, where applicable.
- d) A completed **Declaration of Interest – State Employees** to be provided and which does not indicate any non-compliance with the legal requirements relating to state employees (applicable schedule below to be completed);
- e) A completed **Declaration – Conflict of Interest and Declaration of Bidders past Supply Chain Management Practices** to be provided and which does not indicate any conflict or past practises that renders the tender non-responsive based on the conditions contained thereon (applicable schedules below to be completed);
- f) A completed **Certificate of Independent Bid Determination** to be provided and which does not indicate any non-compliance with the requirements of the schedule (applicable schedule below to be completed);
- g) The tenderer (including any of its representatives, directors or members), has not been restricted in terms of abuse of the Supply Chain Management Policy,
- h) The tenderer's tax matters with SARS are in order, or the tenderer is a foreign supplier that is not required to be registered for tax compliance with SARS.
- i) The tenderer is not an advisor or consultant contracted with the CCT whose prior or current obligations creates any conflict of interest or unfair advantage.
- j) The tenderer is not a person, advisor, corporate entity or a director of such corporate entity, who is directly or indirectly involved or associated with the bid specification committee;
- k) A completed **Authorisation for the Deduction of Outstanding Amounts Owed to the CCT** to be provided and which does not indicate any details that renders the tender non-responsive based on the conditions contained thereon (applicable schedules below to be completed);
- l) The tenderer (including any of its representatives, directors or members), has not been found guilty of contravening the Competition Act 89 of 1998, as amended from time to time;
- m) The tenderer (including any of its representatives, directors or members), has not been found guilty on any other basis listed in the Supply Chain Management Policy.

#### 2.2.1.1.3 Compulsory clarification meeting

Not compulsory, but strongly recommended

#### 2.2.1.1.4 Mandatory Requirements

The Project Manager must be a person registered with ECSA in the Professional Technician (Pr. Techni) category at minimum in either the Civil or Mechanical Engineering discipline. A certified copy of registration must be submitted at the close of tender. Failure to provide this evidence will render the tender non-responsive for functionality scoring and will affect overall tender evaluation.

All Artisans/Technicians nominated for functionality scoring must hold the appropriate (e.g. Mechanical and Civil) minimum qualified trade test/ red seal as required by the Department of Labour at the close of tender. Proof of qualification must be submitted and certified, failure to provide the required proof

will render the tender non-responsive for functionality scoring and will affect overall tender evaluation.

The team size should consist of a minimum of 1 Artisan and 1 Labourer/Assistant.

#### 2.2.1.1.4.1 Minimum score for functionality

Only those tenders submitted by tenderers who achieve the minimum score for functionality as stated below will be declared responsive.

The description of the functionality criteria and the maximum possible score for each is shown in the table below. The score achieved for functionality will be the sum of the scores achieved, in the evaluation process, for the individual criteria.

Schedule 14A (Functionality Criteria) must be completed in order to be scored.

| Key Personnel | Evaluation Criteria                                                 | Qualifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Description                                                                                    | Points |
|---------------|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------|
| Yes           | Access to Number of Artisans/ Technicians                           | Minimum appropriate trade-test as recognised by the Department of Labour in the fields of Civil/Mechanical Engineering, Fitter and Turner, Millwright* within time periods as per SLA<br><br>* (At least 4 Artisans should be permanently employed by the tendering entity, and the rest comply with Service Level Agreement conditions as below in specifications as per clause C6.1)                                                                                                                                                     | Greater than 14 artisans/technicians                                                           | 30     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 12 but less than 14 artisans/technicians                                                       | 20     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 10 – but less than 12 artisans/technicians                                                     | 10     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Less than 10 artisans/technicians                                                              | 0      |
| Yes           | Experience of Project Manager                                       | Proven track record of completed projects in any engineering related field (This may include Maintenance, Construction, Design & Consulting) within the last 10 years. A comprehensive CV accompanied with proof of completion of projects must be provided.<br><br>* (The Project Manager may be outsourced and comply with Service Level Agreement conditions as below in specifications as per clause C6.2)                                                                                                                             | More than 5 projects                                                                           | 20     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Equal to or more than 2 projects but less than 5 projects                                      | 10     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Less than 2 projects but more than 1 project of experience                                     | 5      |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | No projects                                                                                    | 0      |
|               | Proven track record in the supply, delivery and turnover of valves. | Number of projects and procurement of valves – existing agreement of suppliers and or manufacturers of valves.<br><br>Successful delivery notes or proven track record in the procurement of valves clearly depicting turnaround times.<br><br>The tendering entity needs to demonstrate its ability to procure and or supply the following valves in less than 8 weeks turnaround time on average of:<br>a. 1 isolation type valve size minimum 200 Nominal Bore (NB) and<br>b. 1 control/regulating type valve, Minimum sizes from 100NB | Turnaround times or successful procurement of valves – less than 4 weeks.                      | 30     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Turnaround times or successful procurement of valves – more than 4 weeks and less than 6 weeks | 20     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Turnaround times or successful procurement of valves – more than 6 weeks and less than 8 weeks | 10     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | No track record                                                                                | 0      |
|               | Minimum experience of tendering entity                              | Removal, repairs, maintenance, testing, installation and commissioning of valves from 100NB – 1200NB                                                                                                                                                                                                                                                                                                                                                                                                                                       | More than 10 years 'experience                                                                 | 20     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | More than 5 years' but less than 10 years' experience                                          | 10     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | More than 2 years' but less than 5 years' experience.                                          | 5      |

|              |  |  |                               |            |
|--------------|--|--|-------------------------------|------------|
|              |  |  | Less than 2 years' experience | 0          |
| <b>Total</b> |  |  |                               | <b>100</b> |

The minimum qualifying score for functionality is **70 points** out of a maximum of **100 points**.

Where the entity tendering is a Joint Venture or Consortium, the tenderer's tender response must be accompanied by a statement describing exactly what aspects of the work will be undertaken by each party to the joint venture.

Technical capability, experience, and functionality requirements will be assessed collectively across the Joint Venture or Consortium, provided that the Joint Venture / Consortium Agreement clearly demonstrates how the combined experience and resources meet the tender requirements.

Where specific minimum requirements apply to individual disciplines, roles, or key personnel, such requirements must be met by the member(s) responsible for that portion of the work.

Tenderers shall ensure that all relevant information has been submitted with the tender offer in the prescribed format to ensure optimal scoring of functionality points for each Evaluation Criteria, see Schedules 14A (Functionality Criteria). Failure to provide all information **IN THIS TENDER SUBMISSION** could result in the tenderer not being able to achieve the specified minimum scoring.

#### 2.2.1.1.5 Provision of samples

Not applicable to this tender.

#### 2.2.2 Cost of tendering

The CCT will not be liable for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer comply with requirements.

#### 2.2.3 Check documents

The documents issued by the CCT for the purpose of a tender offer are listed in the index of this tender document.

Before submission of any tender, the tenderer should check the number of pages, and if any are found to be missing or duplicated, or the figures or writing is indistinct, or if the Price Schedule contains any obvious errors, the tenderer must apply to the CCT at once to have the same rectified.

#### 2.2.4 Confidentiality and copyright of documents

The tenderer shall treat as strictly confidential all matters arising in connection with the tender. Use and copy the documents issued by the CCT only for the purpose of preparing and submitting a tender offer in response to the invitation.

#### 2.2.5 Reference documents

The tenderer shall obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, Conditions of Contract and other publications, which are not attached but which are incorporated into the tender document(s) by reference.

#### 2.2.6 Acknowledge and comply with notices

The tenderer shall acknowledge receipt of notices to the tender documents, which the CCT may issue, and shall fully comply with all instructions issued in the said notices, and if necessary, apply for an extension of the closing time stated on the front page of the tender document, in order to take the notices into account. Notwithstanding any requests for confirmation of receipt of the said notices issued, the tenderer shall be deemed to have received such notices if the CCT can show proof of transmission thereof via electronic mail, facsimile, or registered post or other lawful means.

### **2.2.7 Clarification meeting**

The tenderer shall attend, where required, a clarification meeting at which tenderers may familiarise themselves with aspects of the proposed work, services or supply and pose questions. Details of the meeting(s) are stated in the General Tender Information (i.e., in item T.1 above).

Tenderers should be represented at the site visit/clarification meeting by a duly authorised person who is suitably qualified and experienced to comprehend the implications of the work involved.

### **2.2.8 Seek clarification**

The tenderer shall request clarification of the tender documents, if necessary, by notifying the CCT at least one week before the closing time stated in the General Tender Information (i.e., in item T.1 above), where possible.

### **2.2.9 Pricing the tender offer**

**2.2.9.1** The tenderer shall comply with all pricing instructions as stated on the Price Schedule.

### **2.2.10 Alterations to documents**

The tenderer shall not make any alterations or additions to the tender documents, except to comply with instructions issued by the CCT in writing, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations.

### **2.2.11 Alternative tender offers**

**2.2.11.1** Unless otherwise stated in the Conditions of Tender, the tenderers may submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted.

If a tenderer wishes to submit an alternative tender offer, he/she/it shall do so as a separate offer on a complete set of tender documents. The alternative tender offer shall be submitted in a separate sealed envelope clearly marked "Alternative Tender" in order to distinguish it from the main tender offer.

Only the alternative of the highest ranked acceptable main tender offer (that is, submitted by the same tenderer) will be considered, and if appropriate, recommended for award.

Alternative tender offers of any but the highest ranked main tender offer will not be considered.

An alternative tender offer to the highest ranked acceptable main tender offer that is priced higher than the main tender offer may be recommended for award, provided that the ranking of the alternative tender offer is higher than the ranking of the next ranked acceptable main tender offer.

The CCT will not be bound to consider alternative tenders and shall have sole discretion in this regard.

In the event that the alternative is accepted, the tenderer warrants that the alternative offer complies in all respects with the CCT's standards and requirements as set out in the tender document.

**2.2.11.2** Acceptance of an alternative tender offer by the CCT may be based only on the criteria stated in the Conditions of Tender or applicable criteria otherwise acceptable to the CCT.

### **2.2.12 Submitting a tender offer**

**2.2.12.1** The tenderer is required to submit one tender offer only on the original tender documents as issued by the CCT, either as a single tendering entity or as a member in a joint venture to provide the whole of the works, services or supply identified in the Conditions of Contract and described in the Specifications. Only those tenders submitted on the tender documents as issued by the CCT together with all Tender Returnable Documents duly completed and signed will be declared responsive.

**2.2.12.2** The tenderer shall return the entire tender document to the CCT after completing it in its entirety, either electronically (if they were issued in electronic format) or by writing legibly in non-erasable ink.

- 2.2.12.3** The tenderer shall sign the original tender offer where required in terms of the Conditions of Tender. The tender shall be signed by a person duly authorised by the tenderer to do so. Tenders submitted by joint ventures of two or more firms shall be accompanied by the document of formation / founding document of the joint venture or any other document signed by all Parties, in which is defined precisely the conditions under which the joint venture will function, its period of duration, the persons authorised to represent and obligate it, the participation of the several firms forming the joint venture, and any other information necessary to permit a full appraisal of its functioning. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner.
- 2.2.12.4** Where a two-envelope system is required in terms of the Conditions of Tender, place and seal the returnable documents listed in the Conditions of Tender in an envelope marked “financial proposal” and place the remaining returnable documents in an envelope marked “technical proposal”. Each envelope shall state on the outside the CCT’s address and identification details stated in the General Tender Information (i.e., item T.1 above), as well as the tenderer’s name and contact address.
- 2.2.12.5** The tenderer shall seal the original tender offer and copy packages together in an outer package that states on the outside only the CCT’s address and identification details as stated in the General Tender Information. If it is not possible to submit the original tender and the required copies (see 2.2.12.3) in a single envelope, then the tenderer must seal the original and each copy of the tender offer as separate packages marking the packages as “ORIGINAL” and “COPY” in addition to the aforementioned tender submission details.
- 2.2.12.6** The CCT shall not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.
- 2.2.12.7** Tender offers submitted by facsimile or e-mail will be rejected by the CCT, unless stated otherwise in the Conditions of Tender.
- 2.2.12.8** By signing the offer part of the Form of Offer (**Section C2.1-C2.4 hereto**) the tenderer warrants and agrees that all information provided in the tender submission is true and correct.
- 2.2.12.9** Tenderers shall properly deposit its bid in the designated tender box (as detailed on the front page of this tender document) on or before the closing date and before the closing time, in the relevant tender box at the Tender & Quotation Boxes Office situated on the 2nd floor, Concourse Level, Civic Centre, 12 Hertzog Boulevard, Cape Town. If the tender submission is too large to fit in the allocated box, please enquire at the public counter for assistance.
- 2.2.12.10** The tenderer must record and reference all information submitted contained in other documents for example cover letters, brochures, catalogues, etc. in the Returnable Schedule titled **List of Other Documents Attached by Tenderer**.
- 2.2.13 Information and data to be completed in all respects**
- Tender offers, which do not provide all the data or information requested completely and, in the form required, may be regarded by the CCT as non-responsive.
- 2.2.14 Closing time**
- 2.2.14.1** The tenderer shall ensure that the CCT receives the tender offer, together with all applicable documents specified herein, at the address specified in the General Tender Information herein prior to the closing time stated on the front page of the tender document.
- 2.2.14.2** If the CCT extends the closing time stated on the front page of the tender document for any reason, the requirements of these Conditions of Tender apply equally to the extended deadline.
- 2.2.14.3** The CCT shall not consider tenders that are received after the closing date and time for such a tender (late tenders).
- 2.2.15 Tender offer validity and withdrawal of tenders**
- 2.2.15.1** The tenderer shall warrant that the tender offer(s) remains valid, irrevocable and open for acceptance by the CCT at any time for a period of 120 days after the closing date stated on the front page of the

tender document.

**2.2.15.2** Notwithstanding the period stated in clause 2.2.15.1 above, bids shall remain valid for acceptance for a period of twelve (12) months after the expiry of the original validity period, unless the CCT is notified in writing of anything to the contrary by the bidder. The validity of bids may be further extended by a period of not more than six months subject to mutual agreement by the parties, administrative processes and upon approval by the City Manager, unless the required extension is as a result of an appeal process or court ruling.

In circumstances where the validity period of a tender has expired, and the tender has not been awarded, the tender process is considered "completed", despite there being no decision (award or cancellation) made. This anomaly does not fall under any of the listed grounds of cancellation and should be treated as a "non-award". A "non award" is supported as a recommendation to the CCT's Bod Adjudication Committee ("BAC") for noting.

**2.2.15.3** A tenderer may request in writing, after the closing date, that its tender offer be withdrawn. Such withdrawal will be permitted or refused at the sole discretion of the CCT after consideration of the reasons for the withdrawal, which shall be fully set out by the tenderer in such written request for withdrawal. Should the tender offer be withdrawn in contravention hereof, the tenderer agrees that:

- a) it shall be liable to the CCT for any additional expense incurred or losses suffered by the CCT in having either to accept another tender or, if new tenders have to be invited, the additional expenses incurred or losses suffered by the invitation of new tenders and the subsequent acceptance of any other tender.
- b) the CCT shall also have the right to recover such additional expenses or losses by set-off against monies which may be due or become due to the tenderer under this or any other tender or contract or against any guarantee or deposit that may have been furnished by the tenderer or on its behalf for the due fulfilment of this or any other tender or contract. Pending the ascertainment of the amount of such additional expenses or losses, the CCT shall be entitled to retain such monies, guarantee or deposit as security for any such expenses or loss, without prejudice to the CCT's other rights and/or remedies available to it in accordance with any applicable laws.

## **2.2.16 Clarification of tender offer, or additional information, after submission**

Tenderers shall promptly provide clarification of its tender offer, or additional information, in response to a written request to do so from the CCT during the evaluation of tender offers within the time period stated in such request. No change in the competitive position of tenderers or substance of the tender offer is sought, offered, or permitted.

**Note:** This clause does not preclude the negotiation of the final terms of the contract with a preferred tenderer following a competitive selection process, should the CCT elect to do so.

Failure, or refusal, to provide such clarification or additional information within the time for submission stated in the CCT's written request may render the tender non-responsive.

## **2.2.17 Provide other material**

**2.2.17.1** Tenderer's shall promptly provide, upon request by the CCT, any other material that has a bearing on the tender offer, the tenderer's commercial position (including joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the CCT for the purpose of the evaluation of the tender. Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the CCT's request, the CCT may regard the tender offer as non-responsive.

**2.2.17.2** The tenderer shall provide, on written request by the CCT, where the transaction value inclusive of VAT **exceeds R 10 million**:

- a) audited annual financial statement for the past 3 years, or for the period since establishment if established during the past 3 years, if required by law to prepare annual financial statements for auditing.
- b) a certificate signed by the tenderer certifying that the tenderer has no undisputed commitments for municipal services towards a municipality or other service provider in respect

- of which payment is overdue for more than 30 days.
- c) particulars of any contracts awarded to the tenderer by an organ of state during the past five years, including particulars of any material non-compliance or dispute concerning the execution of such contract.
- d) a statement indicating whether any portion of the goods or services are expected to be sourced from outside the Republic, and, if so, what portion and whether any portion of payment from the municipality or municipal entity is expected to be transferred out of the Republic.

Each entity to a Consortium/Joint Venture bid shall submit separate certificates/statements in the above regard.

**2.2.17.3** Tenderers shall be required to undertake to fully cooperate with the CCT's external service provider appointed to perform a due diligence review and risk assessment upon receipt of such written instruction from the CCT.

### **2.2.18 Samples, Inspections, tests and analysis**

Tenderers shall provide access during working hours to premises for inspections, tests and analysis as provided for in the Conditions of Tender or Specifications.

If the **Specifications** requires the tenderer to provide samples, these shall be provided strictly in accordance with the instructions set out in the Specification.

If such samples are not submitted as required in the bid documents or within any further time stipulated by the CCT in writing, then the bid concerned may be declared non-responsive.

The samples provided by all successful bidders will be retained by the CCT for the duration of any subsequent contract. Bidders are to note that samples are requested for testing purposes therefore samples submitted to the CCT may not in all instances be returned in the same state of supply and in other instances may not be returned at all. Unsuccessful bidders will be advised by the Project Manager or dedicated CCT Official to collect their samples, save in the aforementioned instances where the samples would not be returned.

### **2.2.19 Certificates**

The tenderer must provide the CCT with all certificates as stated below:

#### **2.2.19.1. Preference Points for Specific Goals**

In order to qualify for preference points for HDI and/or Specific Goals, it is the responsibility of the tenderer to submit documentary proof (Company registration certification, Central Supplier Database report, BBBEE certificate, Proof of Disability, Financial Statements, commissioned sworn affidavits, etc.) in support of tenderer claims for such preference for that specific goal.

Tenderers are further referred to the content of the Preference Schedule for the full terms and conditions applicable to the awarding of preference points.

#### **2.2.19.2 Evidence of tax compliance**

Tenderers shall be registered with the South African Revenue Service (SARS) and their tax affairs must be in order and they must be tax compliant subject to the requirements of clause 2.2.1.1.2.h. In this regard, it is the responsibility of the Tenderer to submit evidence in the form of a valid Tax Compliance Status PIN issued by SARS to the CCT at the Supplier Management Unit located within the Supplier Management / Registration Office, 2<sup>nd</sup> Floor (Concourse Level), Civic Centre, 12 Hertzog Boulevard, Cape Town (Tel 021 400 9242/3/4/5), or included with this tender. The tenderer must record its Tax Compliance Status PIN number on the **Details of Tenderer** pages of the tender submission.

Each party to a Consortium/Joint Venture shall submit a separate Tax Compliance Status Pin.

Before making an award the CCT must verify the bidder's tax compliance status. Where the recommended bidder is not tax compliant, the bidder should be notified of the non-compliant status and be requested to submit to the CCT, within 7 working days, written proof from SARS that they have made arrangement to meet their outstanding tax obligations. The proof of tax compliance submitted by the bidder must be verified by the CCT via CSD or e-Filing. The CCT should reject a bid submitted by the bidder if such bidder fails to provide proof of tax compliance within the timeframe stated herein.

Only foreign suppliers who have answered “NO” to all the questions contained in the Questionnaire to Bidding Foreign Suppliers section on the **Details of Tenderer** pages of the tender submission, are not required to register for a tax compliance status with SARS.

#### **2.2.20 Compliance with Occupational Health and Safety Act, 85 of 1993**

Tenderers are to note the requirements of the Occupational Health and Safety Act, 85 of 1993. The Tenderer shall be deemed to have read and fully understood the requirements of the above Act and Regulations and to have allowed for all costs in compliance therewith.

In this regard the Tenderer shall submit **upon written request to do so by the CCT**, a Health and Safety Plan in sufficient detail to demonstrate the necessary competencies and resources to deliver the goods or services all in accordance with the Act, Regulations and Health and Safety Specification.

#### **2.2.21 Claims arising from submission of tender**

By responding to the tender herein, the tenderer warrants that it has:

- a) Inspected the Specifications and read and fully understood the Conditions of Contract.
- b) Read and fully understood the whole text of the Specifications and Price Schedule and thoroughly acquainted himself with the nature of the goods or services proposed and generally of all matters which may influence the Contract.
- c) visited the site(s) where delivery of the proposed goods will take place, carefully examined existing conditions, the means of access to the site(s), the conditions under which the delivery is to be made, and acquainted himself with any limitations or restrictions that may be imposed by the Municipal or other Authorities in regard to access and transport of materials, plant and equipment to and from the site(s) and made the necessary provisions for any additional costs involved thereby.
- d) requested the CCT to clarify the actual requirements of anything in the Specifications and Price Schedule, the exact meaning or interpretation of which is not clearly intelligible to the Tenderer.
- e) Received any notices to the tender documents which have been issued in accordance with the CCT's Supply Chain Management Policy.

The CCT will therefore not be liable for the payment of any extra costs or claims arising from the submission of the tender.

## 2.3 The CCT's undertakings

### 2.3.1 Respond to requests from the tenderer

**2.3.1.1** Unless otherwise stated in the Conditions of Tender, the CCT shall respond to a request for clarification received up to one week (where possible) before the tender closing time stated on the front page of the tender document.

**2.3.1.2** The CCT's duly authorised representative for the purpose of this tender is stated on the General Tender Information page above.

### 2.3.2 Issue Notices

If necessary, the CCT may issue addenda in writing that may amend or amplify the tender documents to each tenderer during the period from the date the tender documents are available until one week before the tender closing time stated in the Tender Data. The CCT reserves its rights to issue addenda less than one week before the tender closing time in exceptional circumstances. If, as a result a tenderer applies for an extension to the closing time stated on the front page of the tender document, the CCT may grant such extension and, shall then notify all tenderers who drew documents.

Notwithstanding any requests for confirmation of receipt of notices issued, the tenderer shall be deemed to have received such notices if the CCT can show proof of transmission thereof via electronic mail, facsimile or registered post.

### 2.3.3 Opening of tender submissions

**2.3.3.1** Unless the two-envelope system is to be followed, CCT shall open tender submissions in the presence of tenderers' agents who choose to attend at the time and place stated in the Conditions of Tender.

Tenders will be opened immediately after the closing time for receipt of tenders as stated on the front page of the tender document, or as stated in any Notice extending the closing date and at the closing venue as stated in the General Tender Information.

**2.3.3.2** Announce at the meeting held immediately after the opening of tender submissions, at the closing venue as stated in the General Tender Information, the name of each tenderer whose tender offer is opened and, where possible, the prices indicated.

**2.3.3.3** Make available a record of the details announced at the tender opening meeting on the CCT's website (<http://www.capetown.gov.za/en/SupplyChainManagement/Pages/default.aspx>.)

### 2.3.4 Two-envelope system

**2.3.4.1** Where stated in the Conditions of Tender that a two-envelope system is to be followed, the CCT shall open only the technical proposal of tenders in the presence of tenderers' agents who choose to attend at the time and place stated in the Conditions of Tender and announce the name of each tenderer whose technical proposal is opened.

**2.3.4.2** The CCT shall evaluate the quality of the technical proposals offered by tenderers, then advise tenderers who have submitted responsive technical proposals of the time and place when the financial proposals will be opened. The CCT shall open only the financial proposals of tenderers, who have submitted responsive technical proposals in accordance with the requirements as stated in the Conditions of Tender, and announce the total price and any preference claimed. Return unopened financial proposals to tenderers whose technical proposals were nonresponsive.

### 2.3.5 Non-disclosure

The CCT shall not disclose to tenderers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

### 2.3.6 Grounds for rejection and disqualification

The CCT shall determine whether there has been any effort by a tenderer to influence the processing of tender

offers and instantly disqualify a tenderer (and his tender offer) if it is established that he engaged in corrupt or fraudulent practices.

### **2.3.7 Test for responsiveness**

**2.3.7.1** Appoint a Bid Evaluation Committee and determine after opening whether each tender offer properly received:

- a) complies with the requirements of these Conditions of Tender,
- b) has been properly and fully completed and signed, and
- c) is responsive to the other requirements of the tender documents.

**2.3.7.2** A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the CCT's opinion, would:

- a) Detrimentally affect the scope, quality, or performance of the goods, services or supply identified in the Specifications,
- b) Significantly change the CCT's or the tenderer's risks and responsibilities under the contract, or
- c) affect the competitive position of other tenderers presenting responsive tenders, if it were to be rectified.

Reject a non-responsive tender offer and not allow it to be subsequently made responsive by correction or withdrawal of any material deviation or qualification.

The CCT reserves the right to accept a tender offer which does not, in the CCT's opinion, materially and/or substantially deviate from the terms, conditions, and specifications of the tender documents.

### **2.3.8 Arithmetical errors, omissions and discrepancies**

**2.3.8.1** Check the responsive tenders for:

- a) The gross misplacement of the decimal point in any unit rate.
- b) Omissions made in completing the Price Schedule; or
- c) Arithmetic errors in:
  - i) line-item totals resulting from the product of a unit rate and a quantity in the Price Schedule; or
  - ii) The summation of the prices; or
  - iii) Calculation of individual rates.

**2.3.8.2** The CCT must correct the arithmetical errors in the following manner:

- a) Where there is a discrepancy between the amounts in words and amounts in figures, the amount in words shall govern.
- b) If pricing schedules apply and there is an error in the line-item total resulting from the product of the unit rate and the quantity, the line-item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as tendered shall govern, and the unit rate shall be corrected.
- c) Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if Price Schedules apply) to achieve the tendered total of the prices.

Consider the rejection of a tender offer if the tenderer does not correct or accept the correction of the arithmetical error in the manner described above.

**2.3.8.3** In the event of tendered rates or lump sums being declared by the CCT to be unacceptable to it because they are not priced, either excessively low or high, or not in proper balance with other rates or lump sums, the tenderer may be required to produce evidence and advance arguments in support of the tendered rates or lump sums objected to. If, after submission of such evidence and any further evidence requested, the CCT is still not satisfied with the tendered rates or lump sums objected to, it may request the tenderer to amend these rates and lump sums along the lines indicated by it.

The tenderer will then have the option to alter and/or amend the rates and lump sums objected to and

such other related amounts as are agreed on by the CCT, but this shall be done without altering the tender offer in accordance with this clause.

Should the tenderer fail to amend his tender in a manner acceptable to and within the time stated by the CCT, the CCT may declare the tender as non-responsive.

### **2.3.9 Clarification of a tender offer**

The CCT may, after the closing date, request additional information or clarification from tenderers, in writing on any matter affecting the evaluation of the tender offer or that could give rise to ambiguity in a contract arising from the tender offer, which written request and related response shall not change or affect their competitive position or the substance of their offer. Such request may only be made in writing by the Director: Supply Chain Management using any means as appropriate.

### **2.3.10 Evaluation of tender offers**

#### **2.3.10.1 General**

**2.3.10.1.1** The CCT may reduce each responsive tender offer to a comparative price and evaluate them using the tender evaluation methods and associated evaluation criteria and weightings that are specified in the Conditions of Tender.

**2.3.10.1.2** For evaluation purposes only, the effects of the relevant contract price adjustment methods will be considered in the determination of comparative prices as follows:

- a) If the selected method is based on bidders supplying rates or percentages for outer years, comparative prices would be determined over the entire contract period based on such rates or percentages.
- b) If the selected method is based on a formula, indices, coefficients, etc. that is the same for all bidders during the contract period, comparative prices would be the prices as tendered for year one.
- c) If the selected method is based on a formula, indices, coefficients, etc. that varies between bidders, comparative prices would be determined over the entire contract period based on published indices relevant during the 12 months prior to the closing date of tenders.
- d) If the selected method includes an imported content requiring rate of exchange variation, comparative prices would be determined based on the exchange rates tendered for the prices as tendered for year one. The rand equivalent of the applicable currency 14 days prior to the closing date of tender will be used (the CCT will check all quoted rates against those supplied by its own bank).
- e) If the selected method is based on suppliers' price lists, comparative prices would be the prices as tendered for year one.
- f) If the selected method is based on suppliers' price lists and / or rate of exchange, comparative prices would be determined as tendered for year one whilst taking into account the tendered percentage subject to rate of exchange (see sub clause (d) for details on the calculation of the rate of exchange).

**2.3.10.1.3** Where the scoring of functionality forms part of a bid process, each member of the Bid Evaluation Committee must individually score functionality. The individual scores must then be interrogated and calibrated if required where there are significant discrepancies. The individual scores must then be added together and averaged to determine the final score.

#### **2.3.10.2 Decimal places**

Score financial offers, preferences and functionality, as relevant, to two decimal places.

#### **2.3.10.3 Scoring of tenders (price and preference)**

**[2.3.10.3.1** Points for price will be allocated in accordance with the formula set out in this clause based on the price per item / rates as set out in the **Price Schedule (Section C4)**:

- Based on the sum of the prices/rates in relation to a typical project/job taking in to consideration historical volumes.

**2.3.10.3.2** Points for preference will be allocated in accordance with the provisions of **Preference Schedule** and the table in this clause.

**2.3.10.3.3** The terms and conditions of **Preference Schedule** as it relates to preference shall apply in all respects to the tender evaluation process and any subsequent contract.

**2.3.10.3.4 Applicable formula:**

The 90/10 price/preference points system will be applied to the evaluation of responsive tenders up to and including a Rand value of R50'000'000 (all applicable taxes included), whereby the order(s) will be placed with the tenderer(s) scoring the highest total number of adjudication points.

Price shall be scored as follows:

$$P_s = 90 \times \left(1 - \frac{(P_t - P_{min})}{P_{min}}\right)$$

Where:

- Ps is the number of points scored for price.
- Pt is the price of the tender under consideration.
- Pmin is the price of the lowest responsive tender.

Preference points shall be based on the Specific Goal as per below:

**Table B2: Awards above R50 mil (VAT Inclusive)**

| # | Specific goals allocated points                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Preference Points (90/10) |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
|   | <i>Reconstruction and Development Programme (RDP) as published in Government Gazette</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                           |
| 1 | <b><i>Promotion of Micro and Small Enterprises</i></b><br><i>Micro with a turnover up to R20million and Small with a turnover up to R80 million as per National Small Enterprise Act, 1996 (Act No.102 of 1996)</i><br><i>SME partnership, sub-contracting, joint venture or consortiums</i>                                                                                                                                                                                                                                                                                              | 4                         |
| 2 | <b><i>Enterprise Supplier Development and Socio-Economic Development</i></b><br><i>&gt; 15% of total expenditure = 3 points</i><br><i>&gt; 10% up to 15% of total expenditure = 2 points</i><br><i>&gt;= 5% up to 10% of total expenditure = 1 points</i><br><i>&lt; 5% of total expenditure = 0 points</i>                                                                                                                                                                                                                                                                               | 3                         |
| 3 | <b><i>Skills Development OR Employee Share Scheme</i></b><br><b><i>Skills Development</i></b><br><i>&gt; 5% of total profit = 3 points</i><br><i>&gt; 3% up to 5% of total profit = 2 points</i><br><i>&gt;= 1% up to 3% of total profit = 1 points</i><br><i>&lt; 1% of total profit = 0 points</i><br><b><i>OR Employee Share Scheme</i></b><br><i>&gt; 15% employee ownership = 3 points</i><br><i>&gt; 10% up to 15% employee ownership = 2 point</i><br><i>&gt;= 5% up to 10% employee ownership = 1 point</i><br><i>&lt; 5% employee ownership = 0 point</i><br><b>Total points</b> | 3                         |
|   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>10</b>                 |

### 2.3.10.5 Risk Analysis

Notwithstanding compliance with regard to any requirements of the tender, the CCT will perform a risk analysis in respect of the following:

- a) reasonableness of the financial offer
- b) reasonableness of unit rates and prices
- c) the tenderer's ability to fulfil its obligations in terms of the tender document, that is, that the tenderer can demonstrate that he/she possesses the necessary professional and technical qualifications, professional and technical competence, financial resources, equipment and other physical facilities, managerial capability, reliability, capacity, experience, reputation, personnel to perform the contract, etc.; the CCT reserves the right to consider a tenderer's existing contracts with the CCT in this regard
- d) any other matter relating to the submitted bid, the tendering entity, matters of compliance, verification of submitted information and documents, etc.

The conclusions drawn from this risk analysis will be used by the CCT in determining the acceptability of the tender offer. No tenderer will be recommended for an award unless the tenderer has demonstrated to the satisfaction of the CCT that he/she has the resources and skills required.

### 2.3.11 Negotiations with preferred tenderers

The CCT may negotiate the final terms of a contract with tenderers identified through a competitive tendering process as preferred tenderers provided that such negotiation:

- a) Does not allow any preferred tenderer a second or unfair opportunity.
- b) Is not to the detriment of any other tenderer; and
- c) Does not lead to a higher price than the tender as submitted.

If negotiations fail to result in acceptable contract terms, the City Manager (or his delegated authority) may terminate the negotiations and cancel the tender or invite the next ranked tenderer for negotiations. The original preferred tenderer should be informed of the reasons for termination of the negotiations. If the decision is to invite the next highest ranked tenderer for negotiations, the failed earlier negotiations may not be reopened by the CCT.

Minutes of any such negotiations shall be kept for record purposes.

The provisions of this clause will be equally applicable to any invitation to negotiate with any other tenderers.

In terms of the CCT's SCM Policy, tenders must be cancelled in the event that negotiations fail to achieve a market related price with any of the three highest scoring tenderers.

### 2.3.12 Acceptance of tender offer

Notwithstanding any other provisions contained in the tender document, the CCT reserves the right to:

**2.3.12.1** Accept a tender offer(s) which does not, in the CCT's opinion, materially and/or substantially deviate from the terms, conditions, and specifications of the tender document.

**2.3.12.2** Accept the whole tender or part of a tender or any item or part of any item or items from multiple manufacturers, or to accept more than one tender (in the event of a number of items being offered), and the CCT is not obliged to accept the lowest or any tender.

**2.3.12.3** Accept the tender offer(s), if in the opinion of the CCT, it does not present any material risk and only if the tenderer(s):

- a) is not under restrictions, has any principals who are under restrictions, or is not currently a supplier to whom notice has been served for abuse of the supply chain management system, preventing participation in the CCT's procurement,
- b) can, as necessary and in relation to the proposed contract, demonstrate that he or she possesses the professional and technical qualifications, professional and technical competence, financial resources, equipment and other physical facilities, managerial capability, reliability, experience and reputation, expertise and the personnel, to perform the

- contract,
- c) has the legal capacity to enter into the contract,
- d) is not insolvent, in receivership, under Business Rescue as provided for in chapter 6 of the Companies Act, 2008, bankrupt or being wound up, has his affairs administered by a court or a judicial officer, has suspended his business activities, or is subject to legal proceedings in respect of any of the foregoing, complies with the legal requirements, if any, stated in the tender data, and
- e) is able, in the opinion of the CCT, to perform the contract free of conflicts of interest.

If an award cannot be made in terms of anything contained herein, the CCT reserves the right to consider the next ranked tenderer(s).

**2.3.12.4** The CCT reserves the right not to make an award, or revoke an award already made, where the implementation of the contract may result in reputational risk or harm to the CCT as a result of (inter alia):

- a) reports of poor governance or unethical behaviour, or both.
- b) association with known notorious individuals and family of notorious individuals.
- c) poor performance issues, known to the CCT.
- d) negative media reports, including negative social media reports.
- e) adverse assurance (e.g. due diligence) report outcomes; and
- f) circumstances where the relevant vendor has employed, or is directed by, anyone who was previously employed in the service of the state (as defined in clause 1.53 of the SCM Policy), where the person is or was negatively implicated in any SCM irregularity.

**2.3.12.5** The CCT reserves the right to nominate an Standby Bidder at the time when an award is made and in the event that a contract is terminated during the execution thereof, the CCT may consider the award of the contract, or non-award, to the Standby Bidder in terms of the procedures included its SCM Policy.

### **2.3.13 Prepare contract documents**

**2.3.13.1** If necessary, revise documents that shall form part of the contract and that were issued by the CCT as part of the tender documents to take account of:

- a) Notices issued during the tender period,
- b) Inclusion of some of the returnable documents, and
- c) Other revisions agreed between the CCT and the successful tenderer.

**2.3.13.2 Complete** the schedule of deviations attached to the form of offer and acceptance, if any.

### **2.3.14 Notice to successful and unsuccessful tenderers**

**2.3.14.1** Before accepting the tender of the successful tenderer the CCT shall notify the successful tenderer in writing of the decision of the CCT's Bid Adjudication Committee to award the tender to the successful tenderer. No rights shall accrue to the successful tenderer in terms of this notice

**2.3.14.2** The CCT shall, at the same time as notifying the successful tenderer of the Bid Adjudication Committee's decision to award the tender to the successful tenderer, also give written notice to the other tenderers informing them that they have been unsuccessful.

### **2.3.15 Provide written reasons for actions taken**

Provide upon request written reasons to tenderers for any action that is taken in applying these Conditions of Tender but withhold information which is not in the public interest to be divulged, which is considered to prejudice the legitimate commercial interests of tenderers or might prejudice fair competition between tenderers.

|                                               |                                           |                                                                                                                                                         |               |
|-----------------------------------------------|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>TENDER DOCUMENT<br/>GOODS AND SERVICES</b> |                                           |  <div>CITY OF CAPE TOWN<br/>ISIXEKO SASEKAPA<br/>STAD KAAPSTAD</div> |               |
| <b>SUPPLY CHAIN MANAGEMENT</b>                |                                           |                                                                                                                                                         |               |
| SCM - 542                                     | Approved by Branch Manager: February 2024 | Version: 10                                                                                                                                             | Page 22 of 80 |

**TENDER NO: 55G/2026/27**

**TENDER DESCRIPTION: VALVES: SUPPLY, INSTALLATION, SERVICING, REPAIRING, AND RECONDITIONING OF VALVES AND ASSOCIATED PIPEWORK FOR WATER AND SANITATION FOR THE CITY OF CAPE TOWN**

**CONTRACT PERIOD: 36 MONTHS FROM THE COMMENCEMENT DATE OF THE CONTRACT**

## THE CONTRACT

| <b>THE CITY OF CAPE TOWN</b>                                                                                                                                                                                                                                     |                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| A metropolitan municipality, established in terms of the Local Government: Municipal Structures Act, 117 of 1998 read with the Province of the Western Cape: Provincial Gazette 5588 dated 22 September 2000, as amended ("the Purchaser") herein represented by |                                   |
| <b>AUTHORISED REPRESENTATIVE</b>                                                                                                                                                                                                                                 | W & S Director Technical Services |

**AND**

| <b>SUPPLIER</b>                                                                                                                                  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>NAME of Company/Close Corporation or Partnership / Joint Venture/ Consortium or Sole Proprietor /Individual (The "Supplier" / "tenderer")</b> |  |
| <b>TRADING AS</b> (if different from above)                                                                                                      |  |
| <b>REGISTRATION NUMBER</b>                                                                                                                       |  |
| <b>PHYSICAL ADDRESS / CHOSEN DOMICILIUM CITANI ET EXECTUANDI OF THE SUPPLIER</b>                                                                 |  |
| <b>AUTHORISED REPRESENTATIVE</b>                                                                                                                 |  |
| <b>CAPACITY OF AUTHORISED REPRESENTATIVE</b>                                                                                                     |  |

(HEREINAFTER COLLECTIVELY REFERRED TO AS "THE PARTIES" AND INDIVIDUALLY A "PARTY")

| <b>NATURE OF TENDER OFFER</b> (please indicate below) |  |
|-------------------------------------------------------|--|
| <b>Main Offer</b> (see clause 2.2.11.1)               |  |
| <b>Alternative Offer</b> (see clause 2.2.11.1)        |  |

## C.1 DETAILS OF TENDERER/SUPPLIER

**1.1 Type of Entity** (Please tick one box)

☐ Individual / Sole Proprietor☐ Close Corporation

□ Company

☐ Partnership or Joint Venture or Consortium ☐ Trust

Other:

### 1.2 Required Details (Please provide applicable details in full):

|                                                                                                                |                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Name of Company / Close Corporation or Partnership / Joint Venture / Consortium or Individual /Sole Proprietor |                                                                                                                                              |
| Trading as (if different from above)                                                                           |                                                                                                                                              |
| Company / Close Corporation registration number (if applicable)                                                |                                                                                                                                              |
| Postal address                                                                                                 | Postal Code _____                                                                                                                            |
| Physical address<br>(Chosen Domicilium Citandi Et Executandi)                                                  | Postal Code _____                                                                                                                            |
| Contact details of the person duly authorised to represent the tenderer                                        | Name: Mr/Ms _____<br>(Name & Surname)<br>Telephone :( ____ ) _____ Fax :( ____ ) _____<br>Cellular Telephone: _____<br>E-mail address: _____ |
| Income tax number                                                                                              |                                                                                                                                              |
| VAT registration number                                                                                        |                                                                                                                                              |
| SARS Tax Compliance Status PIN                                                                                 |                                                                                                                                              |
| CCT Supplier Database Registration Number (See Conditions of Tender)                                           |                                                                                                                                              |
| National Treasury Central Supplier Database registration number (See Conditions of Tender)                     |                                                                                                                                              |

|                                                                                                            |                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Is tenderer the accredited representative in South Africa for the Goods / Services / Works offered?</b> | <input type="checkbox"/> Yes <input type="checkbox"/> No<br>If yes, enclose proof                                                                                  |
| <b>Is tenderer a foreign based supplier for the Goods / Services / Works offered?</b>                      | <input type="checkbox"/> Yes <input type="checkbox"/> No<br>If yes, answer the Questionnaire to Bidding Foreign Suppliers (below)                                  |
| <b>Questionnaire to Bidding Foreign Suppliers</b>                                                          | a) Is the tenderer a resident of the Republic of South Africa or an entity registered in South Africa?<br><input type="checkbox"/> Yes <input type="checkbox"/> No |
|                                                                                                            | b) Does the tenderer have a permanent establishment in the Republic of South Africa?<br><input type="checkbox"/> Yes <input type="checkbox"/> No                   |
|                                                                                                            | c) Does the tenderer have any source of income in the Republic of South Africa?<br><input type="checkbox"/> Yes <input type="checkbox"/> No                        |
|                                                                                                            | d) Is the tenderer liable in the Republic of South Africa for any form of taxation?<br><input type="checkbox"/> Yes <input type="checkbox"/> No                    |
| <b>Other Required registration numbers</b>                                                                 |                                                                                                                                                                    |

## C.2 FORM OF OFFER AND ACCEPTANCE

### TENDER 55G/2026/27 - VALVES: SUPPLY, INSTALLATION, SERVICING, REPAIRING, AND RECONDITIONING OF VALVES AND ASSOCIATED PIPEWORK FOR WATER AND SANITATION FOR THE CITY OF CAPE TOWN

#### C.2.1 Offer (To Be Completed by the Tenderer as Part of Tender Submission)

The tenderer, identified in the offer signature table below,

**HEREBY AGREES THAT** by signing the *Form of Offer and Acceptance*, the tenderer:

1. confirms that it has examined the documents listed in the Index (including Schedules and Annexures) and has accepted all the Conditions of Tender.
2. confirms that it has received and incorporated any and all notices issued to tenderers issued by the CCT.
3. confirms that it has satisfied itself as to the correctness and validity of the tender offer; that the price(s) and rate(s) offered cover all the goods and/or services specified in the tender documents; that the price(s) and rate(s) cover all its obligations and accepts that any mistakes regarding price(s), rate(s) and calculations will be at its own risk;
4. offers to supply all or any of the goods and/or render all or any of the services described in the tender document to the CCT in accordance with the:
  - 4.1 terms and conditions stipulated in this tender document.
  - 4.2 specifications stipulated in this tender document; and
  - 4.3 at the prices as set out in the **Price Schedule**.
5. accepts full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on it in terms of the Contract.

SIGNED AT \_\_\_\_\_ (PLACE) ON THE \_\_\_\_ (DAY) OF \_\_\_\_\_ (MONTH AND YEAR)

\_\_\_\_\_  
For and on behalf of the Supplier  
(Duly Authorised)  
Name and Surname:

\_\_\_\_\_  
Witness 1 Signature  
Name and Surname:

\_\_\_\_\_  
Witness 2 Signature  
Name and Surname:

| INITIALS OF CCT OFFICIALS |   |   |
|---------------------------|---|---|
| 1                         | 2 | 3 |

## FORM OF OFFER AND ACCEPTANCE (continued)

### TENDER 55G/2026/27 - VALVES: SUPPLY, INSTALLATION, SERVICING, REPAIRING, AND RECONDITIONING OF VALVES AND ASSOCIATED PIPEWORK FOR WATER AND SANITATION FOR THE CITY OF CAPE TOWN

#### C.2.2 Acceptance (To Be Completed by the CCT)

By signing this part of this *Form of Offer and Acceptance*, the CCT accepts the tenderer's (if awarded the Supplier's) offer. In consideration thereof, the CCT shall pay the Supplier the amount due in accordance with the conditions of contract. Acceptance of the Supplier's offer shall form an agreement between the CCT and the Supplier upon the terms and conditions contained in this document.

The terms of the agreement are contained in the Contract (as defined) including drawings and documents or parts thereof, which may be incorporated by reference.

Deviations from and amendments to the documents listed in the tender data and any addenda thereto as listed in the *Tender Returnable Documents* as well as any changes to the terms of the offer agreed by the tenderer and the CCT during this process of offer and acceptance, are contained in the *Schedule of Deviations* attached to and forming part of this *Form of Offer and Acceptance*. No amendments to or deviations from said documents are valid unless contained in the *Schedule of Deviations*.

The Supplier shall within 2 (two) weeks after receiving a complete, copy of the Contract, including the *Schedule of Deviations* (if any), contact the CCT to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documents to be provided in terms the *Special Conditions of Contract*. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation / breach of the agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the Commencement Date, being the date upon which the Supplier confirms receipt from the CCT of 1 (one) complete, signed copy of the Contract, including amendments or deviations contained in the *Schedule of Deviations* (if any).

\_\_\_\_\_  
For and on behalf of the City of Cape Town  
(Duly Authorised)  
Name and Surname:

\_\_\_\_\_  
Witness 1 Signature  
Name and Surname:

\_\_\_\_\_  
Witness 2 Signature  
Name and Surname:



|                                                 |
|-------------------------------------------------|
| <b>FORM OF OFFER AND ACCEPTANCE (continued)</b> |
|-------------------------------------------------|

**TENDER 55G/2026/27 - VALVES: SUPPLY, INSTALLATION, SERVICING, REPAIRING, AND RECONDITIONING OF VALVES AND ASSOCIATED PIPEWORK FOR WATER AND SANITATION FOR THE CITY OF CAPE TOWN**

**C.2.4 Confirmation of Receipt (To be Completed by Supplier upon Acceptance)**

The Supplier identified in the offer part of the Contract hereby confirms receipt from the CCT of 1 (one) complete, signed copy of the Contract, including the *Schedule of Deviations* (if any) on:

The..... (Day)

Of..... (Month)

20..... (year)

At..... (Place)

For the Supplier: Signature(s) .....

Name(s) .....

Capacity .....

Signature and name of witness:

Signature ..... Name .....

ONLY TO BE  
COMPLETED AT  
ACCEPTANCE STAGE

### C.3 OCCUPATIONAL HEALTH AND SAFETY AGREEMENT

**AGREEMENT MADE AND ENTERED INTO BETWEEN THE CCT (HEREINAFTER CALLED THE "CCT")  
AND**

.....,  
(Supplier/Mandatory/Company/CC Name)

**IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT, 85 OF 1993 AS AMENDED.**

I, ....., representing

....., as an employer in its own right in its own right, do hereby undertake to ensure, as far as is reasonably practicable, that all work will be performed, and all equipment, machinery or plant used in such a manner as to comply with the provisions of the Occupational Health and Safety Act ( hereafter "OHSA") and the Regulations promulgated thereunder.

I furthermore confirm that I am/we are registered with the Compensation Commissioner and that all registration and assessment monies due to the Compensation Commissioner have been fully paid or that I/We are insured with an approved licensed compensation insurer.

COID ACT Registration Number: .....

OR Compensation Insurer: ..... Policy No: .....

I undertake to appoint, where required, suitable competent persons, in writing, in terms of the requirements of OHSA and the Regulations and to charge him/them with the duty of ensuring that the provisions of OHSA and Regulations as well as the Council's Special Conditions of Contract, Way Leave, Lock-Out and Work Permit Procedures are adhered to as far as reasonably practicable.

I further undertake to ensure that any subcontractors employed by me will enter into an occupational health and safety agreement separately, and that such subcontractors comply with the conditions set.

I hereby declare that I have read and understand the Occupational Health and Safety Specifications contained in this tender and undertake to comply therewith at all times.

I hereby also undertake to comply with the Occupational Health and Safety Specification and Plan submitted and approved in terms thereof.

Signed at ..... on the ..... day of ..... 20....

\_\_\_\_\_  
**Witness**

\_\_\_\_\_  
**Mandatory**

Signed at ..... on the ..... day of ..... 20 ....

\_\_\_\_\_  
Witness

\_\_\_\_\_  
for and on behalf of  
CCT

## C.4 PRICE SCHEDULE

Bid specifications may not make any reference to any particular trademark, name, patent, design, type, specific origin or producer, unless there is no other sufficiently precise or intelligible way of describing the characteristics of the work, in which case such reference must be accompanied by the words "or equivalent".

All standards to be adhered to and standards considered when pricing as per clause 3.3 under detailed specifications.

**TENDERERS MUST NOTE THAT WHEREVER THIS DOCUMENT REFERS TO ANY PARTICULAR TRADEMARK, NAME, PATENT, DESIGN, TYPE, SPECIFIC ORIGIN OR PRODUCER, SUCH REFERENCE SHALL BE DEEMED TO BE ACCOMPANIED BY THE WORDS 'OR EQUIVALENT'**

### PAGE

|                                                                                                       |    |
|-------------------------------------------------------------------------------------------------------|----|
| C.4 PRICE SCHEDULE                                                                                    | 30 |
| SCHEDULE A: GENERAL REQUIREMENTS, CONDITIONS, TOOLS, EQUIPMENT AND TRANSPORT                          | 31 |
| SCHEDULE B: LABOUR CHARGES                                                                            | 33 |
| SCHEDULE C: SUPPLY AND DELIVERY OF RESILIENT SEAL GATE VALVE (RSV) AND SEAL SETS                      | 35 |
| SCHEDULE D: SUPPLY AND DELIVERY OF WEDGE GATE VALVE AND SEAL SETS                                     | 37 |
| SCHEDULE E: SUPPLY AND DELIVERY OF WAFER TYPE KNIFE GATE VALVES AND SEAL SETS                         | 39 |
| SCHEDULE F: SUPPLY AND DELIVERY OF CHECK VALVES AND SEAL SETS                                         | 40 |
| SCHEDULE G: SUPPLY AND DELIVERY OF AIR RELEASE VALVES AND SEAL SETS                                   | 42 |
| SCHEDULE H: SUPPLY AND DELIVERY OF BUTTERFLY VALVES                                                   | 43 |
| SCHEDULE I: SPECIALISED EQUIPMENT AND SERVICES                                                        | 45 |
| SCHEDULE J: SUPPLY AND DELIVERY OF ADDITIONAL PARTS AND SUNDRIES                                      | 46 |
| SCHEDULE K: SUPPLY AND DELIVERY OF PRESSURE REDUCING VALVES                                           | 51 |
| SCHEDULE L: SERVICING, REPAIRS & MAINTENANCE OF PRESSURE REDUCING VALVES                              | 52 |
| SCHEDULE M: SLEEVE / DISCHARGE VALVE MECHANICAL OPERATED                                              | 52 |
| SCHEDULE N: HEAVY DUTY RIGHT-ANGLE FLOW CONTROL VALVE                                                 | 53 |
| SCHEDULE O: WEDGE GATE METAL SEAT VALVE WITH GEARBOX AND BYPASS                                       | 54 |
| SCHEDULE P: PLUNGER/NEEDLE DESIGN FLOW CONTROL VALVE                                                  | 54 |
| SCHEDULE Q: PNEUMATIC ACTUATORS INCLUDING OEM MOUNTING KIT COMPRISING OF BRACKET, DRIVE AND FASTENERS | 55 |
| SCHEDULE R: ELECTRIC ACTUATORS INCLUDING OEM MOUNTING BRACKET, DRIVE AND FASTENERS                    | 56 |
| SCHEDULE S: PROVISIONAL SUMS PER WORK PACKAGE                                                         | 56 |

## SCHEDULE A: SERVICES - GENERAL REQUIREMENTS, CONDITIONS, TOOLS, EQUIPMENT AND TRANSPORT

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                                                                                                                                                                                       | UNIT OF MEASURE | RATE |   |
|---------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                                                                                                                                                                                                                   |                 | R    | C |
|         |             | <b><u>GENERAL REQUIREMENTS AND CONDITIONS</u></b>                                                                                                                                                                                                                                                                                                 |                 |      |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the Contract the following: -</u></b>                                                                                                                                                                                                                                                   |                 |      |   |
| A1      | D1          | Providing a General Health and Safety master file. File to Comply with the requirements of the Health and Safety Specification, Occupational Health and Safety ACT, 85 of 1993, construction regulations as well as Environmental Management Specification (Once off for Framework contract updated and reviewed as required, at least annually). | Item            |      |   |
| A2      | D1          | Providing a detailed works programme including detail labour breakdown in hours (Per Works Package).                                                                                                                                                                                                                                              | Item            |      |   |
| A3      | D1          | Complete and provide site specific Health and Safety risk assessment and method statement (Per Works Package).                                                                                                                                                                                                                                    | Item            |      |   |
| A4      | D1          | Providing 1x final copy of the Installation, Operation and Maintenance Manual including electronic copy (Per Works Package).                                                                                                                                                                                                                      | Item            |      |   |
| A5      | L5          | Provide Operator and Maintenance Training on Valves for a minimum of 10 CCT staff members for a period of 1 hour onsite, post refurbishment / installation (Per Works Package).                                                                                                                                                                   | Item            |      |   |
|         |             | <b><u>TOOLS AND EQUIPMENT</u></b>                                                                                                                                                                                                                                                                                                                 |                 |      |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the supply, operating, fuel, maintaining, etc of the following Plant and Equipment: -</u></b>                                                                                                                                                                                           |                 |      |   |
| A6      | T1          | Over pumping system complete with suction and discharge piping max of 250m included. Max flow 150m <sup>3</sup> /hr static head for 20m discharge, suction -10m                                                                                                                                                                                   | Per Day         |      |   |
| A7      | T1          | Over pumping system complete with suction and discharge piping max of 250m included. Max flow 250m <sup>3</sup> /hr static head for 20m discharge, suction -10m                                                                                                                                                                                   | /Day            |      |   |
| A8      | T1          | Over pumping system complete with suction and discharge piping max of 250m included. Max flow 500m <sup>3</sup> /hr static head for 20m discharge, suction -10m                                                                                                                                                                                   | Day             |      |   |
| A9      | T1          | Welding plant including generator and fuel                                                                                                                                                                                                                                                                                                        | Day             |      |   |
| A10     | T1          | Mobile generator, 150kVA, operate and maintain including fuel.                                                                                                                                                                                                                                                                                    | Day             |      |   |
| A11     | T1          | Sufficient temporary lighting, to ensure a safe working environment.                                                                                                                                                                                                                                                                              | Day             |      |   |
| A12     | T1          | 500 litre water trailers complete with pump at high pressure water jet (>8bar)                                                                                                                                                                                                                                                                    | Day             |      |   |

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                               | UNIT OF MEASURE    | RATE |   |
|---------|-------------|---------------------------------------------------------------------------------------------------------------------------|--------------------|------|---|
|         |             |                                                                                                                           |                    | R    | C |
|         |             | <b>25 T Rough Terrain cranes, 3 Ton lifting capacity at 10 m</b>                                                          |                    |      |   |
| A13     | T3          | Establish and disestablish 25T Crane                                                                                      | Per km             |      |   |
| A14     | T2          | Operate and maintain 25T Crane                                                                                            | Per hr             |      |   |
|         |             | <b>50 T Rough Terrain cranes, 5 Ton lifting capacity at 15 m</b>                                                          |                    |      |   |
| A15     | T3          | Establish and disestablish 50T Crane                                                                                      | km                 |      |   |
| A16     | T2          | Operate and maintain 50T Crane                                                                                            | hr                 |      |   |
|         |             | <b>10 000L Vacuum tanker truck (super sucker, 55kW or more)</b>                                                           |                    |      |   |
| A17     | T3          | Establish and disestablish Vacuum Tanker                                                                                  | km                 |      |   |
| A18     | T4          | Vacuum Tanker Cleaning of structures as well as disposal of sludge and debris at a waste site as per waste classification | Per m <sup>3</sup> |      |   |
| A19     | T1          | Inflatable heavy-duty balloon for isolation up to 1000mm diameter                                                         | day                |      |   |
|         |             | <b><u>TRANSPORT CHARGES AND COLLECTIONS</u></b>                                                                           |                    |      |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the the following Transport and Collection Charges: -</u></b>   |                    |      |   |
|         |             | <b>Charges are to be based on AA rates including driver:</b>                                                              |                    |      |   |
| A20     | T3          | Light Delivery Vehicle (1.0-ton LDV)                                                                                      | km                 |      |   |
| A21     | T3          | Truck, 3-ton flat bed                                                                                                     | km                 |      |   |
| A22     | T3          | Truck, 3-ton flat bed with 1 ton crane                                                                                    | km                 |      |   |

## SCHEDULE B: SERVICES - LABOUR CHARGES

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                                                                      | UNIT OF MEASURE | RATE |   |
|---------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                                                                                                  |                 | R    | C |
|         |             | <b><u>LABOUR CHARGES</u></b>                                                                                                                                                                                                     |                 |      |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the following labour charges: -</u></b>                                                                                                                                |                 |      |   |
|         |             | <b>Remove all type of Valves from position on site to be refurbished or disposed</b>                                                                                                                                             |                 |      |   |
| B1      | L1          | Remove sizes up to DN 150 valves                                                                                                                                                                                                 | No.             |      |   |
| B2      | L1          | Remove sizes up to DN 300 valves                                                                                                                                                                                                 | No.             |      |   |
| B3      | L1          | Remove sizes up to DN 600 valves                                                                                                                                                                                                 | No.             |      |   |
| B4      | L1          | Remove sizes up to DN 1200 valves                                                                                                                                                                                                | No.             |      |   |
|         |             | <b>Service of all type of Valves at suppliers' workshop</b>                                                                                                                                                                      |                 |      |   |
| B5      | L2          | Service sizes up to DN 150 valves                                                                                                                                                                                                | No.             |      |   |
| B6      | L2          | Service sizes up to DN 300 valves                                                                                                                                                                                                | No.             |      |   |
| B7      | L2          | Service sizes up to DN 600 valves                                                                                                                                                                                                | No.             |      |   |
| B8      | L2          | Service sizes up to DN 1200 valves                                                                                                                                                                                               | No.             |      |   |
|         |             | <b>Installation, testing &amp; Commissioning of all types of Valves</b>                                                                                                                                                          |                 |      |   |
| B9      | L3          | Install Test Commission sizes up to DN 150 valves                                                                                                                                                                                | No              |      |   |
| B10     | L3          | Install Test Commission sizes up to DN 300 valves                                                                                                                                                                                | No              |      |   |
| B11     | L3          | Install Test Commission sizes up to DN 600 valves                                                                                                                                                                                | No              |      |   |
| B12     | L3          | Install Test Commission sizes up to DN 1200 valves                                                                                                                                                                               | No              |      |   |
|         |             | <b>Supply the following labour rates based on normal hourly labour rates. The rates must include all transport, incidental costs, equipment, hand tools, power tools and safety equipment, etc. Weekdays from 06:00 to 18:00</b> |                 |      |   |
| B13     | L4          | Draughtsman/Designer, Design approved by Pr Tech                                                                                                                                                                                 | hr              |      |   |
| B14     | L4          | Qualified Rigger                                                                                                                                                                                                                 | hr              |      |   |
| B15     | L4          | Supervisor/Site agent                                                                                                                                                                                                            | hr              |      |   |
| B16     | L4          | Artisan; Mechanical Fitter, Welder                                                                                                                                                                                               | hr              |      |   |
| B17     | L4          | Artisan Assistant/Labourer                                                                                                                                                                                                       | hr              |      |   |
| B18     | L4          | Electrical/Instrumentation Artisan                                                                                                                                                                                               | hr              |      |   |

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                                                                                                                                                                  | UNIT OF MEASURE | RATE |   |
|---------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                                                                                                                                                                                              |                 | R    | C |
| B19     | L4          | Fitter & Turner including Milling and Lathe Machinery<br><br><b>Supply the following labour rates outside of normal working times. The rates must include all transport, incidental costs, equipment, hand tools, power tools and safety equipment, etc. Weekdays between 18:00 and 06:00; weekends and public holidays:</b> | hr              |      |   |
| B20     | L4          | Supervisor/Site agent                                                                                                                                                                                                                                                                                                        | hr              |      |   |
| B21     | L4          | Artisan; Mechanical Fitter, Welder                                                                                                                                                                                                                                                                                           | hr              |      |   |
| B22     | L4          | Artisan Assistant/Labourer                                                                                                                                                                                                                                                                                                   | hr              |      |   |
| B23     | L4          | Qualified Rigger                                                                                                                                                                                                                                                                                                             | hr              |      |   |

## SCHEDULE C: GOODS - SUPPLY AND DELIVERY OF RESILIENT SEAL GATE VALVE (RSV)

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                                                                   | UNIT OF MEASURE | RATE |   |
|---------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                                                                                               |                 | R    | C |
|         |             | <b><u>RESILIENT SEAL GATE VALVE (RSV)</u></b>                                                                                                                                                                                 |                 |      |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following Resilient Seal Gate Valve (RSV Non-Rising stem) for both RHC and LHC:-</u></b> |                 |      |   |
| C1      | S1          | DN80 RSV PN10 Flanged Rising stem                                                                                                                                                                                             | No.             |      |   |
| C2      | S1          | DN80 RSV PN16 Flanged Rising stem                                                                                                                                                                                             | No.             |      |   |
| C3      | S1          | DN100 RSV PN10 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C4      | S1          | DN100 RSV PN16 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C5      | S1          | DN100 RSV PN16 Flanged                                                                                                                                                                                                        | No.             |      |   |
| C6      | S1          | DN150 RSV PN10 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C7      | S1          | DN150 RSV PN16 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C8      | S1          | DN200 RSV PN10 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C9      | S1          | DN200 RSV PN16 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C10     | S1          | DN200 RSV PN16 Flanged Non-Rising stem                                                                                                                                                                                        | No.             |      |   |
| C11     | S1          | DN250 RSV PN10 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C12     | S1          | DN250 RSV PN16 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C13     | S1          | DN300 RSV PN10 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C14     | S1          | DN300 RSV PN16 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C15     | S1          | DN300 RSV PN16 Flanged non-Rising stem                                                                                                                                                                                        | No.             |      |   |
| C16     | S1          | DN350 RSV PN10 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C17     | S1          | DN350 RSV PN16 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C18     | S1          | DN400 RSV PN10 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C19     | S1          | DN400 RSV PN16 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C20     | S1          | DN450 RSV PN10 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C21     | S1          | DN450 RSV PN16 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C22     | S1          | DN500 RSV PN10 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C23     | S1          | DN500 RSV PN16 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |
| C24     | S1          | DN600 RSV PN10 Flanged Rising stem                                                                                                                                                                                            | No.             |      |   |

| ITEM NO | PAYMENT REF | DESCRIPTION                            | UNIT OF MEASURE | RATE |   |
|---------|-------------|----------------------------------------|-----------------|------|---|
|         |             |                                        |                 | R    | C |
| C25     | S1          | DN600 RSV PN16 Flanged Rising stem     | No.             |      |   |
| C26     | S1          | DN600 RSV PN16 Flanged non-Rising stem | No.             |      |   |
| C27     | S1          | DN800 RSV PN10 Flanged Rising stem     | No.             |      |   |
| C28     | S1          | DN800 RSV PN16 Flanged Rising stem     | No.             |      |   |
| C29     | S1          | DN900 RSV PN10 Flanged Rising stem     | No.             |      |   |
| C30     | S1          | DN900 RSV PN16 Flanged Rising stem     | No.             |      |   |
| C31     | S1          | DN1000 RSV PN10 Flanged Rising stem    | No.             |      |   |
| C32     | S1          | DN1000 RSV PN16 Flanged Rising stem    | No.             |      |   |
| C33     | S1          | DN1200 RSV PN10 Flanged Rising stem    | No.             |      |   |
| C34     | S1          | DN1200 RSV PN16 Flanged Rising stem    | No.             |      |   |

## SCHEDULE D: GOODS - SUPPLY AND DELIVERY OF WEDGE GATE VALVE

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                 | UNIT OF MEASURE | RATE |   |
|---------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                                             |                 | R    | C |
|         |             | <b><u>WEDGE GATE VALVE</u></b>                                                                                                                                              |                 |      |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following Wedge Gate Valves: -</u></b> |                 |      |   |
| D1      | S1          | DN50mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                            | No.             |      |   |
| D2      | S1          | DN80mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                            | No.             |      |   |
| D3      | S1          | DN100mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                           | No.             |      |   |
| D4      | S1          | DN150mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                           | No.             |      |   |
| D5      | S1          | DN200mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                           | No.             |      |   |
| D6      | S1          | DN250mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                           | No.             |      |   |
| D7      | S1          | DN300mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                           | No.             |      |   |
| D8      | S1          | DN350mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                           | No.             |      |   |
| D9      | S1          | DN400mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                           | No.             |      |   |
| D10     | S1          | DN450mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                           | No.             |      |   |
| D11     | S1          | DN500mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                           | No.             |      |   |
| D12     | S1          | DN600mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                           | No.             |      |   |
| D13     | S1          | DN700mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                           | No.             |      |   |
| D14     | S1          | DN800mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                           | No.             |      |   |
| D15     | S1          | DN1000mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                          | No.             |      |   |
| D16     | S1          | DN1200mm Wedge Gate Valve PN10 Flanged Rising stem                                                                                                                          | No.             |      |   |

| ITEM NO | PAYMENT REF | DESCRIPTION                                        | UNIT OF MEASURE | RATE |   |
|---------|-------------|----------------------------------------------------|-----------------|------|---|
|         |             |                                                    |                 | R    | C |
| D17     | S1          | DN50mm Wedge Gate Valve PN16 Flanged Rising stem   | No.             |      |   |
| D18     | S1          | DN80mm Wedge Gate Valve PN16 Flanged Rising stem   | No.             |      |   |
| D19     | S1          | DN100mm Wedge Gate Valve PN16 Flanged Rising stem  | No.             |      |   |
| D20     | S1          | DN150mm Wedge Gate Valve PN16 Flanged Rising stem  | No.             |      |   |
| D21     | S1          | DN200mm Wedge Gate Valve PN16 Flanged Rising stem  | No.             |      |   |
| D22     | S1          | DN250mm Wedge Gate Valve PN16 Flanged Rising stem  | No.             |      |   |
| D23     | S1          | DN300mm Wedge Gate Valve PN16 Flanged Rising stem  | No.             |      |   |
| D24     | S1          | DN350mm Wedge Gate Valve PN16 Flanged Rising stem  | No.             |      |   |
| D25     | S1          | DN400mm Wedge Gate Valve PN16 Flanged Rising stem  | No.             |      |   |
| D26     | S1          | DN450mm Wedge Gate Valve PN16 Flanged Rising stem  | No.             |      |   |
| D27     | S1          | DN500mm Wedge Gate Valve PN16 Flanged Rising stem  | No.             |      |   |
| D28     | S1          | DN600mm Wedge Gate Valve PN16 Flanged Rising stem  | No.             |      |   |
| D29     | S1          | DN700mm Wedge Gate Valve PN16 Flanged Rising stem  | No.             |      |   |
| D30     | S1          | DN800mm Wedge Gate Valve PN16 Flanged Rising stem  | No.             |      |   |
| D31     | S1          | DN1000mm Wedge Gate Valve PN16 Flanged Rising stem | No.             |      |   |
| D32     | S1          | DN1200mm Wedge Gate Valve PN16 Flanged Rising stem | No.             |      |   |

## SCHEDULE E: GOODS - SUPPLY AND DELIVERY OF WAFER TYPE KNIFE GATE VALVES

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                                                                   | UNIT OF MEASURE | RATE |   |
|---------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                                                                                               |                 | R    | C |
|         |             | <b><u>WAFER TYPE KNIFE GATE VALVES</u></b>                                                                                                                                                                                    |                 |      |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following Wafer Type – Self Cleaning Knife Gate Valves rising stem SS316Blade: -</u></b> |                 |      |   |
| E1      | S1          | DN50mm Knife Gate Wafer PN10                                                                                                                                                                                                  | No              |      |   |
| E2      | S1          | DN80mm Knife Gate Wafer PN10                                                                                                                                                                                                  | No              |      |   |
| E3      | S1          | DN100mm Knife Gate Wafer PN10                                                                                                                                                                                                 | No              |      |   |
| E4      | S1          | DN150mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                       | No              |      |   |
| E5      | S1          | DN200mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                       | No              |      |   |
| E6      | S1          | DN250mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                       | No              |      |   |
| E7      | S1          | DN300mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                       | No              |      |   |
| E8      | S1          | DN350mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                       | No              |      |   |
| E9      | S1          | DN 400mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                      | No              |      |   |
| E10     | S1          | DN450mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                       | No              |      |   |
| E11     | S1          | DN500mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                       | No              |      |   |
| E12     | S1          | DN600mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                       | No              |      |   |
| E13     | S1          | DN700mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                       | No              |      |   |
| E14     | S1          | DN800mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                       | No              |      |   |
| E15     | S1          | DN1000mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                      | No              |      |   |
| E16     | S1          | DN1200mm Knife Gate Wafer PN10 rising stem<br>SS316Blade                                                                                                                                                                      | No              |      |   |
| E17     | S1          | DN100mm Knife Gate Wafer PN16 rising stem<br>SS316Blade                                                                                                                                                                       | No              |      |   |

| ITEM NO | PAYMENT REF | DESCRIPTION                                              | UNIT OF MEASURE | R | C |
|---------|-------------|----------------------------------------------------------|-----------------|---|---|
| E18     | S1          | DN150mm Knife Gate Wafer PN16 rising stem<br>SS316Blade  | No              |   |   |
| E19     | S1          | DN200mm Knife Gate Wafer PN16 rising stem<br>SS316Blade  | No              |   |   |
| E20     | S1          | DN250mm Knife Gate Wafer PN16 rising stem<br>SS316Blade  | No              |   |   |
| E21     | S1          | DN300mm Knife Gate Wafer PN16 rising stem<br>SS316Blade  | No              |   |   |
| E22     | S1          | DN350mm Knife Gate Wafer PN16 rising stem<br>SS316Blade  | No              |   |   |
| E23     | S1          | DN 400mm Knife Gate Wafer PN16 rising stem<br>SS316Blade | No              |   |   |
| E24     | S1          | DN450mm Knife Gate Wafer PN16 rising stem<br>SS316Blade  | No              |   |   |
| E25     | S1          | DN500mm Knife Gate Wafer PN16 rising stem<br>SS316Blade  | No              |   |   |
| E26     | S1          | DN600mm Knife Gate Wafer PN16 rising stem<br>SS316Blade  | No              |   |   |
| E27     | S1          | DN700mm Knife Gate Wafer PN16 rising stem<br>SS316Blade  | No              |   |   |
| E28     | S1          | DN800mm Knife Gate Wafer PN16 rising stem<br>SS316Blade  | No              |   |   |
| E29     | S1          | DN1000mm Knife Gate Wafer PN16 rising stem<br>SS316Blade | No              |   |   |
| E30     | S1          | DN1200mm Knife Gate Wafer PN16 rising stem<br>SS316Blade | No              |   |   |

**SCHEDULE F: GOODS - SUPPLY AND DELIVERY OF CHECK VALVES**

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                            | UNIT OF MEASURE | R | C |
|---------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---|---|
|         |             | <b><u>CHECK VALVES</u></b>                                                                                                                                             |                 |   |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following Check Valves: -</u></b> |                 |   |   |
| F1      | S1          | DN50mm Ball Check Valve Flanged PN10                                                                                                                                   | No              |   |   |
| F2      | S1          | DN80mm Ball Check Valve Flanged PN10                                                                                                                                   | No              |   |   |
| F3      | S1          | DN100mm Ball Check Valve Flanged PN10                                                                                                                                  | No              |   |   |
| F4      | S1          | DN150mm Ball Check Valve Flanged PN10                                                                                                                                  | No              |   |   |
| F5      | S1          | DN200mm Ball Check Valve Flanged PN10                                                                                                                                  | No              |   |   |

| ITEM NO | PAYMENT REF | DESCRIPTION                             | UNIT OF MEASURE | RATE |   |
|---------|-------------|-----------------------------------------|-----------------|------|---|
|         |             |                                         |                 | R    | C |
| F6      | S1          | DN250mm Ball Check Valve Flanged PN10   | No              |      |   |
| F7      | S1          | DN300mm Ball Check Valve Flanged PN10   | No              |      |   |
| F8      | S1          | DN350mm Ball Check Valve Flanged PN10   | No              |      |   |
| F9      | S1          | DN400mm Ball Check Valve Flanged PN10   | No              |      |   |
| F10     | S1          | DN450mm Ball Check Valve Flanged PN10   | No              |      |   |
| F11     | S1          | DN500mm Ball Check Valve Flanged PN10   | No              |      |   |
| F12     | S1          | DN50mm Swing Check Valve Flanged PN10   | No              |      |   |
| F13     | S1          | DN80mm Swing Check Valve Flanged PN10   | No              |      |   |
| F14     | S1          | DN100mm Swing Check Valve Flanged PN10  | No              |      |   |
| F15     | S1          | DN150mm Swing Check Valve Flanged PN10  | No              |      |   |
| F16     | S1          | DN200mm Swing Check Valve Flanged PN10  | No              |      |   |
| F17     | S1          | DN250mm Swing Check Valve Flanged PN10  | No              |      |   |
| F18     | S1          | DN300mm Swing Check Valve Flanged PN10  | No              |      |   |
| F19     | S1          | DN350mm Swing Check Valve Flanged PN10  | No              |      |   |
| F20     | S1          | DN400mm Swing Check Valve Flanged PN10  | No              |      |   |
| F21     | S1          | DN450mm Swing Check Valve Flanged PN10  | No              |      |   |
| F22     | S1          | DN500mm Swing Check Valve Flanged PN10  | No              |      |   |
| F23     | S1          | DN550mm Swing Check Valve Flanged PN10  | No              |      |   |
| F24     | S1          | DN600mm Swing Check Valve Flanged PN10  | No              |      |   |
| F25     | S1          | DN700mm Swing Check Valve Flanged PN10  | No              |      |   |
| F26     | S1          | DN800mm Swing Check Valve Flanged PN10  | No              |      |   |
| F27     | S1          | DN1000mm Swing Check Valve Flanged PN10 | No              |      |   |
| F28     | S1          | DN1200mm Swing Check Valve Flanged PN10 | No              |      |   |
| F29     | S1          | DN50mm Swing Check Valve Flanged PN16   | No              |      |   |
| F30     | S1          | DN80mm Swing Check Valve Flanged PN16   | No              |      |   |
| F31     | S1          | DN100mm Swing Check Valve Flanged PN16  | No              |      |   |
| F32     | S1          | DN150mm Swing Check Valve Flanged PN16  | No              |      |   |
| F33     | S1          | DN200mm Swing Check Valve Flanged PN16  | No              |      |   |
| F34     | S1          | DN250mm Swing Check Valve Flanged PN16  | No              |      |   |
| F35     | S1          | DN300mm Swing Check Valve Flanged PN16  | No              |      |   |
| F36     | S1          | DN350mm Swing Check Valve Flanged PN16  | No              |      |   |
| F37     | S1          | DN400mm Swing Check Valve Flanged PN16  | No              |      |   |
| F38     | S1          | DN450mm Swing Check Valve Flanged PN16  | No              |      |   |
| F39     | S1          | DN500mm Swing Check Valve Flanged PN16  | No              |      |   |
| F40     | S1          | DN550mm Swing Check Valve Flanged PN16  | No              |      |   |
| F41     | S1          | DN600mm Swing Check Valve Flanged PN16  | No              |      |   |
| F42     | S1          | DN700mm Swing Check Valve Flanged PN16  | No              |      |   |
| F43     | S1          | DN800mm Swing Check Valve Flanged PN16  | No              |      |   |
| F44     | S1          | DN1000mm Swing Check Valve Flanged PN16 | No              |      |   |
| F45     | S1          | DN1200mm Swing Check Valve Flanged PN16 | No              |      |   |

## SCHEDULE G: GOODS - SUPPLY AND DELIVERY OF AIR RELEASE VALVES

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                                                        | UNIT OF MEASURE | RATE |   |
|---------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                                                                                    |                 | R    | C |
|         |             | <b><u>AIR RELEASE VALVES</u></b>                                                                                                                                                                                   |                 |      |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following Combination-type automatic Air Release, Air/Vacuum devices-</u></b> |                 |      |   |
| G1      | S1          | DN50mm Air Release Valve Flanged PN16                                                                                                                                                                              | No              |      |   |
| G2      | S1          | DN80mm Air Release Valve Flanged PN16                                                                                                                                                                              | No              |      |   |
| G3      | S1          | DN100mm Air Release Valve Flanged PN16                                                                                                                                                                             | No              |      |   |
| G4      | S1          | DN150mm Air Release Valve Flanged PN16                                                                                                                                                                             | No              |      |   |
| G5      | S1          | DN200mm Air Release Valve Flanged PN16                                                                                                                                                                             | No              |      |   |
| G6      | S1          | DN50mm Air Release Valve Flanged PN10                                                                                                                                                                              | No              |      |   |
| G7      | S1          | DN80mm Air Release Valve Flanged PN10                                                                                                                                                                              | No              |      |   |
| G8      | S1          | DN100mm Air Release Valve Flanged PN10                                                                                                                                                                             | No              |      |   |
| G9      | S1          | DN150mm Air Release Valve Flanged PN10                                                                                                                                                                             | No              |      |   |
| G10     | S1          | DN200mm Air Release Valve Flanged PN10                                                                                                                                                                             | No              |      |   |

## SCHEDULE H: GOODS - SUPPLY AND DELIVERY OF BUTTERFLY VALVES

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                | UNIT OF MEASURE | RATE |   |
|---------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                                            |                 | R    | C |
|         |             | <b><u>BUTTERFLY VALVES</u></b>                                                                                                                                             |                 |      |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following Butterfly Valves: -</u></b> |                 |      |   |
| H1      | S1          | DN50mm Butterfly Valve Wafer PN10                                                                                                                                          | No              |      |   |
| H2      | S1          | DN80mm Butterfly Valve Wafer PN10                                                                                                                                          | No              |      |   |
| H3      | S1          | DN100mm Butterfly Valve Wafer PN10                                                                                                                                         | No              |      |   |
| H4      | S1          | DN150mm Butterfly Valve Wafer PN10                                                                                                                                         | No              |      |   |
| H5      | S1          | DN200mm Butterfly Valve Wafer PN10                                                                                                                                         | No              |      |   |
| H6      | S1          | DN250mm Butterfly Valve Wafer PN10                                                                                                                                         | No              |      |   |
| H7      | S1          | DN300mm Butterfly Valve Wafer PN10                                                                                                                                         | No              |      |   |
| H8      | S1          | DN350mm Butterfly Valve Wafer PN10                                                                                                                                         | No              |      |   |
| H9      | S1          | DN400mm Butterfly Valve Wafer PN10                                                                                                                                         | No              |      |   |
| H10     | S1          | DN450mm Butterfly Valve Wafer PN10                                                                                                                                         | No              |      |   |
| H11     | S1          | DN500mm Butterfly Valve Wafer PN10                                                                                                                                         | No              |      |   |
| H12     | S1          | DN600mm Butterfly Valve Wafer PN10                                                                                                                                         | No              |      |   |
| H13     | S1          | DN50mm Butterfly Valve Wafer PN16                                                                                                                                          | No              |      |   |
| H14     | S1          | DN80mm Butterfly Valve Wafer PN16                                                                                                                                          | No              |      |   |
| H15     | S1          | DN100mm Butterfly Valve Wafer PN16                                                                                                                                         | No              |      |   |
| H16     | S1          | DN150mm Butterfly Valve Wafer PN16                                                                                                                                         | No              |      |   |
| H17     | S1          | DN200mm Butterfly Valve Wafer PN16                                                                                                                                         | No              |      |   |
| H18     | S1          | DN250mm Butterfly Valve Wafer PN16                                                                                                                                         | No              |      |   |
| H19     | S1          | DN300mm Butterfly Valve Wafer PN16                                                                                                                                         | No              |      |   |
| H20     | S1          | DN350mm Butterfly Valve Wafer PN16                                                                                                                                         | No              |      |   |
| H21     | S1          | DN400mm Butterfly Valve Wafer PN16                                                                                                                                         | No              |      |   |
| H22     | S1          | DN450mm Butterfly Valve Wafer PN16                                                                                                                                         | No              |      |   |
| H23     | S1          | DN500mm Butterfly Valve Wafer PN16                                                                                                                                         | No              |      |   |
| H24     | S1          | DN600mm Butterfly Valve Wafer PN16                                                                                                                                         | No              |      |   |
| H25     | S1          | DN100mm Butterfly Valve Flanged Double Eccentric PN16                                                                                                                      | No              |      |   |
| H26     | S1          | DN150mm Butterfly Valve Flanged Double Eccentric PN16                                                                                                                      | No              |      |   |
| H27     | S1          | DN200mm Butterfly Valve Flanged Double Eccentric PN16                                                                                                                      | No              |      |   |
| H28     | S1          | DN250mm Butterfly Valve Flanged Double Eccentric PN16                                                                                                                      | No              |      |   |
| H29     | S1          | DN300mm Butterfly Valve Flanged Double Eccentric PN16                                                                                                                      | No              |      |   |
| H30     | S1          | DN350mm Butterfly Valve Flanged Double Eccentric PN16                                                                                                                      | No              |      |   |
| H31     | S1          | DN400mm Butterfly Valve Flanged Double Eccentric PN16                                                                                                                      | No              |      |   |
| H32     | S1          | DN450mm Butterfly Valve Flanged Double Eccentric PN16                                                                                                                      | No              |      |   |
| H33     | S1          | DN500mm Butterfly Valve Flanged Double Eccentric PN16                                                                                                                      | No              |      |   |
| H34     | S1          | DN600mm Butterfly Valve Flanged Double Eccentric PN16                                                                                                                      | No              |      |   |
| H35     | S1          | DN700mm Butterfly Valve Flanged Double Eccentric PN16                                                                                                                      | No              |      |   |
| H36     | S1          | DN800mm Butterfly Valve Flanged Double Eccentric PN16                                                                                                                      | No              |      |   |

| ITEM<br>NO | PAYMENT<br>REF | DESCRIPTION                                            | UNIT OF<br>MEASURE | RATE |   |
|------------|----------------|--------------------------------------------------------|--------------------|------|---|
|            |                |                                                        |                    | R    | C |
| H37        | S1             | DN1000mm Butterfly Valve Flanged Double Eccentric PN16 | No                 |      |   |
| H38        | S1             | DN1200mm Butterfly Valve Flanged Double Eccentric PN16 | No                 |      |   |
| H39        | S1             | DN100mm Butterfly Valve Flanged Double Eccentric PN25  | No                 |      |   |
| H40        | S1             | DN150mm Butterfly Valve Flanged Double Eccentric PN25  | No                 |      |   |
| H41        | S1             | DN200mm Butterfly Valve Flanged Double Eccentric PN25  | No                 |      |   |
| H42        | S1             | DN250mm Butterfly Valve Flanged Double Eccentric PN25  | No                 |      |   |
| H43        | S1             | DN300mm Butterfly Valve Flanged Double Eccentric PN25  | No                 |      |   |
| H44        | S1             | DN350mm Butterfly Valve Flanged Double Eccentric PN25  | No                 |      |   |
| H45        | S1             | DN400mm Butterfly Valve Flanged Double Eccentric PN25  | No                 |      |   |
| H46        | S1             | DN450mm Butterfly Valve Flanged Double Eccentric PN25  | No                 |      |   |
| H47        | S1             | DN500mm Butterfly Valve Flanged Double Eccentric PN25  | No                 |      |   |
| H48        | S1             | DN600mm Butterfly Valve Flanged Double Eccentric PN25  | No                 |      |   |
| H49        | S1             | DN700mm Butterfly Valve Flanged Double Eccentric PN25  | No                 |      |   |
| H50        | S1             | DN800mm Butterfly Valve Flanged Double Eccentric PN25  | No                 |      |   |
| H51        | S1             | DN1000mm Butterfly Valve Flanged Double Eccentric PN25 | No                 |      |   |
| H52        | S1             | DN1200mm Butterfly Valve Flanged Double Eccentric PN25 | No                 |      |   |

## SCHEDULE I: GOODS - SPECIALISED EQUIPMENT

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                  | UNIT OF MEASURE | RATE |   |
|---------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                                              |                 | R    | C |
|         |             | <b><u>SPECIALISED EQUIPMENT</u></b>                                                                                                                                          |                 |      |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following Specialised Valves: -</u></b> |                 |      |   |
| I 1     | S1          | 10" x 5" Larner-Johnson Valve Series 3178B-1 angle pattern Float Valve with Lever, Float and Controlled Stilling Tank or equivalent                                          | No.             |      |   |
| I 2     | S1          | 12" x 6" Larner-Johnson Valve Series 3178B-1 angle pattern Float Valve with Lever, Float and Controlled Stilling Tank or equivalent                                          | No.             |      |   |
| I 3     | S1          | 15" x 8" Valve Series 3178B-1 angle pattern Float Valve with Lever, Float and Controlled Stilling Tank or equivalent                                                         | No.             |      |   |
| I 4     | S1          | DN800mm Nozzle Type Check Valve PN25                                                                                                                                         | No.             |      |   |
| I 5     | S1          | ½ inch SS316 Ball Valve screw or flanged                                                                                                                                     | No.             |      |   |
| I 6     | S1          | 1 inch SS316 Ball Valve screw or flanged                                                                                                                                     | No.             |      |   |
| I 7     | S1          | 2 inch SS316 Ball Valve screw or flanged                                                                                                                                     | No.             |      |   |
| I 8     | S1          | ½ inch PVC Ball Valve Screw or slip fit                                                                                                                                      | No.             |      |   |
| I 9     | S1          | 1 inch PVC Ball Valve Screw or slip fit                                                                                                                                      | No.             |      |   |
| I 10    | S1          | 2 inch PVC Ball Valve Screw or slip fit                                                                                                                                      | No.             |      |   |

## SCHEDULE J: GOODS - SUPPLY AND DELIVERY OF ADDITIONAL PARTS AND SUNDRIES

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                             | UNIT OF MEASURE | RATE |   |
|---------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                                                         |                 | R    | C |
|         |             | <b><u>ADDITIONAL PARTS AND SUNDRIES</u></b>                                                                                                                                             |                 |      |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following Additional Parts and Sundries: -</u></b> |                 |      |   |
| J1      | S1          | Up to 40mm spindle Straight Pedestal SS316 / LDX, 900mm operating height                                                                                                                | No.             |      |   |
| J2      | S1          | Over 40mm up to 50mm spindle Straight Pedestal SS316 / LDX, 900mm operating height                                                                                                      | No.             |      |   |
| J3      | S1          | Over 50mm up to 60mm spindle Straight Pedestal SS316 / LDX, 900mm operating height                                                                                                      | No.             |      |   |
| J4      | S1          | Up to 40mm spindle Headstock / Wall Mounted Pedestal SS316 / LDX, 900mm operating height                                                                                                | No.             |      |   |
| J5      | S1          | Over 40mm up to 50mm spindle Headstock / Wall Mounted Pedestal SS316 / LDX, 900mm operating height                                                                                      | No.             |      |   |
| J6      | S1          | Over 50mm up to 60mm spindle Headstock / Wall Mounted Pedestal SS316 / LDX, 900mm operating height                                                                                      | No.             |      |   |
| J7      | S1          | Up to 35mm, ¼ inch thread pitch Spindle (316 stainless steel)                                                                                                                           | m               |      |   |
| J8      | S1          | 40mm, ¼ inch thread pitch Spindle (316 stainless steel)                                                                                                                                 | m               |      |   |
| J9      | S1          | 50mm, ½ inch thread pitch Spindle (316 stainless steel)                                                                                                                                 | m               |      |   |
| J10     | S1          | 60mm, ½ inch thread pitch Spindle (316 stainless steel)                                                                                                                                 | m               |      |   |
|         |             | <b>Bevel gearbox for non-rising spindle including attachments and accessories for</b>                                                                                                   |                 |      |   |
| J11     | S1          | Up to 35mm spindle, 3 to 1 ratio                                                                                                                                                        | No.             |      |   |
| J12     | S1          | Over 35mm up to 50mm spindle, 3 to 1 ratio                                                                                                                                              | No.             |      |   |
| J13     | S1          | For 60mm spindle with 5.5 to 1 ratio                                                                                                                                                    | No.             |      |   |
|         |             | <b>Spindle Tubes Extensions, SS316 Schedule 10</b>                                                                                                                                      |                 |      |   |
| J14     | S1          | Up to 40mm spindle                                                                                                                                                                      | m               |      |   |
| J15     | S1          | Over 40mm up to 50mm spindle                                                                                                                                                            | m               |      |   |
| J16     | S1          | 60mm spindle                                                                                                                                                                            | m               |      |   |
|         |             | <b>Spindle support brackets, SS316 / LDX, along with HDPE inserts, chemically anchored. (spindles to be supported every 1.5meters)</b>                                                  |                 |      |   |
| J17     | S1          | Up to 40mm spindle                                                                                                                                                                      | No.             |      |   |
| J18     | S1          | Over 40mm up to 50mm spindle                                                                                                                                                            | No.             |      |   |
| J19     | S1          | Over 50mm up to 60mm spindle                                                                                                                                                            | No.             |      |   |

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                | UNIT OF MEASURE | RATE |   |
|---------|-------------|----------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                            |                 | R    | C |
| J20     | S1          | 400mm, epoxy coated, cast handwheel for water and wastewater environments, with clearly marked open and close directions.  | No.             |      |   |
| J21     | S1          | 600mm, epoxy coated, cast handwheel for water and wastewater environments, with clearly marked open and close directions.  | No.             |      |   |
| J22     | S1          | 400mm, stainless steel 316 handwheel for water and wastewater environments, with clearly marked open and close directions. | No.             |      |   |
| J23     | S1          | 600mm, stainless steel 316 handwheel for water and wastewater environments, with clearly marked open and close directions. | No.             |      |   |
| J24     | S1          | <b>Enclosed Manual Actuator Gearbox, epoxy coated c/w position indicator</b><br>Up to DN100mm size valve                   | No.             |      |   |
| J25     | S1          | Up to DN200mm size valve                                                                                                   | No.             |      |   |
| J26     | S1          | Up to DN400mm size valve                                                                                                   | No.             |      |   |
| J27     | S1          | Up to DN800mm size valve                                                                                                   | No.             |      |   |
| J28     | S1          | Up to DN1200mm size valve                                                                                                  | No.             |      |   |
| J29     | S1          | <b>Hot Dipped Galvanised 8.8 Bolts including nut and 2x washers, plain hexagon type</b><br>M16, up to 125mm long           | No.             |      |   |
| J30     | S1          | M20, up to 125mm long                                                                                                      | No.             |      |   |
| J31     | S1          | M24, up to 150mm long                                                                                                      | No.             |      |   |
| J32     | S1          | M30, up to 150mm long                                                                                                      | No.             |      |   |
| J33     | S1          | M36, up to 200mm long                                                                                                      | No.             |      |   |
| J34     | S1          | <b>Stainless Steel 316 Bolts including nut and 2x Washers, plain hexagon type Grade (A4-70)</b><br>M16, up to 125mm long   | No.             |      |   |
| J35     | S1          | M20, up to 125mm long                                                                                                      | No.             |      |   |
| J36     | S1          | M24, up to 150mm long                                                                                                      | No.             |      |   |
| J37     | S1          | M30, up to 150mm long                                                                                                      | No.             |      |   |
| J38     | S1          | M36, up to 200mm long                                                                                                      | No.             |      |   |
| J39     | S1          | <b>Flange MS Blank Sch10 (all drilling)</b><br>DN50 MS Blank Flange Sch10                                                  | No.             |      |   |
| J40     | S1          | DN80 MS Blank Flange Sch10                                                                                                 | No.             |      |   |
| J41     | S1          | DN100 MS Blank Flange Sch10                                                                                                | No.             |      |   |
| J42     | S1          | DN150 MS Blank Flange Sch10                                                                                                | No.             |      |   |
| J43     | S1          | DN200 MS Blank Flange Sch10                                                                                                | No.             |      |   |
| J44     | S1          | DN250 MS Blank Flange Sch10                                                                                                | No.             |      |   |
| J45     | S1          | DN300 MS Blank Flange Sch10                                                                                                | No.             |      |   |
| J46     | S1          | DN500 MS Blank Flange Sch10                                                                                                | No.             |      |   |
| J47     | S1          | DN550 MS Blank Flange Sch10                                                                                                | No.             |      |   |
| J48     | S1          | DN600 MS Blank Flange Sch10                                                                                                | No.             |      |   |
| J49     | S1          | DN700 MS Blank Flange Sch10                                                                                                | No.             |      |   |
| J50     | S1          | DN800 MS Blank Flange Sch10                                                                                                | No.             |      |   |
| J51     | S1          | DN1000 MS Blank Flange Sch10                                                                                               | No.             |      |   |

| ITEM NO | PAYMENT REF | DESCRIPTION                                     | UNIT OF MEASURE | RATE |   |
|---------|-------------|-------------------------------------------------|-----------------|------|---|
|         |             |                                                 |                 | R    | C |
| J52     | S1          | DN1200 MS Blank Flange Sch10                    | No.             |      |   |
|         |             | <b>SS316 Blank Flanges Sch10 (all drilling)</b> |                 |      |   |
| J53     | S1          | DN50 SS Blank Flange Sch10                      | No.             |      |   |
| J54     | S1          | DN80 SS Blank Flange Sch10                      | No.             |      |   |
| J55     | S1          | DN100 SS Blank Flange Sch10                     | No.             |      |   |
| J56     | S1          | DN150 SS Blank Flange Sch10                     | No.             |      |   |
| J57     | S1          | DN200 SS Blank Flange Sch10                     | No.             |      |   |
| J58     | S1          | DN250 SS Blank Flange Sch10                     | No.             |      |   |
| J59     | S1          | DN300 SS Blank Flange Sch10                     | No.             |      |   |
| J60     | S1          | DN500 SS Blank Flange Sch10                     | No.             |      |   |
| J61     | S1          | DN550 SS Blank Flange Sch10                     | No.             |      |   |
| J62     | S1          | DN600 SS Blank Flange Sch10                     | No.             |      |   |
| J63     | S1          | DN700 SS Blank Flange Sch10                     | No.             |      |   |
| J64     | S1          | DN800 SS Blank Flange Sch10                     | No.             |      |   |
| J65     | S1          | DN1000 SS Blank Flange Sch10                    | No.             |      |   |
| J66     | S1          | DN1200 SS Blank Flange Sch10                    | No.             |      |   |
|         |             | <b>Pipe, schedule 10, Mild Steel</b>            |                 |      |   |
| J67     | S1          | 50NB Pipe Sch10 MS                              | m               |      |   |
| J68     | S1          | 80NB Pipe Sch10 MS                              | m               |      |   |
| J69     | S1          | 100NB Pipe Sch10 MS                             | m               |      |   |
| J70     | S1          | 150NB Pipe Sch10 MS                             | m               |      |   |
| J71     | S1          | 200NB Pipe Sch10 MS                             | m               |      |   |
| J72     | S1          | 250NB Pipe Sch10 MS                             | m               |      |   |
| J73     | S1          | 300NB Pipe Sch10 MS                             | m               |      |   |
| J74     | S1          | 350NB Pipe Sch10 MS                             | m               |      |   |
| J75     | S1          | 400NB Pipe Sch10 MS                             | m               |      |   |
| J76     | S1          | 450NB Pipe Sch10 MS                             | m               |      |   |
| J77     | S1          | 500NB Pipe Sch10 MS                             | m               |      |   |
| J78     | S1          | 600NB Pipe Sch10 MS                             | m               |      |   |
| J79     | S1          | 700NB Pipe Sch10 MS                             | m               |      |   |
| J80     | S1          | 800NB Pipe Sch10 MS                             | m               |      |   |
| J81     | S1          | 1000NB Pipe Sch10 MS                            | m               |      |   |
| J82     | S1          | 1200NB Pipe Sch10 MS                            | m               |      |   |
|         |             | <b>Pipe Schedule10 316L Stainless Steel</b>     |                 |      |   |
| J83     | S1          | 50NB Pipe Sch10 SS316                           | m               |      |   |
| J84     | S1          | 80NB Pipe Sch10 SS316                           | m               |      |   |
| J85     | S1          | 100NB Pipe Sch10 SS316                          | m               |      |   |
| J86     | S1          | 150NB Pipe Sch10 SS316                          | m               |      |   |
| J87     | S1          | 200NB Pipe Sch10 SS316                          | m               |      |   |
| J88     | S1          | 250NB Pipe Sch10 SS316                          | m               |      |   |
| J89     | S1          | 300NB Pipe Sch10 SS316                          | m               |      |   |
| J90     | S1          | 350NB Pipe Sch10 SS316                          | m               |      |   |
| J91     | S1          | 400NB Pipe Sch10 SS316                          | m               |      |   |

| ITEM NO | PAYMENT REF | DESCRIPTION                                        | UNIT OF MEASURE | RATE |   |
|---------|-------------|----------------------------------------------------|-----------------|------|---|
|         |             |                                                    |                 | R    | C |
| J92     | S1          | 450NB Pipe Sch10 SS316                             | m               |      |   |
| J93     | S1          | 500NB Pipe Sch10 SS316                             | m               |      |   |
| J94     | S1          | 600NB Pipe Sch10 SS316                             | m               |      |   |
| J95     | S1          | 700NB Pipe Sch10 SS316                             | m               |      |   |
| J96     | S1          | 800NB Pipe Sch10 SS316                             | m               |      |   |
| J97     | S1          | 1000NB Pipe Sch10 SS316                            | m               |      |   |
| J98     | S1          | 1200NB Pipe Sch10 SS316                            | m               |      |   |
|         |             | <b>Flange Mild Steel Schedule10 (all drilling)</b> |                 |      |   |
| J99     | S1          | 50NB Flange MS Sch10                               | No.             |      |   |
| J100    | S1          | 80NB Flange MS Sch10                               | No.             |      |   |
| J101    | S1          | 100NB Flange MS Sch10                              | No.             |      |   |
| J102    | S1          | 150NB Flange MS Sch10                              | No.             |      |   |
| J103    | S1          | 200NB Flange MS Sch10                              | No.             |      |   |
| J104    | S1          | 250NB Flange MS Sch10                              | No.             |      |   |
| J105    | S1          | 300NB Flange MS Sch10                              | No.             |      |   |
| J106    | S1          | 350NB Flange MS Sch10                              | No.             |      |   |
| J107    | S1          | 400NB Flange MS Sch10                              | No.             |      |   |
| J108    | S1          | 450NB Flange MS Sch10                              | No.             |      |   |
| J109    | S1          | 500NB Flange MS Sch10                              | No.             |      |   |
| J110    | S1          | 600NB Flange MS Sch10                              | No.             |      |   |
| J111    | S1          | 700NB Flange MS Sch10                              | No.             |      |   |
| J112    | S1          | 800NB Flange MS Sch10                              | No.             |      |   |
| J113    | S1          | 1000NB Flange MS Sch10                             | No.             |      |   |
| J114    | S1          | 1200NB Flange MS Sch10                             | No.             |      |   |
|         |             | <b>Flange Stainless Steel 316L (all drilling)</b>  |                 |      |   |
| J115    | S1          | 50NB Flange SS Sch10                               | No.             |      |   |
| J116    | S1          | 80NB Flange SS Sch10                               | No.             |      |   |
| J117    | S1          | 100NB Flange SS Sch10                              | No.             |      |   |
| J118    | S1          | 150NB Flange SS Sch10                              | No.             |      |   |
| J119    | S1          | 200NB Flange SS Sch10                              | No.             |      |   |
| J120    | S1          | 250NB Flange SS Sch10                              | No.             |      |   |
| J121    | S1          | 300NB Flange SS Sch10                              | No.             |      |   |
| J122    | S1          | 350NB Flange SS Sch10                              | No.             |      |   |
| J123    | S1          | 400NB Flange SS Sch10                              | No.             |      |   |
| J124    | S1          | 450NB Flange SS Sch10                              | No.             |      |   |
| J125    | S1          | 500NB Flange SS Sch10                              | No.             |      |   |
| J126    | S1          | 600NB Flange SS Sch10                              | No.             |      |   |
| J127    | S1          | 700NB Flange SS Sch10                              | No.             |      |   |
| J128    | S1          | 800NB Flange SS Sch10                              | No.             |      |   |
| J129    | S1          | 1000NB Flange SS Sch10                             | No.             |      |   |
| J130    | S1          | 1200NB Flange SS Sch10                             | No.             |      |   |
|         |             | <b>Gaskets (Std rubber, all table types)</b>       |                 |      |   |
| J131    | S1          | 50NB gasket                                        | No.             |      |   |
| J132    | S1          | 80NB gasket                                        | No.             |      |   |
| J133    | S1          | 100NB gasket                                       | No.             |      |   |
| J134    | S1          | 150NB gasket                                       | No.             |      |   |
| J135    | S1          | 200NB gasket                                       | No.             |      |   |
| J136    | S1          | 250NB gasket                                       | No.             |      |   |

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                         | UNIT OF MEASURE | RATE       |   |
|---------|-------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|---|
|         |             |                                                                                                                                     |                 | R          | C |
| J137    | S1          | 300NB gasket                                                                                                                        | No.             |            |   |
| J138    | S1          | 350NB gasket                                                                                                                        | No.             |            |   |
| J139    | S1          | 400NB gasket                                                                                                                        | No.             |            |   |
| J140    | S1          | 450NB gasket                                                                                                                        | No.             |            |   |
| J141    | S1          | 500NB gasket                                                                                                                        | No.             |            |   |
| J142    | S1          | 600NB gasket                                                                                                                        | No.             |            |   |
| J143    | S1          | 700NB gasket                                                                                                                        | No.             |            |   |
| J144    | S1          | 800NB gasket                                                                                                                        | No.             |            |   |
| J145    | S1          | 1000NB gasket                                                                                                                       | No.             |            |   |
| J146    | S1          | 1200NB gasket                                                                                                                       | No.             |            |   |
|         |             | <b>Lubrication</b>                                                                                                                  |                 |            |   |
| J147    | S1          | Bearing Grease, LM graphite based                                                                                                   | litres          |            |   |
| J148    | S1          | Loctite general purpose, medium strength type                                                                                       | millilitres     |            |   |
| J149    | S1          | Pickling and Passivation Paste Liquid                                                                                               | litres          |            |   |
|         |             | <b>Anti-Corrosion Tape</b>                                                                                                          |                 |            |   |
| J150    | S1          | Denso Tape Wrap or equivalent                                                                                                       | m               |            |   |
| J151    | S1          | Denso Putty or equivalent                                                                                                           | kg              |            |   |
|         |             | <b>Anti-Sieze Liquid</b>                                                                                                            |                 |            |   |
| J152    | S1          | Nickel based compound                                                                                                               | kg              |            |   |
|         |             | <b>Grouting (pedestals, support baseplates etc)</b>                                                                                 |                 |            |   |
| J153    | S1          | Grout, non-shrink, cementitious type                                                                                                | m <sup>3</sup>  |            |   |
| J154    | S1          | Quick setting epoxy, waterproof                                                                                                     | kg              |            |   |
|         |             | <b>Coatings</b>                                                                                                                     |                 |            |   |
| J155    | L6          | Applied Hot-dip galvanising, including SABS Certificate (As per standard Mech Spec)                                                 | m <sup>2</sup>  |            |   |
| J156    | L6          | 2 Part-Epoxy Resin                                                                                                                  | m <sup>2</sup>  |            |   |
| J157    | L6          | Fusion Bonded Epoxy                                                                                                                 | m <sup>2</sup>  |            |   |
| J158    | L6          | Powder Coating                                                                                                                      | m <sup>2</sup>  |            |   |
|         |             | <b>Provisional Sums Per Work Package</b>                                                                                            |                 |            |   |
|         |             | Allow for the provisional sum for the supply, delivery of items not detailed above including:                                       |                 |            |   |
| J159    | S2          | <ul style="list-style-type: none"> <li>- component or spare parts</li> <li>- tools and equipment</li> <li>- scaffolding.</li> </ul> | Sum             | 300,000.00 |   |
| J160    | S2          | Allow for profit and attendance on the above item                                                                                   | %               |            |   |

**SCHEDULE K: GOODS - SUPPLY AND DELIVERY OF PRESSURE REDUCING VALVES**

| Item No | Payment Ref | Description                                                                                                                                                                        | Unit of Measure | Rate R | C |
|---------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|---|
|         |             | <b><u>PRESSURE REDUCING VALVES</u></b>                                                                                                                                             |                 |        |   |
|         |             | <b><u>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following Pressure Reducing Valves: -</u></b> |                 |        |   |
| K1.     | S1          | DN40mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                       |                 |        |   |
| K2.     | S1          | DN50mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                       |                 |        |   |
| K3.     | S1          | DN80mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                       |                 |        |   |
| K4.     | S1          | DN100mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                      |                 |        |   |
| K5.     | S1          | DN150mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                      |                 |        |   |
| K6.     | S1          | DN200mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                      |                 |        |   |
| K7.     | S1          | DN250mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                      |                 |        |   |
| K8.     | S1          | DN300mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                      |                 |        |   |
| K9.     | S1          | DN350mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                      |                 |        |   |
| K10.    | S1          | DN400mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                      |                 |        |   |
| K11.    | S1          | DN450mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                      |                 |        |   |
| K12.    | S1          | DN500mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                      |                 |        |   |
| K13.    | S1          | DN600mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                      |                 |        |   |

**SCHEDULE L: SERVICES - SERVICING, REPAIRS & MAINTENANCE OF PRESSURE REDUCING VALVES**

| Item No | Payment Ref | Description                                                                                                                                                                                 | Unit of Measure | Rate<br>R C |
|---------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------|
|         |             | <b><u>PRESSURE REDUCING VALVES</u></b>                                                                                                                                                      |                 |             |
|         |             | <b><u>Allow for all costs and expenses in connection with the following labour charges, Removal of all type of PRVs from position on site for Servicing, Repairs &amp; Maintenance.</u></b> |                 |             |
| L1.     | L7          | DN40mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                                |                 |             |
| L2.     | L7          | DN50mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                                |                 |             |
| L3.     | L7          | DN80mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                                |                 |             |
| L4.     | L7          | DN100mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                               |                 |             |
| L5.     | L7          | DN150mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                               |                 |             |
| L6.     | L7          | DN200mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                               |                 |             |
| L7.     | L7          | DN250mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                               |                 |             |
| L8.     | L7          | DN300mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                               |                 |             |
| L9.     | L7          | DN350mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                               |                 |             |
| L10.    | L7          | DN400mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                               |                 |             |
| L11.    | L7          | DN450mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                               |                 |             |
| L12.    | L7          | DN500mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                               |                 |             |
| L13.    | L7          | DN600mm Hydraulically Operated Pressure Reducing Valve – PN25                                                                                                                               |                 |             |

**SCHEDULE M: GOODS - SLEEVE / DISCHARGE VALVE MECHANICAL OPERATED**

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                                     | UNIT OF MEASURE | RATE<br>R C |
|---------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------|
|         |             | <b>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following Sleeve/ Discharge Valves Mechanical Operated: -</b> |                 |             |
| M1.     | S1          | DN200 PN16 @ Flow Rate >2900m <sup>3</sup> /hr                                                                                                                                                  | No.             |             |
| M2.     | S1          | DN200 PN25 @ Flow Rate >2900m <sup>3</sup> /hr                                                                                                                                                  | No.             |             |
| M3.     | S1          | DN300 PN16 @ Flow Rate >4000m <sup>3</sup> /hr                                                                                                                                                  | No.             |             |
| M4.     | S1          | DN300 PN25 @ Flow Rate >4000m <sup>3</sup> /hr                                                                                                                                                  | No.             |             |
| M5.     | S1          | DN500 PN25 @ Flow Rate >20000m <sup>3</sup> /hr                                                                                                                                                 | No.             |             |
|         | S1          | DN600 PN25 @ Flow Rate >25000m <sup>3</sup> /hr                                                                                                                                                 | No.             |             |

**SCHEDULE N: GOODS - HEAVY DUTY RIGHT-ANGLE FLOW CONTROL VALVE**

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                                   | UNIT OF MEASURE | RATE |   |
|---------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                                                               |                 | R    | C |
|         |             | <b>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following Heavy Duty Right-angle Flow Control Valves: -</b> |                 |      |   |
| N1.     | S1          | DN200 PN16: Valve ONLY                                                                                                                                                                        | No.             |      |   |
| N2.     | S1          | DN200 PN16: Gearbox for manual operation fitted with handwheel for 71000 Series                                                                                                               | No.             |      |   |
| N3.     | S1          | DN200 PN16: Pneumatic Actuated operation fitted with handwheel for 71000 Series                                                                                                               | No.             |      |   |
| N4.     | S1          | DN200 PN16: Electrical Actuated operation fitted with handwheel for 71000 Series                                                                                                              | No.             |      |   |
| N5.     | S1          | DN300 PN16: Valve ONLY                                                                                                                                                                        | No.             |      |   |
| N6.     | S1          | DN300 PN16: Gearbox for manual operation fitted with handwheel for 71000 Series                                                                                                               | No.             |      |   |
| N7.     | S1          | DN300 PN16: Pneumatic Actuated operation fitted with handwheel for 71000 Series                                                                                                               | No.             |      |   |
| N8.     | S1          | DN300 PN16: Electrical Actuated operation fitted with handwheel for 71000 Series                                                                                                              | No.             |      |   |
| N9.     | S1          | DN450 PN16: Valve ONLY                                                                                                                                                                        | No.             |      |   |
| N10.    | S1          | DN450 PN16: Gearbox for manual operation fitted with handwheel for 71000 Series                                                                                                               | No.             |      |   |
| N11.    | S1          | DN450 PN16: Pneumatic Actuated operation fitted with handwheel for 71000 Series                                                                                                               | No.             |      |   |
| N12.    | S1          | DN450 PN16: Electrical Actuated operation fitted with handwheel for 71000 Series                                                                                                              | No.             |      |   |

**SCHEDULE O: GOODS - WEDGE GATE METAL SEAT VALVE WITH GEARBOX AND BYPASS**

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                                                                               | UNIT OF MEASURE | RATE |   |
|---------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                                                                           |                 | R    | C |
|         |             | <b>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following: - Wedge Gate Metal Seat Valve with gearbox and bypass: -</b> |                 |      |   |
| O1.     | S1          | DN450 PN16                                                                                                                                                                                                | No.             |      |   |
| O2.     | S1          | DN500 PN16                                                                                                                                                                                                | No.             |      |   |
| O3.     | S1          | DN600 PN16                                                                                                                                                                                                | No.             |      |   |

**SCHEDULE P: GOODS - PLUNGER/NEEDLE DESIGN FLOW CONTROL VALVE**

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                      | UNIT OF MEASURE | RATE |   |
|---------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                  |                 | R    | C |
|         |             | <b>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following:</b> |                 |      |   |
|         |             | <b>PLUNGER/NEEDLE DESIGN FLOW CONTROL VALVE:</b>                                                                                                 |                 |      |   |
| P1.     | S1          | DN200 PN16                                                                                                                                       | No              |      |   |
| P2.     | S1          | DN200 PN25                                                                                                                                       | No              |      |   |
| P3.     | S1          | DN300 PN16                                                                                                                                       | No              |      |   |
| P4.     | S1          | DN300 PN25                                                                                                                                       | No              |      |   |
| P5.     | S1          | DN500 PN16                                                                                                                                       | No              |      |   |
| P6.     | S1          | DN500 PN25                                                                                                                                       | No              |      |   |
| P7.     | S1          | DN600 PN16                                                                                                                                       | No              |      |   |
| P8.     | S1          | DN600 PN25                                                                                                                                       | No              |      |   |
| P9.     | S1          | DN1200 PN16                                                                                                                                      | No              |      |   |
| P10.    | S1          | DN1200 PN25                                                                                                                                      | No              |      |   |
| P11.    | S1          | DN1400 PN16                                                                                                                                      | No              |      |   |
| P12.    | S1          | DN1400 PN25                                                                                                                                      | No              |      |   |
| P13.    | S1          | DN1500 PN16                                                                                                                                      | No              |      |   |
| P14.    | S1          | DN1500 PN25                                                                                                                                      | No              |      |   |

**SCHEDULE Q:GOODS - PNEUMATIC ACTUATORS INCLUDING OEM MOUNTING KIT COMPRISING OF BRACKET, DRIVE AND FASTENERS**

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                     | UNIT OF MEASURE | RATE |
|---------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
|         |             | <b>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following</b> |                 |      |
|         |             | <b>PNEUMATIC ACTUATORS INCLUDING OEM MOUNTING KIT COMPRISING OF BRACKET, DRIVE AND FASTENERS: -</b>                                             |                 |      |
| Q1.     | S1          | Rack & Pinion Double Acting Design 226-251 Nm @ 4.5-5bar                                                                                        | No.             |      |
| Q2.     | S1          | Rack & Pinion Design Double Acting 385-427 Nm @ 4.5-5bar                                                                                        | No.             |      |
| Q3.     | S1          | Rack & Pinion Design Double Acting 598-665 Nm @ 4.5-5bar                                                                                        | No.             |      |
| Q4.     | S1          | Rack & Pinion Design Double Acting 958-1064 Nm @ 4.5-5bar                                                                                       | No.             |      |
| Q5.     | S1          | Rack & Pinion Design Double Acting 1731-1924 Nm @ 4.5-5bar                                                                                      | No.             |      |
| Q6.     | S1          | Rack & Pinion Design Double Acting 3434-3815 Nm @ 4.5-5bar                                                                                      | No.             |      |
| Q7.     | S1          | Rack & Pinion Design Spring Return start >146Nm @ 5bar                                                                                          | No.             |      |
| Q8.     | S1          | Rack & Pinion Design Spring Return start >256Nm @ 5bar                                                                                          | No.             |      |
| Q9.     | S1          | Rack & Pinion Design Spring Return start >386Nm @ 5bar                                                                                          | No.             |      |
| Q10.    | S1          | Rack & Pinion Design Spring Return start >664Nm @ 5bar                                                                                          | No.             |      |
| Q11.    | S1          | Rack & Pinion Design Spring Return start >780Nm @ 5bar                                                                                          | No.             |      |
| Q12.    | S1          | Rack & Pinion Design Spring Return start >1103Nm @ 5bar                                                                                         | No.             |      |
| Q13.    | S1          | Rack & Pinion Design Spring Return start >1805Nm @ 5bar                                                                                         | No.             |      |
| Q14.    | S1          | Rotary Vane Design Double Acting >85Nm @ 5 bar incl. ISO 5211 Adapter                                                                           | No.             |      |
| Q15.    | S1          | Rotary Vane Design Double Acting >179Nm @ 5 bar incl. ISO 5211 Adapter                                                                          | No.             |      |
| Q16.    | S1          | Rotary Vane Design Double Acting >403Nm @ 5 bar incl. ISO 5211 Adapter                                                                          | No.             |      |
| Q17.    | S1          | Rotary Vane Design Double Acting >975Nm @ 5 bar incl. ISO 5211 Adapter                                                                          | No.             |      |
| Q18.    | S1          | Rotary Vane Design Double Acting >4850Nm @ 5 bar incl. ISO 5211 Adapter                                                                         | No.             |      |
| Q19.    | S1          | Rotary Vane Design Spring Return start >46Nm @ 5 bar incl. ISO 5211 Adapter                                                                     | No.             |      |
| Q20.    | S1          | Rotary Vane Design Spring Return start >95Nm @ 5 bar incl. ISO 5211 Adapter                                                                     | No.             |      |
| Q21.    | S1          | Rotary Vane Design Spring Return start >220Nm @ 5 bar incl. ISO 5211 Adapter                                                                    | No.             |      |
| Q22.    | S1          | Rotary Vane Design Spring Return start >550Nm @ 5 bar incl. ISO 5211 Adapter                                                                    | No.             |      |
| Q23.    | S1          | Rotary Vane Design Spring Return start >2800Nm @ 5 bar incl. ISO 5211 Adapter                                                                   | No.             |      |
| Q24.    | S1          | Cam Design Double Acting >160Nm @6 bar                                                                                                          | No.             |      |
| Q25.    | S1          | Cam Design Double Acting >350Nm @6 bar                                                                                                          | No.             |      |
| Q26.    | S1          | Cam Design Double Acting >630Nm @6 bar                                                                                                          | No.             |      |
| Q27.    | S1          | Cam Design Double Acting >1900Nm @6 bar                                                                                                         | No.             |      |
| Q28.    | S1          | Cylinder / Piston Design Double Acting with Fork attachment Ø125 x 230mm Stroke                                                                 | No.             |      |

**SCHEDULE R: GOODS - ELECTRIC ACTUATORS INCLUDING OEM MOUNTING BRACKET, DRIVE AND FASTENERS**

| ITEM NO | PAYMENT REF | DESCRIPTION                                                                                                                                        | UNIT OF MEASURE | RATE |   |
|---------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|---|
|         |             |                                                                                                                                                    |                 | R    | C |
|         |             | <b>Allow for all costs and expenses in connection with the supply, delivery to Supplier's Workshop, offloading and storage of the following: -</b> |                 |      |   |
|         |             | <b>ELECTRIC ACTUATORS INCLUDING OEM MOUNTING BRACKET, DRIVE AND FASTENERS</b>                                                                      |                 |      |   |
| R1.     | S1          | Electrical Multiturn Actuator with Torque Rating 110Nm at 60 starts per hour (ON/OFF)                                                              | No.             |      |   |
| R2.     | S1          | Electrical Multiturn Actuator with Torque Rating 110Nm at 1200 starts per hour (MODULATE)                                                          | No.             |      |   |
| R3.     | S1          | Electrical Multiturn Actuator with Torque Rating 250Nm at 60 starts per hour (ON/OFF)                                                              | No.             |      |   |
| R4.     | S1          | Electrical Multiturn Actuator with Torque Rating 250Nm at 1200 starts per hour (MODULATE)                                                          | No.             |      |   |
| R5.     | S1          | Electrical Multiturn Actuator with Torque Rating 500Nm at 60 starts per hour (ON/OFF)                                                              | No.             |      |   |
| R6.     | S1          | Electrical Multiturn Actuator with Torque Rating 500Nm at 1200 starts per hour (MODULATE)                                                          | No.             |      |   |
| R7.     | S1          | Electrical Multiturn Actuator with Torque Rating 1000Nm at 60 starts per hour (ON/OFF)                                                             | No.             |      |   |
| R8.     | S1          | Electrical Multiturn Actuator with Torque Rating 1000Nm at 1200 starts per hour (MODULATE)                                                         | No.             |      |   |
| R9.     | S1          | Electrical Multiturn Actuator with Torque Rating 1500Nm at 60 starts per hour (ON/OFF)                                                             | No.             |      |   |
| R10.    | S1          | Electrical Multiturn Actuator with Torque Rating 1500Nm at 1200 starts per hour (MODULATE)                                                         | No.             |      |   |
| R11.    | S1          | Electrical Multiturn Actuator with Torque Rating 2000Nm at 60 starts per hour (ON/OFF)                                                             | No.             |      |   |
| R12.    | S1          | Electrical Multiturn Actuator with Torque Rating 2000Nm at 1200 starts per hour (MODULATE)                                                         | No.             |      |   |

**SCHEDULE S: PROVISIONAL SUMS PER WORK PACKAGE**

| Item No | Payment Ref | Description                                                                                                                                                                                                                                        | Unit of Measure | Rate    |    |
|---------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|----|
|         |             |                                                                                                                                                                                                                                                    |                 | R       | C  |
|         |             | <b>Provisional Sums Per Work Package</b>                                                                                                                                                                                                           |                 |         |    |
| S1      | S2          | Allow for the provisional sum for the supply, delivery to Supplier's workshop of items not listed above including actuator (pneumatic or electric actuator), valves, component or spare, tools, equipment, specialised freighting and scaffolding. | Sum (Inc. VAT)  | 300 000 | 00 |
| S2      | S2          | Allow for profit and attendance on the above item                                                                                                                                                                                                  | %               |         |    |

**Pricing Instructions:**

- 5.1 State the rates and prices in Rand unless instructed otherwise in the Conditions of Tender.
- 5.2 Include in the rates, prices, and the tendered total of the prices (if any) all duties, taxes (except Value Added Tax (VAT), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable 14 days before the closing time stated in the General Tender Information.
- 5.3 All prices tendered must include all expenses, disbursements and costs (e.g. transport, accommodation etc.) that may be required for the execution of the tenderer's obligations in terms of the Contract, and shall cover the cost of all general risks, liabilities and obligations set forth or implied in the Contract as well as overhead charges and profit (in the event that the tender is successful). All prices tendered will be final and binding.
- 5.4 All prices shall be tendered in accordance with the units specified in this schedule.
- 5.5 Where a value is given in the Quantity column, a Rate and Price (the product of the Quantity and Rate) is required to be inserted in the relevant columns.
- 5.6 The successful tenderer is required to perform all tasks listed against each item. The tenderer must therefore tender prices/rates on all items as per the section in the Price Schedule. **An item against which no rate is/are entered, or if anything other than a rate or a nil rate (for example, a zero, a dash or the word "included" or abbreviations thereof) is entered against an item, it will also be regarded as a nil rate having been entered against that item, i.e. that there is no charge for that item. The Tenderer may be requested to clarify nil rates, or items regarded as having nil rates; and the CCT may also perform a risk analysis with regard to the reasonableness of such rates.**
- 5.7 Provide fixed rates and prices for the duration of the contract that are not subject to adjustment except as otherwise provided for in clause 17 of the Conditions of Contract and as amplified in the Special Conditions of Contract.
- 5.8 All the rates stated shall include all costs and expenses necessary to comply with the site-specific Environmental Management Specification and Health and Safety Specifications included in the Scope of Work.

| INITIALS OF CCT<br>OFFICIALS |   |   |
|------------------------------|---|---|
| 1                            | 2 | 3 |

## SUPPORTING SCHEDULES

### Schedule 1: Certificate of Authority for Partnerships/ Joint Ventures/ Consortia

**This schedule is to be completed if the tender is submitted by a partnership/joint venture/ consortium.**

1. We, the undersigned, are submitting this tender offer as a partnership/ joint venture/ consortium and hereby authorize Mr/Ms \_\_\_\_\_, of the authorised entity \_\_\_\_\_, acting in the capacity of Lead Partner, to sign all documents in connection with the tender offer and any contract resulting from it on the partnership/joint venture/ consortium's behalf.
2. By signing this schedule the partners to the partnership/joint venture/ consortium:
  - 2.1 warrant that the tender submitted is in accordance with the main business and objectives of the partnership/joint venture/ consortium;
  - 2.2 agree that the CCT shall make all payments in terms of this Contract into the following bank account of the Lead Partner:
 

Account Holder: \_\_\_\_\_

Financial Institution: \_\_\_\_\_

Branch Code: \_\_\_\_\_

Account No.: \_\_\_\_\_
  - 2.3 agree that in the event that there is a change in the partnership/ joint venture/ consortium and/or should a dispute arise between the partnership/joint venture/ consortium partners, that the CCT shall continue to make any/all payments due and payable in terms of the Contract into the aforesaid bank account until such time as the CCT is presented with a Court Order or an original agreement (signed by each and every partner of the partnership/joint venture/ consortium) notifying the CCT of the details of the new bank account into which it is required to make payment.
  - 2.4 agree that they shall be jointly and severally liable to the CCT for the due and proper fulfilment by the successful tenderer/supplier of its obligations in terms of the Contract as well as any damages suffered by the CCT as a result of breach by the successful tenderer/supplier. The partnership/joint venture/ consortium partners hereby renounce the benefits of excussion and division.

| SIGNED BY THE PARTNERS OF THE PARTNERSHIP/ JOINT VENTURE/ CONSORTIUM |         |                                                 |
|----------------------------------------------------------------------|---------|-------------------------------------------------|
| NAME OF FIRM                                                         | ADDRESS | DULY AUTHORISED SIGNATORY                       |
| Lead partner                                                         |         | Signature.....<br>Name.....<br>Designation..... |
|                                                                      |         | Signature.....<br>Name.....<br>Designation..... |
|                                                                      |         | Signature.....<br>Name.....<br>Designation..... |
|                                                                      |         | Signature.....<br>Name.....<br>Designation..... |

**Note: A copy of the Joint Venture Agreement shall be appended to List of other documents attached by tenderer schedule.**

## Schedule 2: Declaration for Procurement above R10 million

If the value of the transaction is expected to exceed R10 million (VAT included) the tenderer shall complete the following questionnaire, attach the necessary documents and sign this schedule:

1. Are you by law required to prepare annual financial statements for auditing ? (Please mark with X)

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

1.1 If YES, submit audited annual financial statements:

- (i) for the past three years, or
- (ii) since the date of establishment of the tenderer (if established during the past three years)

By attaching such audited financial statements to **List of other documents attached by tenderer** schedule.

2. Do you have any outstanding undisputed commitments for municipal services towards the CCT or other municipality in respect of which payment is overdue for more than 30 (thirty) days? (Please mark with X)

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

- 2.1 If NO, this serves to certify that the tenderer has no undisputed commitments for municipal services towards any municipality for more than three (3) (three) months in respect of which payment is overdue for more than 30 (thirty) days.

2.2 If YES, provide particulars:

---



---



---



---

3. Has any contract been awarded to you by an organ of state during the past five (5) years? (Please mark with X)

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

3.1 If YES, insert particulars in the table below including particulars of any material non-compliance or dispute concerning the execution of such contract. Alternatively attach the particulars to **List of other documents attached by tenderer** schedule in the same format as the table below:

| Organ of State | Contract Description | Contract Period | Non-compliance/dispute (if any) |
|----------------|----------------------|-----------------|---------------------------------|
|                |                      |                 |                                 |
|                |                      |                 |                                 |
|                |                      |                 |                                 |
|                |                      |                 |                                 |
|                |                      |                 |                                 |

4. Will any portion of the goods or services be sourced from outside the Republic, and if so, what portion and whether any portion of payment from the CCT is expected to be transferred out of the Republic? (Please mark with X)

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

- 4.1 If YES, furnish particulars below

|  |
|--|
|  |
|  |
|  |
|  |
|  |

The tenderer hereby certifies that the information set out in this schedule and/or attached hereto is true and correct, and acknowledges that failure to properly and truthfully complete this schedule may result in steps being taken against the tenderer, the tender being disqualified, and/or (in the event that the tenderer is successful) the cancellation of the contract, restriction of the tenderer or the exercise by the employer of any other remedies available to it.

\_\_\_\_\_  
Signature  
Print name:  
On behalf of the tenderer (duly authorised)

\_\_\_\_\_  
Date

## Schedule 3: PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

### 1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **To be completed by the organ of state**

a) The applicable preference point system for this tender is the 90/10 preference point system.

Any reference to 80/20 preference point system in this tender is only for information purpose.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 **To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

|                                                  | POINTS     |
|--------------------------------------------------|------------|
| PRICE                                            | 90         |
| SPECIFIC GOALS                                   | 10         |
| <b>Total points for Price and SPECIFIC GOALS</b> | <b>100</b> |

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

### 2. DEFINITIONS

The following definitions shall apply to this schedule:

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation.
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts.
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes.

- (d) “tender for income-generating contracts” means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) “The Act” means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

### 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

#### 3.1. POINTS AWARDED FOR PRICE

##### 3.1.1 THE 90/10 PREFERENCE POINT SYSTEMS

A maximum of 90 points is allocated for price on the following basis:

90/10

$$P_s = 90 \left( 1 - \frac{P_t - P_{min}}{P_{min}} \right)$$

Where

$P_s$  = Points scored for price of tender under consideration

$P_t$  = Price of tender under consideration

$P_{min}$  = Price of lowest acceptable tender

#### 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

##### 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 90 points is allocated for price on the following basis:

90/10

$$P_s = 90 \left( 1 + \frac{P_t - P_{max}}{P_{max}} \right)$$

Where

$P_s$  = Points scored for price of tender under consideration

$P_t$  = Price of tender under consideration

$P_{max}$  = Price of highest acceptable tender

### 4. POINTS AWARDED FOR SPECIFIC GOALS

4.1 In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2 In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear which preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

- (a) an invitation for tender for income-generating contracts, that the 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
- (b) any other invitation for tender, that the 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system, then the organ of state must indicate the points allocated for specific goals for the 90/10 and preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where the 90/10 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

| The specific goals allocated points in terms of this tender                                                                                                          | Number of points allocated<br>(90/10 system)<br>(To be completed by the organ of state) | Number of points claimed<br>(90/10 system)<br>(To be completed by the tenderer) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>Gender are women (ownership)*</b><br>At least 51% women ownership = 5 points<br>Less than 51% women ownership = 2.5 points<br>0% women ownership = 0 points       | 5                                                                                       |                                                                                 |
| <b>Race are black persons (ownership)*</b><br>At least 51% black ownership = 5 points<br>Less than 51% black ownership = 2.5 points<br>0% black ownership = 0 points | 5                                                                                       |                                                                                 |
|                                                                                                                                                                      |                                                                                         |                                                                                 |
|                                                                                                                                                                      |                                                                                         |                                                                                 |

#### DECLARATION WITH REGARD TO COMPANY/FIRM

4.3 Name of company/firm.....

4.4 Company registration number: .....

4.5 TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One-person business/sole propriety
- ☐ Close corporation
- ☐ Public Company
- ☐ Personal Liability Company
- ☐ (Pty) Limited
- ☐ Non-Profit Company
- ☐ State Owned Company

[Tick applicable box]

- 4.6 I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
- i) The information furnished is true and correct;
  - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
  - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
  - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
    - (a) disqualify the person from the tendering process;
    - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
    - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
    - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
    - (e) forward the matter for criminal prosecution, if deemed necessary.

.....  
**SIGNATURE(S) OF TENDERER(S)**

**SURNAME AND NAME:** .....

**DATE:** .....

**ADDRESS:** .....

.....

.....

.....

For official use.

SIGNATURE OF CITY OFFICIALS AT  
TENDER OPENING

|    |    |    |
|----|----|----|
| 1. | 2. | 3. |
|----|----|----|

## Schedule 4: Declaration of Interest – State Employees (MBD 4 amended)

1. No bid will be accepted from:
  - 1.1 persons in the service of the state<sup>1</sup>, or
  - 1.2 if the person is not a natural person, of which any director, manager or principal shareholder or stakeholder is in the service of the state, or
  - 1.3 from persons, or entities of which any director, manager or principal shareholder or stakeholder, has been in the service of the City of Cape Town during the twelve months after the City employee has left the employ of the City, or
  - 1.4 from an entity who has employed a former City employee who was at a level of T14 or higher at the time of leaving the City's employ and involved in any of the City's bid committees for the bid submitted, if:
    - 1.4.1 the City employee left the City's employment voluntarily, during a period of 12 months after the City employee has left the employ of the City;
    - 1.4.2 the City employee left the City's employment whilst facing disciplinary action by the City, during a period of 24 months after the City employee has left the employ of the City, or any other period prescribed by applicable legislative provisions, after having left the City's employ.
2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the tenderer or their authorised representative declare their position in relation to the evaluating/adjudicating authority.
3. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.
  - 3.1 Full Name of tenderer or his or her representative:.....
  - 3.2 Identity Number:.....
  - 3.3 Position occupied in the Company (director, trustee, shareholder<sup>2</sup>):.....
  - 3.4 Company or Close Corporation Registration Number:.....
  - 3.5 Tax Reference Number.....
  - 3.6 VAT Registration Number:.....
  - 3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.
  - 3.8 Are you presently in the service of the state? **YES / NO**
    - 3.8.1 If yes, furnish particulars .....
  - 3.9 Have you been in the service of the state for the past twelve months? **YES / NO**
    - 3.9.1 If yes, furnish particulars .....
  - 3.10 Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? **YES / NO**
    - 3.10.1 If yes, furnish particulars .....
  - 3.11 Are you, aware of any relationship (family, friend, other) between any other tenderer and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? **YES / NO**
    - 3.11.1 If yes, furnish particulars.....

- 3.12 Are any of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.12.1 If yes, furnish particulars .....

- 3.13 Are any spouse, child or parent of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.13.1 If yes, furnish particulars .....

- 3.14 Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract? **YES / NO**

3.14.1 If yes, furnish particulars .....

- 3.15 Have you, or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company been in the service of the City of Cape Town in the past twelve months? **YES / NO**

3.15.1 If yes, furnish particulars .....

- 3.16 Do you have any employees who was in the service of the City of Cape Town at a level of T14 or higher at the time they left the employ of the City, and who was involved in any of the City's bid committees for this bid? **YES / NO**

3.16.1 If yes, furnish particulars .....

4. Full details of directors / trustees / members / shareholders

| Full Name | Identity Number | State Employee Number |
|-----------|-----------------|-----------------------|
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |

If the above table does not sufficient to provide the details of all directors / trustees / shareholders, please append full details to the tender submission.

The tenderer hereby certifies that the information set out in this schedule and/or attached hereto is true and correct, and acknowledges that failure to properly and truthfully complete this schedule may result in steps being taken against the tenderer, the tender being disqualified, and/or (in the event that the tenderer is successful) the cancellation of the contract, restriction of the tenderer or the exercise by the employer of any other remedies

available to it.

\_\_\_\_\_  
Signature

Print name:

\_\_\_\_\_  
Date

On behalf of the tenderer (duly authorised)

**'MSCM Regulations: "in the service of the state" means to be –**

**(a) a member of –**

- (i) any municipal council;**
- (ii) any provincial legislature; or**
- (iii) the national Assembly or the national Council of provinces;**

**(b) a member of the board of directors of any municipal entity;**

**(c) an official of any municipality or municipal entity;**

**(d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);**

**(e) an executive member of the accounting authority of any national or provincial public entity; or**

**(f) an employee of Parliament or a provincial legislature.**

<sup>2</sup> **Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.**

## Schedule 5: Conflict of Interest Declaration

1. The tenderer shall declare whether it has any conflict of interest in the transaction for which the tender is submitted. (Please mark with X)

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

- 1.1 If yes, the tenderer is required to set out the particulars in the table below:

|  |
|--|
|  |
|  |
|  |
|  |
|  |

2. The tenderer shall declare whether it has directly or through a representative or intermediary promised, offered or granted:

- 2.1 any inducement or reward to the CCT for or in connection with the award of this contract; or

- 2.2 any reward, gift, favour or hospitality to any official or any other role player involved in the implementation of the supply chain management policy. (Please mark with X)

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

- If yes, the tenderer is required to set out the particulars in the table below:

|  |
|--|
|  |
|  |
|  |
|  |
|  |

***Should the tenderer be aware of any corrupt or fraudulent transactions relating to the procurement process of the City of Cape Town, please contact the following:***

***the City's anti-corruption hotline at 0800 32 31 30 (toll free)***

The tenderer hereby certifies that the information set out in this schedule and/or attached hereto is true and correct, and acknowledges that failure to properly and truthfully complete this schedule may result in steps being taken against the tenderer, the tender being disqualified, and/or (in the event that the tenderer is successful) the cancellation of the contract, restriction of the tenderer or the exercise by the employer of any other remedies available to it.

\_\_\_\_\_  
Signature  
Print name:

\_\_\_\_\_  
Date

On behalf of the tenderer (duly authorised)

### Schedule 6: Declaration of Tenderer's Past Supply Chain Management Practices (MBD 8)

Where the entity tendering is a partnership/joint venture/consortium, each party to the partnership/joint venture/consortium must sign a declaration in terms of the Municipal Finance Management Act, Act 56 of 2003, and attach it to this schedule.

- 1 The tender offer of any tenderer may be rejected if that tenderer or any of its directors/members have:
  - a) abused the municipality's / municipal entity's supply chain management system or committed any fraudulent conduct in relation to such system;
  - b) been convicted for fraud or corruption during the past five years;
  - c) willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
  - d) been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004) or Database of Restricted Suppliers.
- 2 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

| Item  | Question                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Yes                             | No                             |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------------------------------|
| 2.1   | <p><b>Is the tenderer or any of its directors/members listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?</b></p> <p>(Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied).</p> <p><b>The Database of Restricted Suppliers now resides on the National Treasury's website(<a href="http://www.treasury.gov.za">www.treasury.gov.za</a>) and can be accessed by clicking on its link at the bottom of the home page.</b></p> | Yes<br><input type="checkbox"/> | No<br><input type="checkbox"/> |
| 2.1.1 | If so, furnish particulars:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                 |                                |
| 2.2   | <p><b>Is the tenderer or any of its directors/members listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004) or Database of Restricted Suppliers?</b></p> <p><b>The Register for Tender Defaulters can be accessed on the National Treasury's website (<a href="http://www.treasury.gov.za">www.treasury.gov.za</a>) by clicking on its link at the bottom of the home page.</b></p>                                                                                                                                                                                                                                       | Yes<br><input type="checkbox"/> | No<br><input type="checkbox"/> |
| 2.2.1 | If so, furnish particulars:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                 |                                |
| 2.3   | <p><b>Was the tenderer or any of its directors/members convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Yes<br><input type="checkbox"/> | No<br><input type="checkbox"/> |

|             |                                                                                                                                                                                                                                          |                                 |                                |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------------------------------|
| 2.3.1       | If so, furnish particulars:                                                                                                                                                                                                              |                                 |                                |
| <b>Item</b> | <b>Question</b>                                                                                                                                                                                                                          | <b>Yes</b>                      | <b>No</b>                      |
| 2.4         | Does the tenderer or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months? | Yes<br><input type="checkbox"/> | No<br><input type="checkbox"/> |
| 2.4.1       | If so, furnish particulars:                                                                                                                                                                                                              |                                 |                                |
| 2.5         | Was any contract between the tenderer and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?                         | Yes<br><input type="checkbox"/> | No<br><input type="checkbox"/> |
| 2.7.1       | If so, furnish particulars:                                                                                                                                                                                                              |                                 |                                |

The tenderer hereby certifies that the information set out in this schedule and/or attached hereto is true and correct, and acknowledges that failure to properly and truthfully complete this schedule may result in steps being taken against the tenderer, the tender being disqualified, and/or (in the event that the tenderer is successful) the cancellation of the contract, , restriction of the tenderer or the exercise by the employer of any other remedies available to it.

\_\_\_\_\_  
 Signature  
 Print name:  
 On behalf of the tenderer (duly authorised)

\_\_\_\_\_  
 Date

## Schedule 7: Authorisation for the Deduction of Outstanding Amounts Owed to the City of Cape Town

To: THE CITY MANAGER, CITY OF CAPE TOWN

From: \_\_\_\_\_  
(Name of tenderer)

### RE: AUTHORISATION FOR THE DEDUCTION OF OUTSTANDING AMOUNTS OWED TO THE CITY OF CAPE TOWN

The tenderer:

- a) hereby acknowledges that according to SCM Regulation 38(1)(d)(i) the City Manager may reject the tender of the tenderer if any municipal rates and taxes or municipal service charges owed by the tenderer (or any of its directors/members/partners) to the CCT, or to any other municipality or municipal entity, are in arrears for more than 3 (three) months; and
- b) therefore, hereby agrees and authorises the CCT to deduct the full amount outstanding by the Tenderer or any of its directors/members/partners from any payment due to the tenderer; and
- c) confirms the information as set out in the tables below for the purpose of giving effect to b) above;
- d) The tenderer hereby certifies that the information set out in this schedule and/or attached hereto is true and correct, and acknowledges that failure to properly and truthfully complete this schedule may result in steps being taken against the tenderer, the tender being disqualified, and/or (in the event that the tenderer is successful) the cancellation of the contract, restriction of the tenderer or the exercise by the employer of any other remedies available to it.

| Physical <b>Business</b> address(es) of the tenderer | Municipal Account number(s) |
|------------------------------------------------------|-----------------------------|
|                                                      |                             |
|                                                      |                             |

If there is not enough space for all the names, please attach the information to **List of other documents attached by tenderer** schedule in the same format:

| Name of Director / Member / Partner | Identity Number | Physical <b>residential</b> address of Director / Member / Partner | Municipal Account number(s) |
|-------------------------------------|-----------------|--------------------------------------------------------------------|-----------------------------|
|                                     |                 |                                                                    |                             |
|                                     |                 |                                                                    |                             |
|                                     |                 |                                                                    |                             |
|                                     |                 |                                                                    |                             |
|                                     |                 |                                                                    |                             |
|                                     |                 |                                                                    |                             |
|                                     |                 |                                                                    |                             |

\_\_\_\_\_  
Signature  
Print name:  
On behalf of the tenderer (duly authorised)

\_\_\_\_\_  
Date

## Schedule 8: Contract Price Adjustment and/or Rate of Exchange Variation

### Refer to Clause 17 (Prices) of the General and Special conditions of contract

#### 17. Prices

*Add the following after clause 17.1*

17.2 If as a result of an award of a contract beyond the original tender validity period, the contract execution will be completed beyond a period of twelve (12) months from the expiry of the original tender validity period, then the contract may be subject to contract price adjustment for that period beyond such twelve (12) months. An appropriate contract price adjustment formula will be determined by the Director: Supply Chain Management if such was not included in the bid documents.

17.3 If as a result of any extension of time granted the contract execution will be completed beyond a period of twelve (12) months from the expiry of the original tender validity period, then contract price adjustment may apply to that period beyond such twelve (12) months. An appropriate contract price adjustment formula will be determined by the Director: Supply Chain Management if such was not included in the bid documents.

17.4 The prices for the goods delivered and services performed shall be subject to contract price adjustment and the following conditions will be applicable:

- (a) The Accepted Contract rates shall be deemed to have included amounts to cover the contingency of all other rises and falls in costs not covered by the provisions of this or other Clauses.
- (b) No Contract Price Adjustment shall be applied to Provisional Sums, the allowance for profit on Provisional Sums and mark-up based on OEM prices.
- (c) For the sake of this clause, delivery of the equipment to the supplier's workshop is included in the materials cost. All items subject to contract price adjustment will be treated as 'Materials only' in this regard.
- (d) The rates which are stated on the Price Schedule shall be adjusted on each anniversary of the date of contract commencement (recalculation date). For the purpose of contract price adjustment, the following general provisions shall apply:
  - i. The rates submitted will be firm for the first 12 months from date of commencement of the contract. The Director: SCM may consider a contract price adjustment formula in instances within the first twelve (12) months of the contract period, under exceptional and motivated circumstances.
  - ii. **In year 2**, the rates submitted shall be subject to adjustment. **Base month (base indices)** for the price adjustment shall be the month prior to the closing date of the tender and **end date (current indices)** shall be 11th month of the contract. The adjustment will be applicable from 13<sup>th</sup> month of the contract until end of Month 24 of the contract.
  - iii. **In year 3**, the rates submitted shall be subject to adjustment. **Base month (base indices)** for the price adjustment shall be the 11th month of the contract and **end date (current indices)** shall be 23rd month of the contract. The adjustment will be applicable from 25<sup>th</sup> month of the contract until end of the contract.
- (e) For the purpose of this Sub-Clause, General requirement and conditions are included with Labour only.
- (f) Contract price adjustment shall be based on the indices published by the Steel and Engineering Industries Federation of South Africa (SEIFSA) using the method described. This section must be read in conjunction with Table 1 (Contract Price Adjustment Table):

**Labour only**

The following SEIFSA table shall be regarded as relevant to labour only items in this Contract:

Table C-3 Index of actual labour cost; as applicable

***The applicable formulae is:***

$$A = a + b \left( \frac{L_n}{L_o} \right) - 1$$

Where:

A = Adjustment Factor rounded off to the sixth decimal place

a = 0.10 Fixed coefficient (non-adjustable portion)

b = 0.90

L<sub>n</sub> = Current labour index in Table C3; as applicable

L<sub>o</sub> = Base labour index in Table C3; as applicable

**Material only**

The following SEIFSA tables shall be regarded as relevant to some materials only items in this Contract:

Table U-A Statistics SA | Production Price Index (PPI); as applicable

***The applicable formulae is:***

$$A = a + c \left( \frac{M_n}{M_o} \right) - 1$$

Where:

where A = Adjustment Factor rounded off to the sixth decimal place

a = 0.10 Fixed coefficient (non-adjustable portion)

c = 0.90

M<sub>n</sub> = Current Statistics SA | Production Price Index (PPI) in Table U-A; as applicable

M<sub>o</sub> = Base Statistics SA | Production Price Index (PPI) in Table U-A; as applicable

**TABLE 1: CONTRACT PRICE ADJUSTMENT TABLE**

| Schedule of Rates Item No. | Applicable Formulae | Applicable SEIFSA Tables / Columns   |
|----------------------------|---------------------|--------------------------------------|
| A1 – A22                   | Labour only         | Table C-3: All Hourly-Paid Employees |
| B1 – B23                   | Labour only         | Table C-3: All Hourly-Paid Employees |
| C1 – C49                   | Materials Only      | Table U-A: Final Manufactured Goods  |
| D1 – D48                   | Materials Only      | Table U-A: Final Manufactured Goods  |
| E1 – E262                  | Materials Only      | Table U-A: Final Manufactured Goods  |
| F1 – F72                   | Materials Only      | Table U-A: Final Manufactured Goods  |
| G1 – G15                   | Materials Only      | Table U-A: Final Manufactured Goods  |
| H1 to H66                  | Materials Only      | Table U-A: Final Manufactured Goods  |
| I1 – I10                   | Materials Only      | Table U-A: Final Manufactured Goods  |
| J1 – J157                  | Materials Only      | Table U-A: Final Manufactured Goods  |
| L1 – L13                   | Materials Only      | Table U-A: Final Manufactured Goods  |
| M1 – M13                   | Labour only         | Table C-3: All Hourly-Paid Employees |

(g) All requests for variation in the contract price shall be submitted in writing as follows:

by email to: [NkululekoHumphrey.Cele@capetown.gov.za](mailto:NkululekoHumphrey.Cele@capetown.gov.za) and  
CPA.Request@capetown.gov.za

(h) When submitting an application for contract price adjustment the Contractor shall provide the applicable months' actual indices for the SEIFSA Table No's and Descriptions and the actual revised rate proposed for each item. A mere notification of an application for contract price adjustment without stating the adjusted price claimed for each item shall, for the purpose of this clause, not be regarded as a valid claim.

(i) The Employer reserves the right to request the Contractor to submit auditor's certificates or such other documentary proof as it may require in order to verify a claim for contract price adjustment. Should the supplier fail to submit such auditor's certificates or other documentary proof to the City of Cape Town within a period of 30 (thirty) days from the date of the request, it shall be presumed that the supplier has abandoned his claim.

17.5 If price adjustment for variations in the cost of plant and materials imported from outside of South Africa is provided for in the contract, such adjustment shall be based on the information contained on the schedule titled "**Price Basis for Imported Resources**" and as below. For the purposes of this clause the Rand value of imported Plant and Materials inserted on the schedule titled "**Price Basis for Imported Resources**" (column (F)) shall be the value in foreign currency (column (A)) converted to South African Rand (column (C)) by using the closing spot selling rate quoted by **CCT's** main banker, NEDBANK, on the Base Date (seven calendar days before tender closing date) rounded to the second decimal place (column (B)), to which shall be added any Customs Surcharge and Customs Duty applicable at that date (columns (D) and (E)).

17.5.1 Adjustment for variations in rates of exchange:

(a) The value in foreign currency inserted in column (A) shall be subject to clause (h) below when recalculating the Rand value.

(b) The rate of exchange inserted in column (B) shall be the closing spot selling rate quoted by Council's main banker, NEDBANK, on the Base Date, rounded to the second decimal place, subject to sub-paragraph (c) below.

(c) If the rate of exchange inserted by the Tenderer differs from the NEDBANK rate referred to above, then the NEDBANK rate shall apply and the Rand value in columns (C) and (F) shall be recalculated accordingly, without altering the price in the Price Schedule for the relevant items.

(d) If a tender from a supplier or sub-contractor provides for variations in rates of exchange, the Supplier may **only** claim for variations in rates of exchange if he binds the supplier or sub-contractor to the same provision to take out forward cover as described in sub-paragraph (e) below.

(e) The Supplier (or sub-contractor) shall within five working days from the date of placing a firm order on an overseas supplier, cover or recover forward by way of a contract with a bank which is an authorised foreign exchange dealer, the foreign exchange component of the cost of any imported Plant and Materials inserted by the Tenderer on the scheduled titled "**Price Basis for Imported Resources**".

(f) When the Supplier (or sub-contractor) so obtains forward cover, the Supplier shall immediately notify the CCT of the rate obtained and furnish the CCT with a copy of the foreign exchange contract note.

(g) Based on the evidence provided in sub-paragraph (f) above, the value in Rand inserted in column (C) of on the schedule titled "**Price Basis for Imported Resources**" shall be recalculated using the forward cover rate obtained, and any increase or decrease in the Rand value defined in this clause shall be adjusted accordingly, subject to sub-paragraph (h) below.

(h) The adjustments shall be calculated upon the value in foreign currency in the Supplier's (or sub-

contractor's) **forward cover contract**, provided that, should this value exceed the value in foreign currency inserted in column (A) of on the schedule titled "**Price Basis for Imported Resources**", then the value in column (A) shall be used.

17.53.2 Adjustment for variations in customs surcharge and customs duty

(a) Any increase or decrease in the Rand value between the amounts of Customs Surcharge and Customs Duty inserted in on the schedule titled "**Price Basis for Imported Resources**" and those amounts actually paid to the Customs and Excise Authorities, which are due to changes in the percentage rates applicable or to the foreign exchange rate used by the authorities, shall be adjusted accordingly.

(b) The Tenderer shall state the Customs Duty Tariff Reference applicable to each item and the Supplier shall advise the CCT's Agent of any changes which occur.

17.5.3 Adjustment for variation in labour and material Costs

If the prices for imported Plant and Materials are not fixed, the Supplier shall in his Tender specify the formula for calculating Contract Price Adjustments normally used in the country of manufacture and the indices and relative proportions of labour and material on which his Tender prices are based. Evidence of the indices applicable shall be provided with each claim. The indices applicable 42 days before contractual dispatch date from the factory will be used for the purposes of Contract Price Adjustment.

Failure to specify a formula in the Tender shall mean that the prices are fixed or shall be deemed to be fixed.

**SIGNED ON BEHALF OF TENDERER:** .....

## Schedule 9: Certificate of Independent Tender Determination

I, the undersigned, in submitting this tender - TENDER NO: 371G/2022/23 - SUPPLY, INSTALLATION, SERVICING AND RECONDITIONING OF VALVES AND ASSOCIATED PIPEWORK in response to the tender invitation made by THE CITY OF CAPE TOWN, do hereby make the following statements, which I certify to be true and complete in every respect:

I certify, on behalf of : \_\_\_\_\_ (Name of tenderer)

That:

1. I have read and I understand the contents of this Certificate;
2. I understand that this tender will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorised by the tenderer to sign this Certificate, and to submit this tender, on behalf of the tenderer;
4. Each person whose signature appears on this tender has been authorised by the tenderer to determine the terms of, and to sign, the tender on behalf of the tenderer;
5. For the purposes of this Certificate and this tender, I understand that the word 'competitor' shall include any individual or organisation other than the tenderer, whether or not affiliated with the tenderer, who:
  - (a) has been requested to submit a tender in response to this tender invitation;
  - (b) could potentially submit a tender in response to this tender invitation, based on their qualifications, abilities or experience; and
  - (c) provides the same goods and services as the tenderer and/or is in the same line of business as the tenderer.
6. The tenderer has arrived at this tender independently from and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>1</sup> will not be construed as collusive price quoting.
7. In particular, without limiting the generality of paragraphs 5 and 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - (a) prices;
  - (b) geographical area where product or service will be rendered (market allocation);
  - (c) methods, factors or formulas used to calculate prices;
  - (d) the intention or decision to submit or not to submit a tender;
  - (e) the submission of a tender which does not meet the specifications and conditions of the tender; or
  - (f) tendering with the intention not to win the contract.
8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this tender invitation relates.
9. The terms of this tender have not been and will not be disclosed by the tenderer, directly or indirectly, to any competitor, prior to the date and time of the official tender opening or of the awarding of the contract.
10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to tenders and contracts, tenders that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act, Act 89 of 1998, and/or may be reported to the National Prosecuting Authority (NPA) for criminal investigation, and/or may be restricted from conducting business with the public sector for a period not exceeding 10 (ten) years in terms of the Prevention and Combating of Corrupt Activities Act, Act 12 of 2004, or any other applicable legislation.

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Name (PRINT)

(For and on behalf of the Tenderer (duly authorised))

<sup>(1</sup> Consortium: Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.)

### Schedule 10: Price Basis for Imported Resources

[illegible]

**\* State Customs Duty Tariff Reference for each item**

**Note:**

**Note that any Resources not inserted in this Returnable Schedule shall be deemed to be manufactured / supplied in South Africa for the purposes of Contract Price Adjustment. The BASE DATE referred to in column (B) will be 7 calendar days before tender closing.**

**SIGNED ON BEHALF OF TENDERER:** .....

**Schedule 11: Schedule of Pre-Qualification Criteria Sub-Contractors**

Not used

**Schedule 12: List of other documents attached by tenderer**

|                                                                                     |                         |                                                                                                                           |
|-------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------------------------------------------|
| The tenderer has attached to this schedule, the following additional documentation: |                         |                                                                                                                           |
|                                                                                     | <b>Date of Document</b> | <b>Title of Document or Description</b><br><b>(refer to clauses / schedules of this tender document where applicable)</b> |
| 1.                                                                                  |                         |                                                                                                                           |
| 2.                                                                                  |                         |                                                                                                                           |
| 3.                                                                                  |                         |                                                                                                                           |
| 4.                                                                                  |                         |                                                                                                                           |
| 5.                                                                                  |                         |                                                                                                                           |
| 6.                                                                                  |                         |                                                                                                                           |
| 7.                                                                                  |                         |                                                                                                                           |
| 8.                                                                                  |                         |                                                                                                                           |
| 9.                                                                                  |                         |                                                                                                                           |
| 10.                                                                                 |                         |                                                                                                                           |
| 11.                                                                                 |                         |                                                                                                                           |
| 12.                                                                                 |                         |                                                                                                                           |
| 13.                                                                                 |                         |                                                                                                                           |
| 14.                                                                                 |                         |                                                                                                                           |
| 15.                                                                                 |                         |                                                                                                                           |
| 16.                                                                                 |                         |                                                                                                                           |
| 17.                                                                                 |                         |                                                                                                                           |

Attach additional pages if more space is required.

\_\_\_\_\_  
Signature  
Print name:  
On behalf of the tenderer (duly authorised)

\_\_\_\_\_  
Date

Schedule 13: Record of Addenda to Tender Documents

We confirm that the following communications received from the Employer before the submission of this tender offer, amending the tender documents, have been taken into account in this tender offer:

|     | Date | Title or Details |
|-----|------|------------------|
| 1.  |      |                  |
| 2.  |      |                  |
| 3.  |      |                  |
| 4.  |      |                  |
| 5.  |      |                  |
| 6.  |      |                  |
| 7.  |      |                  |
| 8.  |      |                  |
| 9.  |      |                  |
| 10. |      |                  |

Attach additional pages if more space is required.

SIGNED ON BEHALF OF TENDERER: .....

**Schedule 14: Information to be provided with the tender**

The following information shall be provided with the Tender:

- a. Schedule 14A: Functionality Criteria
- b. Schedule 14B: Technical Data Sheets

**SIGNED ON BEHALF OF TENDERER:** .....

## Schedule 14 A: Functionality Criteria

The Tenderer shall provide information for the functionality criteria listed in this Returnable Schedule.

The Tenderer's attention is drawn to clause C.2.2.1.1.4 in the Tender Data for a more detailed explanation of the functionality criteria given in the table below and how the score will be calculated (with applicable values).

| Key Personnel | Evaluation Criteria                                                 | Qualifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Description                                                                                    | Points |
|---------------|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------|
| Yes           | Access to Number of Artisans/ Technicians                           | Minimum appropriate trade-test as recognised by the Department of Labour in the fields of Civil/Mechanical Engineering, Fitter and Turner, Millwright* within time periods as per SLA<br><br>* (At least 4 Artisans should be permanently employed by the tendering entity and the rest comply with Service Level Agreement conditions as below in specifications as per clause C6)                                                                                                                                                        | Greater than 14 artisans/technicians                                                           | 30     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 12 but less than 14 artisans/technicians                                                       | 20     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 10 – but less than 12 artisans/technicians                                                     | 10     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Less than 4 10 artisans/technicians                                                            | 0      |
| Yes           | Experience of Project Manager                                       | Proven track record of completed projects in any engineering related field (This may include Maintenance, Construction, Design & Consulting) within the last 10 years. A comprehensive CV accompanied with proof of completion of projects must be provided.                                                                                                                                                                                                                                                                               | More than 5 projects                                                                           | 20     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Equal to or more than 2 projects but less than 5 projects                                      | 10     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Less than 2 projects but more than 1 project of experience                                     | 5      |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | No projects                                                                                    | 0      |
|               | Proven track record in the supply, delivery and turnover of valves. | Number of projects and procurement of valves – existing agreement of suppliers and or manufacturers of valves.<br><br>Successful delivery notes or proven track record in the procurement of valves clearly depicting turnaround times.<br><br>The tendering entity needs to demonstrate its ability to procure and or supply the following valves in less than 8 weeks turnaround time on average of:<br>a. 1 isolation type valve size minimum 200 Nominal Bore (NB) and<br>b. 1 control/regulating type valve, Minimum sizes from 100NB | Turnaround times or successful procurement of valves – less than 4 weeks.                      | 30     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Turnaround times or successful procurement of valves – more than 4 weeks and less than 6 weeks | 20     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Turnaround times or successful procurement of valves – more than 6 weeks and less than 8 weeks | 10     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | No track record                                                                                | 0      |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                |        |
|               | Minimum experience of tendering entity                              | Removal, repairs, maintenance, testing, installation and commissioning of valves from 100NB – 1200NB                                                                                                                                                                                                                                                                                                                                                                                                                                       | More than 10 years 'experience                                                                 | 20     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | More than 5 years' but less than 10 years' experience                                          | 10     |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | More than 2 years' but less than 5 years' experience.                                          | 5      |
|               |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Less than 2 years' experience                                                                  | 0      |
| Total         |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                | 100    |

The minimum score for functionality is **70 points**. Tenderers that fail to achieve the minimum score for functionality will be rejected.

The tenderer is referred to the Specification and Tender Conditions and shall provide details on the tables below to proof compliance with the relevant tender requirements.

The Curriculum Vitae and proof of qualifications of each individual must be attached to this schedule; and statement for each of the individuals identified, which indicates any fields of specialization and any recent experience that is relevant to this tender (which may or may not form part of the individual's curriculum vitae). Tenderers should indicate to which part of this tender, the field of specialization is relevant to.

Where the entity tendering is a joint venture, the track record of each party to the joint venture must be submitted as part of this schedule (additional pages may be added if necessary).

| Mechanical Artisans |                                 |                |                                                |                                                                                  |                         |
|---------------------|---------------------------------|----------------|------------------------------------------------|----------------------------------------------------------------------------------|-------------------------|
|                     | Name                            | Qualifications | Experience in servicing and maintaining valves | No. of Years, post trade test qualification, in servicing and maintaining valves |                         |
|                     |                                 |                |                                                | START DATE<br>Month, year                                                        | END DATE<br>Month, year |
| 1                   | Go to 12 Permanent / contracted |                |                                                |                                                                                  |                         |
| 2                   |                                 |                |                                                |                                                                                  |                         |
| 3                   |                                 |                |                                                |                                                                                  |                         |
| 4                   |                                 |                |                                                |                                                                                  |                         |
| 5                   |                                 |                |                                                |                                                                                  |                         |
| 6                   |                                 |                |                                                |                                                                                  |                         |
| 7                   |                                 |                |                                                |                                                                                  |                         |
| 8                   |                                 |                |                                                |                                                                                  |                         |

(Additional pages may be added if necessary)

(Additional pages may be added if necessary)

| Project Manager |      |                                                         |                                                                                                                                                                            |                           |                               |
|-----------------|------|---------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-------------------------------|
|                 | Name | Qualifications<br>& Number of<br>Successful<br>projects | Experience in project<br>or contract<br>management in any<br>engineering related<br>projects<br>(This may include<br>Maintenance,<br>Construction, Design<br>& Consulting) |                           |                               |
|                 |      |                                                         |                                                                                                                                                                            | START DATE<br>Month, year | END<br>DATE<br>Month,<br>year |
| 1               |      |                                                         |                                                                                                                                                                            |                           |                               |
| 2               |      |                                                         |                                                                                                                                                                            |                           |                               |

(additional pages may be added if necessary)

**Tendering Entity Track Record: projects in valves service, repair, maintenance and installation over the last 10 years.**

*Minimum experience required for the Tender Entity is detailed below in a period of less than 8 weeks:*

- Supply, installation and commissioning of at least 1 isolation valve size from minimum 200NB and above.
- Removal, repairs, maintenance, testing, installation and commissioning of at least 1 isolation valve, sizes from 200NB and above.
- Supply, installation and commissioning of at least 1 control/regulating valve, sizes from 100NB and above.
- Removal, repairs, maintenance, testing, installation and commissioning of at least 1 control/regulating valve, sizes from 100NB and above.
- Should have been involved in a selection process for at least 1 control/regulating/isolation valves, sizes from 100NB and above.

| NO | TYPE OF RELEVANT WORK PREVIOUSLY PERFORMED | CLIENT'S DETAILS<br>(Location where work was performed, company name, contact name & phone number) | START DATE OF CONTRACT | DATE OF CONTRACT | VALUE OF CONTRACT |
|----|--------------------------------------------|----------------------------------------------------------------------------------------------------|------------------------|------------------|-------------------|
| 1  |                                            |                                                                                                    |                        |                  |                   |
| 2  |                                            |                                                                                                    |                        |                  |                   |
| 3  |                                            |                                                                                                    |                        |                  |                   |

**Tendering Entity Track Record: projects in valves service, repair, maintenance and installation over the last 10 years.**

*Minimum experience required for the Tender Entity is detailed below in a period of less than 8 weeks:*

- Supply, installation and commissioning of at least 1 isolation valve size from minimum 200NB and above.
- Removal, repairs, maintenance, testing, installation and commissioning of at least 1 isolation valve, sizes from 200NB and above.
- Supply, installation and commissioning of at least 1 control/regulating valve, sizes from 100NB and above.
- Removal, repairs, maintenance, testing, installation and commissioning of at least 1 control/regulating valve, sizes from 100NB and above.
- Should have been involved in a selection process for at least 1 control/regulating/isolation valves, sizes from 100NB and above.

| NO | TYPE OF RELEVANT WORK PREVIOUSLY PERFORMED | CLIENT'S DETAILS<br>(Location where work was performed, company name, contact name & phone number) | START DATE OF CONTRACT | DATE OF CONTRACT | VALUE OF CONTRACT |
|----|--------------------------------------------|----------------------------------------------------------------------------------------------------|------------------------|------------------|-------------------|
| 4  |                                            |                                                                                                    |                        |                  |                   |
| 5  |                                            |                                                                                                    |                        |                  |                   |

**Tendering Entity Track Record: projects in valves service, repair, maintenance and installation over the last 10 years.**

*Minimum experience required for the Tender Entity is detailed below in a period of less than 8 weeks:*

- Supply, installation and commissioning of at least 1 isolation valve size from minimum 200NB and above.
- Removal, repairs, maintenance, testing, installation and commissioning of at least 1 isolation valve, sizes from 200NB and above.
- Supply, installation and commissioning of at least 1 control/regulating valve, sizes from 100NB and above.
- Removal, repairs, maintenance, testing, installation and commissioning of at least 1 control/regulating valve, sizes from 100NB and above.
- Should have been involved in a selection process for at least 1 control/regulating/isolation valves, sizes from 100NB and above.

| NO | TYPE OF RELEVANT WORK PREVIOUSLY PERFORMED | CLIENT'S DETAILS<br>(Location where work was performed, company name, contact name & phone number) | START DATE OF CONTRACT | DATE OF CONTRACT | VALUE OF CONTRACT |
|----|--------------------------------------------|----------------------------------------------------------------------------------------------------|------------------------|------------------|-------------------|
| 6  |                                            |                                                                                                    |                        |                  |                   |
| 7  |                                            |                                                                                                    |                        |                  |                   |
| 8  |                                            |                                                                                                    |                        |                  |                   |

**Tendering Entity Track Record: projects in valves service, repair, maintenance and installation over the last 10 years.**

*Minimum experience required for the Tender Entity is detailed below in a period of less than 8 weeks:*

- Supply, installation and commissioning of at least 1 isolation valve size from minimum 200NB and above.
- Removal, repairs, maintenance, testing, installation and commissioning of at least 1 isolation valve, sizes from 200NB and above.
- Supply, installation and commissioning of at least 1 control/regulating valve, sizes from 100NB and above.
- Removal, repairs, maintenance, testing, installation and commissioning of at least 1 control/regulating valve, sizes from 100NB and above.
- Should have been involved in a selection process for at least 1 control/regulating/isolation valves, sizes from 100NB and above.

| NO | TYPE OF RELEVANT WORK PREVIOUSLY PERFORMED | CLIENT'S DETAILS<br>(Location where work was performed, company name, contact name & phone number) | START DATE OF CONTRACT | DATE OF CONTRACT | VALUE OF CONTRACT |
|----|--------------------------------------------|----------------------------------------------------------------------------------------------------|------------------------|------------------|-------------------|
| 9  |                                            |                                                                                                    |                        |                  |                   |
| 10 |                                            |                                                                                                    |                        |                  |                   |

(additional pages may be added if necessary)

Number of sheets appended by the tenderer to this Schedule ..... (If nil, enter NIL).

**SIGNED ON BEHALF OF TENDERER:** .....

## Schedule 14B: Technical Data Sheets

The Tenderer is to complete the following returnable technical data sheets pertaining to each offered valve. Below is a list of the relevant items on the schedule of rates:

| TECHNICAL DATA SHEET                          |                                                               | OFFERED                                        |                    |
|-----------------------------------------------|---------------------------------------------------------------|------------------------------------------------|--------------------|
| Insert Pricing schedule<br>Item number below: | Insert Pricing schedule<br>payment reference<br>number below: | Valve Description                              | Vendor to Complete |
| <b>C1 – C34</b>                               | <b>S1</b>                                                     | Brand Name                                     |                    |
|                                               |                                                               | Brand Model<br>Number                          |                    |
|                                               |                                                               | Country                      of<br>Manufacture |                    |
| <b>D1 - D32</b>                               | <b>S1</b>                                                     | Brand Name                                     |                    |
|                                               |                                                               | Brand Model<br>Number                          |                    |
|                                               |                                                               | Country                      of<br>Manufacture |                    |
| <b>E1 - E30</b>                               | <b>S1</b>                                                     | Brand Name                                     |                    |
|                                               |                                                               | Brand Model<br>Number                          |                    |
|                                               |                                                               | Country                      of<br>Manufacture |                    |
| <b>F1 - F72</b>                               | <b>S1</b>                                                     | Brand Name                                     |                    |
|                                               |                                                               | Brand Model<br>Number                          |                    |
|                                               |                                                               | Country                      of<br>Manufacture |                    |
| <b>G1 - G10</b>                               | <b>S1</b>                                                     | Brand Name                                     |                    |
|                                               |                                                               | Brand Model<br>Number                          |                    |
|                                               |                                                               | Country                      of<br>Manufacture |                    |
| <b>H1 - H52</b>                               | <b>S1</b>                                                     | Brand Name                                     |                    |
|                                               |                                                               | Brand Model<br>Number                          |                    |
|                                               |                                                               | Country                      of<br>Manufacture |                    |
| <b>K1 -K13</b>                                | <b>S1</b>                                                     | Brand Name                                     |                    |

| TECHNICAL DATA SHEET                          |                                                               | OFFERED                   |                    |
|-----------------------------------------------|---------------------------------------------------------------|---------------------------|--------------------|
| Insert Pricing schedule<br>Item number below: | Insert Pricing schedule<br>payment reference<br>number below: | Valve Description         | Vendor to Complete |
|                                               |                                                               |                           |                    |
|                                               |                                                               | Brand Model<br>Number     |                    |
|                                               |                                                               | Country of<br>Manufacture |                    |
| <b>M1 -M5</b>                                 | <b>S1</b>                                                     | Brand Name                |                    |
|                                               |                                                               | Brand Model<br>Number     |                    |
|                                               |                                                               | Country of<br>Manufacture |                    |
| <b>N1 - N12</b>                               | <b>S1</b>                                                     | Brand Name                |                    |
|                                               |                                                               | Brand Model<br>Number     |                    |
|                                               |                                                               | Country of<br>Manufacture |                    |
| <b>O1 - O3</b>                                | <b>S1</b>                                                     | Brand Name                |                    |
|                                               |                                                               | Brand Model<br>Number     |                    |
|                                               |                                                               | Country of<br>Manufacture |                    |
| <b>P1 -P12</b>                                | <b>S1</b>                                                     | Brand Name                |                    |
|                                               |                                                               | Brand Model<br>Number     |                    |
|                                               |                                                               | Country of<br>Manufacture |                    |
| <b>Q1 - Q28</b>                               | <b>S1</b>                                                     | Brand Name                |                    |
|                                               |                                                               | Brand Model<br>Number     |                    |
|                                               |                                                               | Country of<br>Manufacture |                    |
| <b>R1 - R12</b>                               | <b>S1</b>                                                     | Brand Name                |                    |
|                                               |                                                               | Brand Model<br>Number     |                    |
|                                               |                                                               | Country of<br>Manufacture |                    |

Additional pages to be appended to this schedule

Number of sheets appended by the tenderer to this Schedule .....

**SIGNED ON BEHALF OF TENDERER:** .....

## C.5 SPECIFICATION(S)

| SECTION    | DESCRIPTION                                              |
|------------|----------------------------------------------------------|
| 1          | SCOPE OF WORK                                            |
| 2          | WORK EXECUTION                                           |
| 3          | PROJECT SPECIFICATION                                    |
| 4          | MEASUREMENT AND PAYMENT                                  |
| 5          | TRADE NAMES OR PROPRIETARY PRODUCTS                      |
| 6          | EMPLOYMENT OF SECURITY PERSONNEL                         |
| 7          | FORMS FOR CONTRACT ADMINISTRATION                        |
|            |                                                          |
| ANNEXURE 1 | Health and Safety Specification                          |
| ANNEXURE 2 | Environmental Management Specification                   |
| ANNEXURE 3 | Work Project Process and Framework contract flow diagram |
| ANNEXURE 4 | Works project acceptance/refusal notice                  |
| ANNEXURE 5 | Local Workshop and Storage Facility Checklist            |
|            |                                                          |

## **1. SCOPE OF WORK**

### **1.1. Employer's Objectives**

City of Cape Town (CCT) owns and operate various water and sanitation plants and equipment to distribute and treat potable and sewage water. These include Wastewater, Bulk Water, Reticulation and Treated Effluent type facilities.

The purpose of this contract is to provide, through the services of a competent and experienced Contractor the ad hoc supply, maintenance and installation of valves and associated equipment and immediate pipework to its original functional condition. To ensure proper functioning of the City's water handling infrastructure.

### **1.2. Scope of Work**

All services will be co-ordinated and managed by CCT staff within the Directorate Water and Sanitation.

The scope of work may include, but are not limited to:

- a) The replacement, repair, installation, supply, delivery, off-loading and test of the various types of valves and associated equipment.
- b) Taking of onsite measurements and generating shop drawings
- c) Dismantling, removal, cleaning, inspection, reporting, repair, servicing, and reconditioning of existing equipment, valves and actuators.
- d) Testing of equipment and submission of prescribed test reports and guarantees.
- e) Provision of all materials, consumables, spares, contractor's equipment, supervision and skilled labour necessary to undertake the required work.
- f) Emptying the chamber and piping as and when necessary, making working areas clean and free of sewage and safe for working in during valve removal or installation phases.

Facilities are operational continuously (24/7) for the supply and treatment and discharge of clean and dirty water. Therefore, the contractor shall ensure that shut down of equipment are minimised and proper operation of duty vs standby utilised during maintenance work. The Contractor shall carefully plan and programme all activities so as to minimise disruption to service delivery and to limit any adverse effects on upstream and downstream operations, ensuring continuous operation of water and sanitation infrastructure at all times.

Services include the isolation, maintain, temporarily stop and restart the flow of water, liaising with CCT for the full duration of the Contract as necessary.

### **1.3. Location of Works**

- a) The Contract is for the entire City of Cape Town (CCT) Metropolitan and all water and sanitation infrastructure.

## 2. WORKS EXECUTION

### 2.1. Steps To Execute the Works:

- a) CCT personnel determine preventative, corrective maintenance required.
- b) Scoping Document will be completed by the appointed Works Project Manager and approved by the Assistant Framework Contract Manager requesting the Supplier to provide required services.
- c) Suppliers visit site and agree on the scope of work
- d) Bill of Quantity is compiled selecting contract items.
- e) Order is placed on agreed BoQ
- f) Existing equipment is removed for maintenance or discarding
- g) Agreement is reached on new valve, seal set, spare parts labour, tools and equipment required
- h) Order is adjusted to align with investigation
- i) New or refurbished valve is installed, tested and commissioned

### 2.2. Existing Services/Utilities

The contractor shall familiarise himself with all existing services/utilities and liaise with all relevant authorities and CCT personnel for the location and detection of existing services. The contractor shall also use all necessary means to locate and expose services/utilities without damage to such services. The Contractor shall ensure that his employees do not interfere with, or cause damage to any existing services/utilities and he shall instruct them to refrain from entering areas where they are not required to carry out any work related to the contract. The Contractor shall be responsible for the reinstatement of all services/utilities damaged as a result of his activities while on site. All reinstatement and repair costs shall be fully borne by the Contractor no claims against the Employer will be entertained.

### 2.3. Service and facilities provided by the employer

#### 2.3.1. Water Supply

- a) It is not expected that the Contractor may need to obtain his own connection points for the execution of this Contract.
- b) Where no water point is available water will be supplied by the contractor via water trailer.
- c) The Contractor shall make himself thoroughly acquainted with the regulations relating to the use of water and shall take adequate measures to prevent the wastage of water.
- d) The Employer accepts no responsibility for the shortage of water due to any cause whatsoever, nor additional costs incurred by the Contractor as a result of such shortage.
- e) The Contractor shall take note that no direct payment will be made for any costs incurred neither for the provision of a water supply point nor for the cost of water drawn.

#### 2.3.2. Power Supply

- a) The Contractor may use the Employer's existing electricity supply and shall not be charged for reasonable use for the execution of tasks that fall under this Contract.
- b) The employer accepts no responsibility for the availability, or lack thereof, of electricity.
- c) Where require the contract allow for the use of generator.

### 2.3.3. On Site Storage Area

It is not expected that the Supplier may need or require on site storage areas under this Contract. However, storage areas where required, will be provided on the various sites and shall be indicated to the Supplier on an ad hoc basis.

The Supplier shall confine his storage of materials to the areas designated. On completion of the Works, the surfaces of the areas utilised shall be re-instated to their original state.

The Supplier shall continuously clean up and make good when any service or facility is no longer required. He shall leave the Purchaser's storage sites in the condition they were before the Supplier first made use of them. The Supplier shall continuously clear and dispose of waste and surplus materials to maintain the site in a tidy state.

### 2.3.4. Sanitary Facilities

The Supplier may utilise existing sanitary facilities on the Site. The Supplier shall ensure his personnel maintain these facilities in a good condition and shall always adhere to acceptable hygienic standards.

The Purchaser shall reserve the right to revoke access to these facilities for the Supplier's personnel should they fail to adhere to acceptable hygienic standards. Should access to sanitary facilities be revoked, the Supplier shall supply or make alternate arrangements for sanitary use by his workmen at his own cost.

### 2.3.5. Lifting Equipment

The Supplier may utilise existing overhead lifting equipment within the operational limitations. Where no lifting equipment is available additional lifting requirement will be identified as listed on the contract.

## 2.4. Contractor Responsibilities

### 2.4.1. Labour

Only key personnel that have been adequately trained shall execute all the required work and qualified and competent personnel needs to oversee and approve all works. The tendering entity must keep in employment all skilled or similar working experienced and qualified personnel in its employment from the time of award until completion of contract as per the functionality criteria. Alternatively, a signed undertaking from a specialist sub-contractor or consultant having the required personnel, stating that they will undertake the necessary work on behalf of the tenderer, will be acceptable. The City reserves the right to request the employment records of the contractor/s during at any time during the commencement of this contract.

### 2.4.2. Equipment and Materials

All tools, equipment and consumables that are required for undertaking work shall be provided by the Contractor at his cost.

All material, spare parts, components, equipment and accessories necessary for the maintenance of each installation shall be supplied and where requested installed by the Contractor.

### 2.4.3. Site Office

No Site offices will be required under this Contract.

### 2.4.4. Vehicles and equipment

The Contractor shall be responsible for supplying transport for employees, equipment and goods for the duration of the Contract.

### 2.4.5. Communication

The Contractor shall ensure that he is reachable by telephone, email and a cellular telephone connection to ensure that it can be reached during normal working hours, and emergency contact will be provided for after hour availability.

CCT shall furnish the Contractor with a list of contact details of all its operating personnel at the various installations.

## **2.5. Site Access**

Access to site shall be limited to the contractor and its personnel. The contractor shall be responsible to control unauthorized entry to the site and shall inform the Employer of any breach of such rules. The site shall be managed and used for its intended purpose.

## **2.6. Site Establishment**

Should site establishment be required for a given works package all site establishment requirement will be included in the rates.

## **2.7. Removal and Installation of Valves**

The Contractor shall provide all mechanical plant required to install the valve for the full duration of the works to be done.

If the works are located in valve chambers, the Contractor shall remove all rubble, sand and debris around the existing valves chamber and shall only remove the cover slab from the valve chamber after the section has been isolated.

The Contractor shall provide and operate all de-watering plant in order to pump out all water from the valve chamber and the excess water remaining in the pipeline after the pipeline section has been isolated. The valve chamber shall remain completely free of water while the installation of the new isolation valve is in process.

The Contractor shall pump out the remaining water from the pipeline from the nearest scour valve or by loosening the flange bolts and the VJ Coupling bolts.

The Contractor shall provide lifting gear and fix strapping to the valve before the flange bolts or VJ coupling bolts are removed. The VJ coupling shall thereafter be moved away from the joint to expose the joint between the pipe and the flange adapter.

The Contractor will make available high pressure water jet blasters to jet blast rust sealing and caulking from the exposed joint.

The valve or flange adapter shall thereafter be loosened with care ensuring that the remaining flange and pipe end in the valve chamber is not damaged under any circumstances. The Contractor shall avoid risky or destructive working methods and ensure that only limited force is applied. The use of grinders or cutting torches on any joint or against any flange shall be avoided at all times.

Where the operation of a pipeline or system is required to be continuous the valve shall be replaced by an equivalent refurbished unit to ensure the operation of the pipeline or facility.

The Contractor must then fit the replacement, refurbished or reconditioned valve and flange adapter in the existing valve chamber.

Before replacing and repairing the exterior of the valve chamber the interior shall be reinstated to a serviceable condition.

The Contractor must ensure whenever the site is not occupied by his personnel that the valve chamber is covered properly in order to avoid harm as well as to avoid rubble and refuse being dumped in the chamber. If the work on the valve is estimated to be of a long duration the chamber is to be sealed while the valve is being reconditioned or refurbished.

### 3. PROJECT SPECIFICATIONS

#### 3.1. Original Design Intent

The aim of this contract is to maintain equipment to ensure the equipment performs according to its original design intent.

Design alterations, additions, extension and modifications to existing Works will not be required under this Contract, unless specifically instructed so by the Employer.

All equipment and materials shall be installed, serviced and repaired strictly in accordance with the original equipment manufacturer (OEM) specifications, instructions and codes of practice.

#### 3.2. Works specifications

It shall be the responsibility of the Contractor to obtain the most recent copies of the relevant editions of the Standards and Specification documents referred to in this document; particular reference is made to the City of Cape Town's "Standard Specifications for Mechanical Equipment".

#### 3.3. Detailed Technical Specifications

The table below should be read with **Price Schedule**:

| SCHEDULE | DESCRIPTION & DESIGN                                                                                                                                      | SPECIFICATION (Below is the minimum standard)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>A</b> | <b>General Requirements, Conditions, Tools, Equipment and Transport</b>                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|          |                                                                                                                                                           | • Not Applicable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>B</b> | <b>Labour Charges</b>                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|          |                                                                                                                                                           | • Not Applicable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>C</b> | <b>Resilient Seal Gate Valves (RSV)</b>                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|          | <b>Wedge type</b><br><br><b>Bi-directional sealing capability</b><br><br><b>Full bore, unobstructed flow passage</b><br><br><b>Buried or above ground</b> | <ul style="list-style-type: none"> <li>• Stem shall be anti-blowout design, corrosion resistant threads, suitable for repeated cycling without wear failure</li> <li>• Manual handwheel operation, Gearbox operated DN &gt; 300mm</li> <li>• Actuator-ready (ISO 5210) interface where applicable</li> </ul> <p>Materials</p> <ul style="list-style-type: none"> <li>• <b>Valve body:</b> Ductile Iron (ISO 1083) with coating for potable water contact</li> <li>• <b>Wedge (gate):</b> Ductile Iron fully encapsulated with EPDM rubber, Vulcanised elastomer sealing surface, for Low torque operations</li> <li>• <b>Stem:</b> Stainless Steel 304/316, rolled threads for strength and durability,</li> </ul> <p>Corrosion resistant and non-dezincification prone</p> <ul style="list-style-type: none"> <li>• Seals: EPDM (Potable Water), NBR (Wastewater)</li> <li>• Bonnet: Bolted bonnet design with replaceable gasket</li> <li>• Fasteners: Stainless Steel A2/A4 or Galvanised Steel (ISO 3506 / SANS 936/937) compliant</li> </ul> <p>Good engineering practice in municipal usage</p> <ul style="list-style-type: none"> <li>• Install correct alignment with pipeline flanges (SANS 1123 compliant)</li> <li>• Install without pipe stress / strain on valve body</li> <li>• Adequate thrust restraint provided in pipeline design</li> <li>• Valve chamber/ access box for buried installations</li> <li>• Stem aligned vertically (where applicable)</li> </ul> |

| D | Wege Gate Valves                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | <p><b>Wedge gate valves</b></p> <p><b>Solid- / Flexible- / Split- / Resilient encapsulated - wedge design</b></p> <p><b>Configurations: Rising Stem and Non-Rising Stem</b></p> <p><b>Manual, Gearbox-operated, or actuated valves</b></p>         | <ul style="list-style-type: none"> <li>• Stem shall be anti-blowout design, corrosion resistant threads, suitable for repeated cycling without wear failure</li> <li>• Manual handwheel operation, Gearbox operated DN &gt; 300mm</li> <li>• Actuator-ready (ISO 5210) interface where applicable</li> <li>• Comply with following manufacturing standards: EN 1074 part 1(fresh and raw water) &amp; Part 2 (Isolating Valves), SANS (SABS) 664 (RSV -gate) &amp; SANS (SABS) 665 (Metal Seated/ rising spindle)</li> <li>• Flange drilling to EN1092, PN6/10/16</li> <li>• Face to Face length: BS EN 558 T2 Series 3, 4, 13, 14 (whichever is applicable)</li> <li>• Hydraulic test according to EN 1074-1 and -2 / EN 12266</li> <li>• Ductile Iron with coating</li> <li>• Seat: alu-bronze valve seat</li> <li>• Stem: Stainless steel</li> <li>• O-ring stem seals</li> <li>• Stuffing box with PTFE packing</li> <li>• Coating: All iron parts drinking water approved, minimum 250micron fusion body epoxy coated or better</li> <li>• Fasteners: Galvanized 8.8 steel</li> <li>• Bypass wedge gate valve fitted</li> <li>• Operation: Gearbox for manual operation fitted with handwheel</li> <li>• Clockwise to Open for potable water</li> <li>• Clockwise to Close for sewage water</li> </ul> |
| E | Wafer Type Knife Gate Valve                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|   | <p><b>Manual knife gate valves</b></p> <p><b>Gear-operated knife gate valves</b></p> <p><b>Pneumatic actuated knife gate valves</b></p> <p><b>Electric actuated knife gate valves</b></p> <p><b>Bi-directional and Uni-directional designs</b></p> | <p><b>Valve Body</b></p> <ul style="list-style-type: none"> <li>• <b>Material:</b> Ductile Iron with coating</li> <li>• Shall withstand: solid abrasion, Pressure cycling, External Corrosion</li> </ul> <p><b>Gate / Blade</b></p> <ul style="list-style-type: none"> <li>• <b>Material:</b> Stainless Steel 316, Duplex Stainless Steel, Hardened wear-resistant Steel</li> <li>• Blade edge shall be precision-machined for sealing</li> </ul> <p><b>Stem</b></p> <ul style="list-style-type: none"> <li>• <b>Material:</b> Stainless Steel 316 or 304</li> <li>• Rolled thread preferred</li> <li>• Anti-buckling design</li> </ul> <p><b>Seats/Seals</b></p> <ul style="list-style-type: none"> <li>• <b>Material depends on service condition:</b> EPDM, NBR, PTFE, Metal seat/ reinforced elastomer</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

| F | Check Valves / Non-Return Valves (NRV)                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | <p><b>Swing Check Valves</b></p> <p><b>Dual Plate Check Valve</b></p> <p><b>Tilting disk Check Valve</b></p> <p><b>Silent Check (Spring loaded) Valves</b></p> <p><b>Ball Check Valves</b></p> <p><b>Nozzle / Axial Flow Check Valves</b></p> | <p><b>Valve Body:</b> Ductile Iron with coating<br/>Shall withstand: Surge pressure, fatigue loading, repeated cyclic operation</p> <p><b>Disc / Closure Element:</b> Disc, flat, or closure element<br/><b>Material:</b> Ductile Iron with coating</p> <p><b>Seat:</b> Metal seated -Stainless Steel</p> <p><b>Hinges/Shfts/Springs</b><br/><b>Materials:</b> Stainless Steel, high fatigue spring Steel</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| G | Air Release Valves                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|   | <p><b>Air Release Valve (ARV)</b></p> <p><b>Air /Vacuum Valve (AVV)</b></p> <p><b>Combination Air Valves (CAV)</b></p>                                                                                                                        | <ul style="list-style-type: none"> <li>• All type of Air Valve</li> <li>• Comply with following flange standards: SANS 1123 and include</li> <li>• Comply with standard for steel pipes, fittings and specials: SANS 1034</li> <li>• Comply with standard for flange bolting equipment SANS 936 (bolts &amp; screws) with SANS 937 (hexagon nuts)</li> </ul> <p>Good engineering practice in municipal usage</p> <ul style="list-style-type: none"> <li>• Installation in vertical position</li> <li>• The use of isolation valve required below Air Valve</li> <li>• Vertical riser minimum 150 -300mm</li> <li>• Valve chamber required if need arises</li> <li>• Drainage required/avoid submergence</li> <li>• Accessible cover for maintenance</li> <li>• Proper pipe support to avoid mechanical stress</li> <li>• Dual-port exhaust valves will have a height restriction as specified by BW specifications</li> <li>• Corrosion protection (ISO 12944 coating)</li> </ul> <p>Materials of Air Valves</p> <ul style="list-style-type: none"> <li>• Main, Cover &amp; Bonnet Materials: Ductile Iron with coating</li> <li>• Float Materials: Polypropylene (PP), Stainless Steel (SS) 304, Nylon (PA6/ PA66)</li> <li>• Sealing Materials: Ethylene Propylene Diene Monomer (EPDM), Nitrile Rubber (NBR), FKM (Viton)</li> <li>• Internal Trim Materials: Guide Rods - SS304, Orifice Plate - SS304/Bronze, Seat rings - EPDM/NBR/PTFE (Teflon), Fasteners (internal) - SS A2/A4</li> </ul> |

| H | Butterfly Valves                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---|----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | <p><b>Wafer type</b></p> <p><b>Lugged</b></p> <p><b>Double-flanged</b></p> | <p><b>Disc design</b></p> <ul style="list-style-type: none"> <li>• <b>Concentric (Resilient Seated)</b></li> <li>• <b>Double offset (double eccentric)</b></li> <li>• <b>Materials:</b> Ductile Iron with coating,</li> <li>• Disk should minimise: Turbulence, Cavitation, Head loss</li> </ul> <p><b>Shaft/Stem</b></p> <ul style="list-style-type: none"> <li>• <b>Material:</b> Stainless Steel 304/316</li> <li>• 1 /or 2-piece design</li> <li>• Anti-blowout type</li> </ul> <p><b>Requirements:</b></p> <ul style="list-style-type: none"> <li>• Corrosion resistant</li> <li>• High fatigue resistant</li> <li>• Torsion resistant</li> </ul> <p>Manual, Gearbox, Electric-, pneumatic- actuated variants<br/>&gt; DN300</p> <p><b>Good engineering practice in municipal usage</b></p> <ul style="list-style-type: none"> <li>• Install correct alignment with pipeline flanges (SANS 1123 compliant)</li> <li>• Install without pipe stress / strain on valve body</li> <li>• Adequate thrust restraint provided in pipeline design</li> <li>• Valve chamber/ access box for buried installations</li> <li>• Disc clearance checked before commissioning; disc should have an adjustable seat / retaining ring</li> </ul> |

| I | Specialised Equipment - Larner-Johnson Valves                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | <p><b>Larner-Johnson valves (L J valves)</b></p> <p><b>Needle Control Valves</b></p> <p><b>Fixed Cone Energy Dissipation Valves</b></p> <p><b>Hydraulically Actuated Throttling Valves</b></p> | <p><b>Valve Body</b></p> <ul style="list-style-type: none"> <li>• <b>Material:</b> Ductile Iron with coating</li> </ul> <p><b>Cone/Needle Assembly</b></p> <ul style="list-style-type: none"> <li>• <b>Material:</b> Stainless Steel</li> </ul> <p><b>Stem/Shaft</b></p> <ul style="list-style-type: none"> <li>• <b>Material:</b> Stainless Steel 316 (High tensile, Anti-galling, Corrosion resistant)</li> </ul> <p><b>Seats/Trim</b></p> <ul style="list-style-type: none"> <li>• <b>Material:</b> Stainless Steel, Bronze, Stellite hard facing, Tungsten carbide overlays (severe cavitation)</li> </ul> <p><b>Seals</b></p> <ul style="list-style-type: none"> <li>• <b>Material depends on service condition:</b> EPDM, NBR, PTFE, Viton</li> </ul> <p><b>Requirements:</b></p> <ul style="list-style-type: none"> <li>• Suitable for high turbulence</li> <li>• Dynamic loading</li> <li>• Surge pressure transients</li> <li>• Continuous throttle control</li> <li>• Stable partial opening operation</li> <li>• Controlled energy dissipation</li> <li>• Cavitation-resistant trim - flow regulation</li> </ul> <p><b>Special Consideration</b></p> <ul style="list-style-type: none"> <li>• Jet discharge direction</li> <li>• Noise attenuation</li> <li>• Vibration control</li> </ul> |

| J | Additional Parts and Sundries                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | <p><b>Additional parts of valves and assets</b></p> <p><b>Actuated Valves shall include</b></p> <ul style="list-style-type: none"> <li>• Coupling adaptors</li> <li>• Mounting brackets</li> <li>• Limit switch cams</li> <li>• Junction Boxes</li> <li>• Pneumatic tubing</li> <li>• Solenoid valves</li> <li>• Filter-regulator-lubricator (FRL) units</li> <li>• Cable glands</li> </ul> <p><b>Flanged - connection components</b></p> <ul style="list-style-type: none"> <li>• Gaskets</li> <li>• Adaptors</li> </ul> <p><b>Dismantling joints for:</b></p> <ul style="list-style-type: none"> <li>• Large valves</li> <li>• Pump station manifolds</li> <li>• Ease of maintenance and removal</li> </ul> <p><b>Fasteners</b></p> <ul style="list-style-type: none"> <li>• Bolts</li> <li>• Nuts and washers</li> <li>• Studs</li> </ul> <p><b>Pipe Connection Fittings</b></p> <ul style="list-style-type: none"> <li>• Tees -flanged</li> <li>• Reducers</li> <li>• Bends/Elbows</li> <li>• Couplings</li> <li>• Spacers</li> <li>• Stub ends</li> </ul> <p><b>Valve Support and Structural Items</b></p> <p><b>Pipe Support</b></p> <ul style="list-style-type: none"> <li>• Pipe saddles</li> <li>• Anchor blocks</li> <li>• Support brackets</li> <li>• Structural Steel Frames</li> </ul> <p><b>Baseplates / Mounting Frames</b></p> <p><b>Sealants and Installation Consumables</b></p> | <ul style="list-style-type: none"> <li>• Structural support</li> <li>• Corrosion protection</li> <li>• Operational accessibility</li> <li>• Maintainability</li> <li>• Fully compatible with safe installed valves and assets</li> <li>• Correct pressure class -pressure tight</li> <li>• No material defects</li> <li>• Properly coated for corrosion resistance</li> <li>• Complete with documentation</li> </ul> |

|          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <ul style="list-style-type: none"> <li>• Anti-seize compound</li> <li>• Tread Seal Type (PTFE)</li> <li>• Flange lubrication</li> <li>• Jointing compound</li> <li>• Silicone sealant (non-acid cure)</li> </ul> <p><b>Corrosion Protection Materials</b></p> <ul style="list-style-type: none"> <li>• Bolt protection</li> <li>• Coating touch-up</li> <li>• Weld repair coating</li> <li>• Exposed steel protection</li> </ul> <p><b>Chamber Accessories</b></p> <ul style="list-style-type: none"> <li>• Access covers</li> <li>• Ladders</li> <li>• Drainage gravel</li> <li>• Sump drain</li> <li>• Ventilation</li> </ul> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>K</b> | <b>Pressure Reducing Valves (PRV)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|          | <p><b>Valve Type</b></p> <ul style="list-style-type: none"> <li>• Pilot-operated hydraulic (diaphragm) PRVs</li> <li>• Direct-acting PRVs Spring loaded (Small bore services) PRVs</li> <li>• Angle-body PRV</li> <li>• Globe type control PRV</li> <li>• Pressure sustaining / Pressure reducing combinations</li> <li>• Fixed outlet and modulating outlet PRVs</li> </ul>                                                                                                                                                                                                                                                    | <p><b>Valve must automatically:</b></p> <ul style="list-style-type: none"> <li>• Reduce upstream pressure to controlled downstream pressure</li> <li>• Maintain stable outlet pressure under varying flow conditions</li> <li>• Prevent pressure overshoot during low demand</li> <li>• Minimise pressure fluctuations</li> <li>• Support adjustable downstream setpoint</li> <li>• Prevent cavitation damage</li> <li>• Avoid excessive noise generation</li> </ul> <p><b>Main body -Materials:</b></p> <ul style="list-style-type: none"> <li>• Ductile Iron with coating</li> </ul> <p><b>Internal Trim - Materials</b></p> <ul style="list-style-type: none"> <li>• Stainless Steel 304/316, Bronze</li> </ul> <p><b>Diaphragm / Control Membrane Materials</b></p> <ul style="list-style-type: none"> <li>• Reinforced EPDM, NBR, PTFE composite</li> <li>• Provide long fatigue life</li> </ul> <p><b>Seals - Materials:</b></p> <ul style="list-style-type: none"> <li>• EPDM, NRB, PTFE, Viton</li> <li>• Materials to suit service conditions</li> </ul> <p><b>Pilot Control System - Materials:</b></p> <ul style="list-style-type: none"> <li>• Copper Or Stainless Steel</li> </ul> <p><b>Includes:</b></p> <ul style="list-style-type: none"> <li>• Adjustable Pressure reducing pilot</li> <li>• Isolation valves</li> <li>• Needle control valves</li> </ul> |

|          |                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          |                                                                                                                                                                                                                                                                                                                                                                              | <ul style="list-style-type: none"> <li>• Stainless Steel tubing</li> <li>• Pressure sensing ports</li> <li>• Fine mesh strainer</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>L</b> | <b>Pressure Reducing Valves (PRV)</b>                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|          | <p><b>Valve Type</b></p> <ul style="list-style-type: none"> <li>• Pilot-operated hydraulic (diaphragm) PRVs</li> <li>• Direct-acting PRVs Spring loaded (Small bore services) PRVs</li> <li>• Angle-body PRV</li> <li>• Globe type control PRV</li> <li>• Pressure sustaining / Pressure reducing combinations</li> <li>• Fixed outlet and modulating outlet PRVs</li> </ul> | <p><b>Valve must automatically:</b></p> <ul style="list-style-type: none"> <li>• Reduce upstream pressure to controlled downstream pressure</li> <li>• Maintain stable outlet pressure under varying flow conditions</li> <li>• Prevent pressure overshoot during low demand</li> <li>• Minimise pressure fluctuations</li> <li>• Support adjustable downstream setpoint</li> <li>• Prevent cavitation damage</li> <li>• Avoid excessive noise generation</li> </ul> <p><b>Main body -Materials:</b></p> <ul style="list-style-type: none"> <li>• Ductile Iron with coating</li> </ul> <p><b>Internal Trim - Materials</b></p> <ul style="list-style-type: none"> <li>• Stainless Steel 304/316, Bronze</li> </ul> <p><b>Diaphragm / Control Membrane - Materials</b></p> <ul style="list-style-type: none"> <li>• Reinforced EPDM, NBR, PTFE composite</li> <li>• Provide long fatigue life</li> </ul> <p><b>Seals - Materials:</b></p> <ul style="list-style-type: none"> <li>• EPDM, NRB, PTFE, Viton</li> <li>• Martials to suit service conditions</li> </ul> <p><b>Pilot Control System - Materials:</b></p> <ul style="list-style-type: none"> <li>•Copper Or Stainless Steel</li> </ul> <p>Includes:</p> <ul style="list-style-type: none"> <li>• Adjustable Pressure reducing pilot</li> <li>• Isolation valves</li> <li>• Needle control valves</li> <li>• Stainless Steel tubing</li> <li>• Pressure sensing ports</li> <li>• Fine mesh strainer</li> </ul> |

| <b>M</b> | <b>Sleeve / Discharge Valves Mechanical Operated</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | Sleeve Design Flow Control Valve                     | <ul style="list-style-type: none"> <li>• Sleeve Design Flow Control Valve</li> <li>• Comply with following flange standards: SANS 1123 and include</li> <li>• Comply with standard for steel pipes, fittings and specials: SANS 1034</li> <li>• Comply with standard for flange bolting equipment SANS 936 (bolts &amp; screws) with SANS 937 (hexagon nuts)</li> <li>• Main Materials: Ductile Iron body with coating</li> <li>• Time per cycle: 8-12 minutes</li> <li>• Corrosion Protection: 300 Micron or better, 2 pack fusion body epoxy coated or better (as specified by conditions)</li> <li>• Operation: Lever &amp; Crank with Pedestal Mounted Gearbox ; Actuator ready for automation</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>N</b> | <b>Heavy Duty Right-angle Flow Control Valves</b>    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|          | 71000 Series Heavy Duty Angle Control Valve          | <ul style="list-style-type: none"> <li>• 71000 Series Heavy Duty Angle Control Valve</li> <li>• Comply with following manufacturing standards: ISO 15848 (Testing-environment and safety), ASME B16.34 (body wall thickness), EN12516-2 (Shell design strength steel valves), ASME SEC viii Div1 (Construction of pressure vessels)</li> <li>• Upstream Pressure @ 10bar max</li> <li>• Valve Rating: Class 300</li> <li>• Design: Heavy Duty Cage Guided and Plug Stem</li> <li>• Design: Angular</li> <li>• Application: Feed water regulation</li> <li>• Fluid: River Water at 5Ph</li> <li>• Body: Flow to Open, Pressure energised seal rings, Flanged both sides,</li> <li>• Bonnet: Standard, Stud bolted and finned</li> <li>• Flow direction: Side INLET to Bottom OUTLET</li> <li>• Trim Type: Equal % / Anti-cavity</li> <li>• Seat Type: Standard</li> <li>• Seals: Packing PTFE/Graphite</li> <li>• Rangeability: 50:1 minimum</li> <li>• Operation: To be advised and procured under suitable tender lines</li> <li>• Materials: Forged Steel Body, Stainless steel shafts, Stainless steel and brass seating arrangements</li> </ul> |
|          | Operation Control: Gearbox                           | <ul style="list-style-type: none"> <li>• Operation: Gearbox for manual operation fitted with handwheel for 71000 Series</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|          | Operation Control: Pneumatic                         | <ul style="list-style-type: none"> <li>• Operation: Pneumatic Actuated operation fitted with handwheel for 71000 Series</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|          | Operation Control: Electric                          | <ul style="list-style-type: none"> <li>• Operation: Electrical Actuated operation fitted with handwheel for 71000 Series</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

| O | Wedge Gate Metal Seat Valve with gearbox and bypass |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | Wedge Gate Valve, Flanged, Metal Seated,            | <ul style="list-style-type: none"> <li>• Wedge Gate Valve, Flanged, Metal Seated,</li> <li>• Comply with following manufacturing standards: EN 1074 part 1(fresh and raw water) &amp; Part 2 (Isolating Valves), SANS (SABS) 664 (RSV -gate) &amp; <b>SANS (SABS) 665</b> (Metal Seated/ rising spindle)</li> <li>• Flange drilling to EN1092, PN6/10/16</li> <li>• Face to Face length: BS EN 558 T2 Series 13</li> <li>• Hydraulic test according to EN 1074-1 and -2 / EN 12266</li> <li>• Ductile Iron with coating</li> <li>• Seat: alu-bronze valve seat</li> <li>• Stem: Stainless steel</li> <li>• O-ring stem seals</li> <li>• Stuffing box with PTFE packing</li> <li>• Coating: All iron parts drinking water approved, minimum 250micron fusion body epoxy coated or better</li> <li>• Fasteners: Galvanized 8.8 steel</li> <li>• Bypass wedge gate valve fitted</li> <li>• Operation: Gearbox for manual operation fitted with handwheel</li> <li>• Clockwise to Open for potable water</li> <li>• Clockwise to Close for sewage water</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| P | Plunger / Needle Design Flow Control Valve          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|   | Plunger / Needle Design Flow Control Valve          | <ul style="list-style-type: none"> <li>• Plunger / Needle Design Flow Control Valve</li> <li>• Comply with following manufacturing standards: EN1074-5, EN558 T2, EN1092, EN1074-1, EN12266</li> <li>• Design: <ul style="list-style-type: none"> <li>- Flow control throttling at high differential pressures in line with the PN rating of the valve,</li> <li>- Shut off and control valve for potable water and pre-treated wastewater,</li> <li>- Design according to the operating conditions with vaned ring or slotted cylinder design (engineered design),</li> <li>- Sealing on both-sides,</li> <li>- Linear control characteristic must apply,</li> <li>- Main seal with profile ring design in hydraulically non-critical position, clamped in stainless steel chamber,</li> <li>- Robust inner crank mechanism with double bearing in maintenance-free bushings,</li> <li>- Torque transfer by means of feather keys or equivalent,</li> <li>- Drive shaft smoothly supported on both sides in maintenance free bushings,</li> <li>- Piston guide on guide strips made from suitable material,</li> </ul> </li> <li>• Materials: Ductile iron with coating, Stainless steel internal parts, Al-bronze bushings,</li> <li>• Coating: All iron parts drinking water approved, minimum 250micron fusion body epoxy coated or better,</li> <li>• Operation: Gearbox for manual / automation operation fitted with handwheel,</li> <li>• Automation of valve procured separately,</li> </ul> |

| Q | Pneumatic Actuators including OEM Mounting kit comprising of bracket, drive and fasteners |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | Rack & Pinion Double Acting Design                                                        | <ul style="list-style-type: none"> <li>• Rack &amp; Pinion Double Acting Design</li> <li>• Materials: Aluminium - casing/extrusion, end caps, pistons</li> <li>• Fasteners: Stainless steel</li> <li>• Design: Rack and pinion</li> <li>• Coatings: Hard anodised, Powder/Epoxy painted, Nickel plated, Zinc galvanized</li> <li>• Seals: Viton O-rings</li> <li>• Feature: Travel adjustment</li> <li>• Operating Pressure: 3.5- 7 bar</li> <li>• Comply with following manufacturing standards: ISO 5211, ISO22153, DIN3337, and NAMUR</li> <li>• 90 degree rotation</li> </ul>                                                                                                                                                              |
|   | Rack & Pinion Design Spring Return                                                        | <ul style="list-style-type: none"> <li>• Rack &amp; Pinion Design Spring Return</li> <li>• Comply with following standard ISO 5211 (actuator attachments), EN 15714</li> <li>• Materials: Aluminium - casing/extrusion, end caps, pistons</li> <li>• Fasteners: Stainless steel</li> <li>• Design: Rack and pinion</li> <li>• Coatings: Hard anodised, Powder/Epoxy painted, Nickel plated, Zinc galvanized</li> <li>• Seals: Viton O-rings</li> <li>• Feature: Travel adjustment</li> <li>• Operating Pressure: 3.5- 7 bar</li> <li>• Comply with following manufacturing standards: ISO 5211, ISO22153, DIN3337, and NAMUR - <b>add IEC 61508 / IEC 61511</b></li> <li>• 90 degree rotation</li> <li>• Spring-to-close: Clockwise</li> </ul> |
|   | Rotary Vane Design Double Acting                                                          | <ul style="list-style-type: none"> <li>• Rack &amp; Pinion Design Spring Return</li> <li>• Coating: Epoxy</li> <li>• Fasteners: Stainless steel</li> <li>• Casting: Pressure Die Cast ZL16 Zinc Alloy</li> <li>• Vane &amp; Output shaft: Iron, zinc plated</li> <li>• Shaft bushes: PTFE coated bronze</li> <li>• Seal expanders: Stainless spring steel</li> <li>• Feature: Travel adjustment</li> <li>• Couplings: Welded mild steel, zinc plated</li> <li>• Operating Pressure: 3.5- 7 bar</li> <li>• Comply with following manufacturing standards: ISO 5211, ISO22153, DIN3337, and NAMUR</li> <li>• 90 degree rotation</li> </ul>                                                                                                       |

|  |                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Rotary Vane Design Spring Return       | <ul style="list-style-type: none"> <li>• Rotary Vane Design Spring Return</li> <li>• Coating: Epoxy</li> <li>• Fasteners: Stainless steel</li> <li>• Casting: Pressure Die Cast ZL16 Zinc Alloy</li> <li>• Vane &amp; Output shaft: Iron, zinc plated</li> <li>• Shaft bushes: PTFE coated bronze</li> <li>• Seal expanders: Stainless spring steel</li> <li>• Feature: Travel adjustment</li> <li>• Couplings: Welded mild steel, zinc plated</li> <li>• Operating Pressure: 3.5- 7 bar</li> <li>• Spring-to-close: Clockwise</li> <li>• Comply with following manufacturing standards: ISO 5211, ISO22153, DIN3337, and NAMUR</li> <li>• 90 degree rotation</li> </ul> |
|  | Cam Design Double Acting               | <ul style="list-style-type: none"> <li>• Cam Design Double Acting</li> <li>• Materials: Aluminium - casing, endcaps, pistons and spacebars; Stainless steel - drive shaft and cam; Nylon lined wear pad</li> <li>• Fasteners: Stainless steel</li> <li>• Coating: Anodised and epoxy coated</li> <li>• Design: Cam Output shaft design with spring cartridge</li> <li>• Seals: Nitrile U-seal design on piston</li> <li>• Feature: Travel adjustment</li> <li>• Operating Pressure: 2-10 bar</li> <li>• Comply with following manufacturing standards: ISO 5211, ISO22153, DIN3337, and NAMUR</li> <li>• 90 degree rotation</li> </ul>                                   |
|  | Cylinder / Piston Design Double Acting | <ul style="list-style-type: none"> <li>• Cylinder / Piston Design Double Acting</li> <li>• Comply with following manufacturing standards: ISO 5211, ISO22153, DIN3337, and NAMUR - add ISO 6336 (gear loading)</li> <li>• Fasteners: Stainless steel</li> <li>• Design: Double Acting, cushioned</li> <li>• Type A Standard</li> <li>• Barrel bore Ø 125mm</li> <li>• Stroke length 230mm</li> <li>• Materials: Aluminium barrel; Stainless steel piston rod &amp; nut; Aluminium piston; Brass piston nut; Anodised &amp; painted end caps</li> <li>• Seals: COMBI scraper, techno-polymer</li> <li>• Linear movement</li> </ul>                                        |

| R | Electrical Actuators including OEM Mounting kit comprising of bracket, drive and fasteners |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | Electrical Multiturn Actuator @ 60 starts per hour (Digital, basic model)                  | <ul style="list-style-type: none"> <li>• Comply with following manufacturing standards: SANS 60529, EN13906-1, NEMA 250, EN15714, ISO5211. ISO5210 - add IEC 60534 (actuators with control valves)</li> <li>• Materials: Ductile iron, Stainless steel, Alu-bronze, Aluminium</li> <li>• Features: Torque and position control, Remote and Local switching selector, Hydraulic shock and surge protection, Indication monitoring and data logging, On/Off with valve duty @ 60 starts per hour, Manual override, open/stop/close function only</li> <li>• Power: 24V internal control, 380V 3-phase supply 50Hz</li> <li>• Communication Interface: Ethernet Protocol/RS485</li> <li>• Lubrication: Gear Oil SAE 80/90 EP grade</li> <li>• Coating: Epoxy Paint-Grey colour</li> <li>• Operation: Handwheel for manual control and ethernet for auto control</li> </ul> |
|   | Electrical Multiturn Actuator @ 60 starts per hour (Analog with 4-20mA feedback)           | <ul style="list-style-type: none"> <li>• Comply with following manufacturing standards: SANS 60529, EN13906-1, NEMA 250, EN15714, ISO5211. ISO5210 - add IEC 60534 (actuators with control valves)</li> <li>• Materials: Ductile iron, Stainless steel, Alu-bronze, Aluminium</li> <li>• Features: Torque and position control, Remote and Local switching selector, Hydraulic shock and surge protection, Indication monitoring and data logging, On/Off with valve duty @ 60 starts per hour, Manual override</li> <li>• Power: 24V internal control, 380V 3-phase supply 50Hz</li> <li>• Communication Interface: Ethernet Protocol/RS485, 4-20mA for positioning</li> <li>• Lubrication: Gear Oil SAE 80/90 EP grade</li> <li>• Coating: Epoxy Paint-Grey colour</li> <li>• Operation: Handwheel for manual control and ethernet for auto control</li> </ul>        |
|   | Electrical Multiturn Actuator @ 60 starts per hour (Analog with MODBUS)                    | <ul style="list-style-type: none"> <li>• Comply with following manufacturing standards: SANS 60529, EN13906-1, NEMA 250, EN15714, ISO5211. ISO5210 - add IEC 60534 (actuators with control valves)</li> <li>• Materials: Ductile iron with coating</li> <li>• Features: Torque and position control, Remote and Local switching selector, Hydraulic shock and surge protection, Indication monitoring and data logging, On/Off with valve duty @ 60 starts per hour, Manual override</li> <li>• Power: 24V internal control, 380V 3-phase supply 50Hz</li> <li>• Communication Interface: Ethernet Protocol/RS485, MODBUS with full spectrum data feedback</li> <li>• Lubrication: Gear Oil SAE 80/90 EP grade</li> <li>• Coating: Epoxy Paint-Grey colour</li> <li>• Operation: Handwheel for manual control and ethernet for auto control</li> </ul>                  |

|          |                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | Electrical Multiturn Actuator<br>@ 1200 starts per hour | <ul style="list-style-type: none"> <li>• Comply with following manufacturing standards: SANS 60529, EN13906-1, NEMA 250, EN15714, ISO5211. ISO5210</li> <li>• Materials: Ductile iron with coating</li> <li>• Features: Torque and position control, Remote and Local switching selector, Hydraulic shock and surge protection, Indication monitoring and data logging, Modulating with valve duty @ 1200 starts per hour, Manual override</li> <li>• Power: 24V internal control, 380V 3-phase supply 60Hz</li> <li>• Communication Interface: Ethernet Protocol/RS485, Modbus</li> <li>• Lubrication: Gear Oil SAE 80/90 EP grade</li> <li>• Coating: Epoxy Paint-Grey colour</li> <li>• Operation: Handwheel for manual control and ethernet for auto control</li> </ul> |
| <b>S</b> | <b>PROVISIONAL SUMS PER WORK PACKAGE</b>                | <ul style="list-style-type: none"> <li>• Not Applicable</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

### 3.4. Applicable standards for the execution of the works

The latest edition, including all amendments up to date of tender, of the following specifications, publications and codes of practice shall be read in conjunction with this specification and shall be deemed to form part thereof:

- a) ISO 9001 : Quality Management System  
Tenderer to submit proof (Refer to returnable Schedule 14D) of compliance with ISO 9001 or similar QMS. If expired or does not exist, the tenderer shall provide proof of renewal or application of compliance, and this shall be in place before the contract is awarded.
- b) ISO 14001 : Environmental Management System
- c) SANS 10111 : Engineering drawings
- d) SANS 1123 : Steel pipe flanges
- e) SANS 664 : RSV gate valves
- f) SANS 1551-1 : Check valves
- g) SANS 1186 : Symbolic Safety Signs
- h) SANS 1700 : Joints and fasteners
- i) SANS 665 : Wedge gate valves
- j) SANS 776 : Ball and gate valves
- k) MSS SP-81 : Knife gate valves
- l) SANS 1034 : Air release valves with associated assets

Operations and maintenance of valves in South African water and sanitation systems is governed by a structured framework of standards: South African National Standards (SANS). The SANS matrix of standards is supported by:

- International Standards Organisation (ISO),
- European Committee for Standardisation (EN),
- Manufacturers Standardisation Society (MSS) Standard Practice (SP),

- American Petroleum Institute (API), and
- International Electrotechnical Commission (IEC).

These standards collectively define requirements for supply, installation, commissioning, servicing, repair, reconditioning, and life cycle management to ensure mechanical integrity, interchangeability, pressure containment, and operational reliability of valve assets.

## South African National structured framework of standards for valves and associate assets

| Category                                | Standard                   | Primary O&M Use                                                                  |
|-----------------------------------------|----------------------------|----------------------------------------------------------------------------------|
| <b>Valve Specification (Waterworks)</b> | <b>SANS 664</b>            | Resilient-seated gate valves (municipal isolation valves, potable water systems) |
| <b>Valve Specification (Heavy Duty)</b> | <b>SANS 665</b>            | Heavy-duty gate valves (pump stations, large diameter mains, high pressure)      |
| <b>Flanges &amp; Pipe Interface</b>     | <b>SANS 1123</b>           | Flange dimensions, drilling patterns, sealing faces for valves & pipework        |
| <b>Pipe Systems (Steel)</b>             | <b>SANS 1034</b>           | Steel pipes, fittings, specials for water and wastewater systems                 |
| <b>Pipe Systems (Plastic)</b>           | <b>SANS 966</b>            | PVC-U pressure piping systems used with valves in reticulation networks          |
| <b>Cast Iron Fittings</b>               | <b>SANS 191</b>            | Fittings used in valve assemblies and pipeline connections                       |
| <b>Bolts (Fasteners)</b>                | <b>SANS 936</b>            | Hexagon head bolts for flange joints and actuator mounting                       |
| <b>Nuts (Fasteners)</b>                 | <b>SANS 937</b>            | Hexagon nuts ensuring bolted joint integrity                                     |
| <b>Civil Installation Works - small</b> | <b>SANS 1200 (series)</b>  | Trenching, pipe laying, valve chamber construction, thrust blocks                |
| <b>Construction Quality Control</b>     | <b>SANS 2001 (series)</b>  | General construction specification for infrastructure works                      |
| Dimensional Compatibility (Valves)      | EN 558                     | Valve face-to-face and centre-to-face dimensions (ensures interchangeability)    |
| Actuator Mounting Interface             | ISO 5211                   | Valve-to-actuator coupling interface (critical for alignment & replacement)      |
| Flange Drilling Standard                | EN 1092 (PN10/16 etc.)     | Flange pressure ratings and drilling compatibility                               |
| Valve Performance (Water Systems)       | EN 1074-1 / EN 1074-2      | Functional requirements for water supply valves (operation & isolation)          |
| Actuator Performance                    | EN 15714                   | Pneumatic/electric actuator torque, endurance, fail-safe requirements            |
| Valve Pressure Testing (Global)         | API 598                    | Post-maintenance acceptance testing (shell + seat leakage)                       |
| Valve Pressure Testing (EU)             | EN 12266                   | Hydrostatic and leakage testing of valves                                        |
| Valve Pressure Testing (ISO)            | ISO 5208                   | Alternative global valve leakage classification/testing                          |
| Functional Safety (Critical Valves)     | IEC 61508                  | Safety integrity levels (SIL) for automated shutdown systems                     |
| Process Safety Systems                  | IEC 61511                  | Safety lifecycle for actuated valves in process industries                       |
| Asset Management                        | ISO 55000                  | Lifecycle asset management strategy for valves and infrastructure                |
| Reliability Engineering                 | ISO 14224                  | Failure data collection, MTBF, maintenance analytics                             |
| Corrosion Protection                    | ISO 12944                  | Protective coatings for valves, actuators, and piping systems                    |
| <b>Galvanizing Protection</b>           | <b>SANS 121 / ISO 1461</b> | Hot-dip galvanizing for steel components and supports                            |

#### 4. MEASUREMENT AND PAYMENT

##### 4.1. T1 – Tools and Equipment Charges

Unit: day (day)

- a) The unit of measurement shall be a day rate (24-hour calendar day) to establish and operate plant and equipment.
- b) Plant and equipment are the tools required to complete the works. Plant and equipment can typically include lighting, generator and mobile pump set.
- c) The unit of measurement shall be indicated rate to establish, operate and de-establish mobile plant, tools and equipment required for the Works.
- d) All equipment used and claimed for must clearly be stated in the Works Package and Works Programme.
- e) The rates for plant shall cover the cost of insurances, hiring where required, consumable stores, operating fuel and maintenance.
- f) The rates shall include full compensation for all costs related to travelling, inspecting and assessing the site.
- g) Water and effluent handling is used to bypass or stop flow. The Service Provider shall ensure that no cross contamination between wastewater and potable water occur when using Tools and Equipment.
- h) The rates shall include the isolation, maintain, temporarily stop and restart the flow of effluent, water, (emptying of structures measured elsewhere), making working areas clean and free of sewage or debris and safe for working in during valve installation phases (sequencing), liaising with the Plant Manager, Staff and Engineer for the full duration of the Contract as necessary.
- i) Include all woven slings, steel rope, steel chains, shackles etc. as required for rigging and lifting. The requirements for rigging and lifting equipment shall be the responsibility of the Contractor.
- j) The rates shall include full compensation for all costs related to travelling, inspecting and assessing the site.

##### 4.2. T2 – Large Plant Operate and Maintain

Unit: hour (hr)

- a) The unit of measurement shall be an hourly rate to operate a large plant on site.
- b) The rate shall include charges for overheads, fuel, maintenance, charges and profit including woven slings, steel rope, steel chains, shackles etc. as required for rigging and lifting.
- c) The requirements for rigging and lifting equipment shall be the responsibility of the Contractor.

##### 4.3. T3 – Transport Charges

Unit: kilometre (km)

- a) The unit of measurement shall be a kilometre rate for the transport and delivery of materials, equipment to or from site.
- b) The rate shall include charges for overheads, supply, operating, fuel, maintenance, charges and profit for the supply, delivery, offloading, loading and removal.

##### 4.4. T4 – Cleaning of Structures

Unit: m<sup>3</sup>

- a) The unit of measurement shall be per meter cubed of material removed (maximum 20% moisture content).
- b) The rates shall include all equipment and materials required to clean dirt, sand, sludge from channels, chambers and other structures as and when necessary and disposal at an approved site.

- c) The rates shall include all loading and offloading of materials (transport distance measured separate).

**4.5. D1 – Works Package Documentation**

**Unit: Item.**

The unit of measurement shall be item as specified in the Schedule of rates.

**4.5.1. Detailed Works Programme**

- a) The Contractor shall visit the site and submit a detailed works programme to CCT prior to work commencing on site.
- b) a detailed schedule clearly indicating the duration of work (kick-off date to date of commissioning).
- c) Only once the works programme has been approved by the City of Cape Town will the Contractor be allowed to proceed with the Works.

**4.5.2. Site Specific HS&E Risk Assessment**

See Health and Safety and Environment Specifications.

**4.5.3. Site Specific Method Statement**

- a) The site-specific method statement shall contain the methodology of how the works will be executed.
- b) The method statement shall clearly indicate the detail and nature of work to be completed, which section of the works will be affected, how water will be handled.
- c) This will include inspection and repair reports.
- d) The inspection form will indicate clearly the name of the valve, as well as the pressure class of the valve, detail the work that was carried out, photograph of the equipment nametag, photograph of the works being carried out or disassembled valve, indication of defects that requires replacement of the valve.
- e) In addition, leak testing and pressure testing results and a copy of the works programme is also to be included

**4.5.4. Installation, Operation and Maintenance Manual**

- a) Hard Copy Set and electronic copy.
- b) The unit of measurement shall the number of sets (six documents per set) of copies of an Installation, Operation and Maintenance Manual prior to the issue of the Taking-Over Certificate required by the City of Cape Town and for installations where no Installation, Operation and Maintenance Manuals are available.
- c) Rates shall include all work required to produce an installation, operation and maintenance manual per valve as per the requirements of the Standard Specifications for Mechanical Equipment.

**4.6. S1 – Supply of Valves and Associated Equipment**

**unit: No/meter/kg/m<sup>2</sup>**

- a) The unit of measurement shall be the number, meter length, kilogram, cubic meter (as indicated in the schedule of rates) of parts, associated equipment, seal sets, valve actuators supplied.
- b) The tendered rates shall include full compensation for the supply, manufacture, corrosion protection, testing, offloading into the Supplier's storage facility, storage as well as all royalties,

patent rights, for the goods complete with accessories, as specified. (Transport from storage facility to site measured elsewhere).

- c) Separate items will be listed in the Schedule of Rates for different types and sizes of equipment.

#### 4.7. S2 – Provisional Sum

**Unit: Sum**

- a) The provisional sum is an amount to be spent on valves, items, scaffolding, spares or components not listed in the Schedule of rates and is applicable to each individual Works Package for the duration of the Contract.
- b) Suppliers will be required to obtain three quotations from three different suppliers.
- c) Quotations need to be a detailed and must list where the individual parts were purchased and part numbers must be clearly indicated.

#### 4.8. L1 – Remove Existing Valves

**Unit: No.**

- a) The unit of measurement shall be the number of existing valves removed.
- b) The rate shall be based on the base case scenario, where the following conditions are met:
- i. The valve is installed on ground level where it is easy to access it (i.e. No scaffolding or cutting/removal of equipment to access the valve);
  - ii. The valve bolts are in good condition where no cutting will be required.
  - iii. For valves in chambers, the chamber is not flooded and clean.
  - iv. Where existing lifting equipment can be used or the valve can be man-handled.
- c) Separate items will be listed in the Schedule of Rates for different types and sizes of equipment.
- d) Latest CCT Policy and procedure for the Disposal and Sale of Council Movable Capital Assets, to be followed if equipment cannot be maintained.

#### 4.9. L2 – Service of Valves

**unit: No**

The unit of measurement shall be the number of valves serviced.

##### 4.9.1. Site Inspection Valves

- a) Valves will be inspected for rust and be painted with the relevant primer and seal coat, to the same colour of the existing valve.
- b) Ball thrust bearings should be inspected and greased as per the relevant manufacturer's requirements. Inspect and grease valves with gearboxes as per the relevant manufacturer's requirements.
- c) The complete valve must be stripped and cleaned in accordance with the maintenance procedure described by the relevant supplier.
- d) All components shall be inspected and their condition is recorded. An Inspection report shall be made out per valve reconditioned.
- e) A comprehensive investigation report will be compiled and submitted on the condition of stripped valve to determine discard vs what maintenance actions should be performed.

##### 4.9.2. Refurbishment Of Valves

- a) Valves are degreased and stripped into component parts for inspection, seats and guards are processed to remove all traces of foreign deposits, Valve plate, coil springs and delivery valve studs are scrapped, remaining parts are inspected and approved for further service.
- b) This includes replacing components such as hinges, swing axle, swing gate, replacing seals, skimming seal surfaces, corrosion protection or any other action or cost necessitated to recondition a valve to a perfect drip tight functional condition.
- c) All re-usable internal moving parts are thoroughly cleaned in polishing machines, Damaged valve seats and guards are re-machined within original manufacturers' tolerances to maintain their design performance characteristics, all valve seat sealing faces are lapped to stringent, approved standards to ensure perfect finish and flatness.
- d) The complete refurbished valve is assembled and given its final inspection and test.
- e) Painting of valves in accordance with the "Standard Specifications for Mechanical equipment".
- f) Separate items will be listed in the Bill of Rates for different sizes of equipment

**4.10. L3 – Installation, testing and commissioning Valves**

**Unit: No.**

The unit of measurement shall be the number of valves installed, commissioned and tested.

**4.10.1. Installation of New/Refurbished Valves**

- a) The tendered rates shall include full compensation for the installation, making good all the damaged corrosion-protected areas, testing, calibration and commissioning of the valves and for all other costs and actions necessitated to obtain a complete and efficiently working system.
- b) Separate items will be listed in the Schedule of Rates for different types and sizes of equipment.

**4.10.2. Commissioning and Testing**

- a) All Isolating valves shall be inspected for leaks on the gland and stem as per the relevant manufacturer's requirements. The valves shall be cycled to open and close or close and open to ensure the operation of the valve.
- b) A comprehensive commissioning test report shall be submitted by the Contractor prior to issue of the Certificate of Completion and shall be inserted in the Manual.
- c) The contractor shall provide detailed performance report upon completing all tests necessary to ensure compliance, fit for purpose, safety (tests must be to the satisfaction of the Employers Agent) and commissioning of the Works.
- d) The Complete valve, including all control functions and control systems shall be commissioned as a unit and the process performance requirements shall be achieved during normal operation.
- e) Once the Works has been commissioned to the satisfaction of the Employers Agent, the operational acceptance period shall start and shall consist of a continuous period of operation free from trouble.
- f) Unless otherwise stated, this period shall be four weeks. During the operational acceptance period, the Contractor shall carry out all necessary servicing and any adjustments required.
- g) The plant staff will assist the Contractor in operating the Works during this period.
- h) Separate items will be listed in the Schedule of Rates for different types and sizes of equipment.

**4.11. L4 – Labour charges**

**Unit: hour (hr)**

- a) The unit of measurement shall be an hourly rate to supply the required labour.

- b) The unit rates for labour shall include overhead charges and profit, site supervision and site staff, insurances, holidays with pay, and use and maintenance of hand tools and equipment.
- c) The rates or allowances shall also cover travelling allowances or travelling costs, lodging allowances and any other emoluments and allowances payable to the workmen.
- d) Separate items will be listed in the Schedule of Rates for different labour types and working hours.

**4.12. L5 – O&M Training**

**Unit: No.**

- a) The unit of measurement shall be per number of facilities Operational and Maintenance Training is provided for site as per the requirements of the Standard Specifications for Mechanical equipment.
- b) Introductory Operator and Maintenance Training on Valves – minimum of 10x CCT staff members for a period of 1 hour onsite.

**4.13. L6 – Applied Corrosion protection**

**Unit: m<sup>2</sup>**

- a) Hot Dip Galvanising and epoxy coatings will comply with the specification stipulated in the Standard Mechanical Specification for Mechanical equipment.
- b) The unit of measurement shall be per square meter area coated applied to manufactured assembled parts.

**4.14. L7 – Maintenance of Pressure Reducing Valves**

**Unit: No.**

The unit of measurement shall be the number of valves Maintained.

**4.14.1. PRVs Site Inspection**

- a) Valves will be inspected for any leaks and rust, and be painted with the relevant primer and seal coat, to the same colour of the existing valve.
- b) The complete valve must be stripped and cleaned in accordance with the maintenance procedure described by the relevant supplier.
- c) All components shall be inspected and their condition is recorded. An Inspection report shall be made out per valve reconditioned.
- d) A comprehensive investigation report will be compiled and submitted on the condition of stripped valve to determine discard vs what maintenance actions should be performed.

**4.14.2. Refurbishment of PRVs**

- a) Valves are degreased and stripped into component parts for inspection, seats and guards are processed to remove all traces of foreign deposits, Valve plate, coil springs and delivery valve studs are scrapped, remaining parts are inspected and approved for further service.
- b) This includes replacing components such as hinges, swing axle, swing gate, replacing seals, skimming seal surfaces, corrosion protection or any other action or cost necessitated to recondition a valve to a perfect drip tight functional condition.
- c) All re-usable internal moving parts are thoroughly cleaned in polishing machines, Damaged valve seats and guards are re-machined within original manufacturers' tolerances to maintain their design performance characteristics, all valve seat sealing faces are lapped to stringent, approved standards to ensure perfect finish and flatness.
- d) The complete refurbished valve is assembled and given its final inspection, recalibration and test.
- e) Painting of valves in accordance with the "Standard Specifications for Mechanical equipment".

- f) Separate items will be listed in the Bill of Rates for different sizes of equipment

## **5. LOCAL WORKSHOP AND STORAGE FACILITY REQUIREMENTS**

The service provider will have access to a workshop within 100km radius from the Bellville Water and Sanitation Head Office.

The minimum requirements for the Workshop are:

- a) General workshop requirement:

- Roof and walls
- Hard Floor Area
- Office
- Floor layout and clear demarcation
- Compliant to 5S Principles

- b) The workshop is suitably equipped in terms of a lathe machine.

- c) The workshop is suitably equipped in terms of a milling machine.

- d) Storage capability

- e) The workshop has suitable lifting equipment (forklift/overhead gantry or mobile A frame) minimum 2 ton lifting equipment with sufficient height to handle, load and offload valves.

The workshop will be inspected for compliance and suitability and CCT employees will have to do ad-hoc and specific routine inspections as part of the works and during certain hold points.

## **6. DATA SHEET**

The Supplier shall provide the Technical Data Sheets (refer to returnable schedule 14B: Technical Data Sheets) for each offered equipment. The data sheets will be used to check and confirm that the equipment offered by the Supplier is compliant with the Purchaser's technical requirements.

## **7. TRADE NAMES OR PROPRIETARY PRODUCTS**

Bid specifications may not make any reference to any particular trademark, name, patent, design, type, specific origin or producer, unless there is no other sufficiently precise or intelligible way of describing the characteristics of the work, in which case such reference must be accompanied by the words "or equivalent".

**TENDERERS MUST NOTE THAT WHEREVER THIS DOCUMENT REFERS TO ANY PARTICULAR TRADEMARK, NAME, PATENT, DESIGN, TYPE, SPECIFIC ORIGIN OR PRODUCER, SUCH REFERENCE SHALL BE DEEMED TO BE ACCOMPANIED BY THE WORDS 'OR EQUIVALENT'**

## **8. EMPLOYMENT OF SECURITY PERSONNEL**

All security staff employed by the supplier on behalf of the CCT or at any CCT property must be registered with Private Security Industry Regulatory Authority (PSiRA). Proof of such registration must be made available to the CCT's agent upon request.

**9. FORMS FOR CONTRACT ADMINISTRATION**

The supplier shall complete, sign and submit with each invoice, the following:

- a) Monthly Project Labour Report (**Annexed**).

The Monthly Project Labour Report must include details of all labour (including that of sub-contractors) that are South African citizens earning less than R350.00 per day, as adjusted from time to time (excluding any benefits), who are employed on a temporary or contract basis on this contract in the month in question.

In addition to the Monthly Project Labour Report the Supplier shall simultaneously furnish the CCT's Agent with copies of the employment contracts entered into with such labour, together with certified copies of identification documents, proof of attendance in the form of attendance register or timesheets as well as evidence of payments to such labour in the form of copies of payslips or payroll runs. If the worker is paid in cash or by cheque, this information must be recorded on the envelope, and the worker must acknowledge receipt of payment by signing for it and proof of such acknowledgement shall be furnished to the CCT's Agent.

## ANNEXURE 1: Health and Safety Specification

### HEALTH AND SAFETY SPECIFICATION

**Health and Safety Specification** mean a documented specification of all health and safety requirements pertaining to the associated works on a construction site, so as to ensure the health and safety of persons working on and exposed to the associated works.

#### 1. DEFINITIONS

For the purposes of this Specification, the definitions given in the Occupational Health and Safety Act, 85 of 1993 and the Construction Regulations, 2014, and the following definitions, shall apply:

- a) "Construction Regulations, 2014" means the Construction Regulations (GNR. 84 of 7 February 2014) published in terms of the OHS Act.
- b) "Contractor" means the Principal Contractor as defined in the Construction Regulations, 2014.
- c) "Employer" means the client or his agent as defined in Construction Regulations, 2014.
- d) "Engineer" means the person/firm so named in the Contract Data whose function is to administer the Contract as agent of the Employer, acting through, if appointed, a Health and Safety Agent.
- e) "OHS Act" means the Occupational Health and Safety Act, 85 of 1993.
- f) "subcontractor" means many contracts employed by the Contractor to perform construction work.

#### 2. PROVISION FOR COST OF HEALTH AND SAFETY

The Principal Contractor shall make and show adequate provision for the cost of adequate and required health and safety measures during the construction process as required by Construction Regulation 5(1)(g), specifically provision for the adequate quantities and types of specialised PPE as required for Penstocks and Valves operations, including approved respirators, disposable organic vapour cartridges, life jackets and rescue devices.

Further to the adequate provision for the cost of health and safety as outlined above, the Principal Contractor shall ensure that on appointing any other contractor for any portion of the construction project, that each potential sub- contractor submitting tenders for such work, have made sufficient provision for adequate and required health and safety measures during the construction process as required by Construction Regulation 7(1)(c)(ii).

#### 3. SCOPE

In terms of the OHS Act and the Construction Regulations, 2014 the Employer must provide the Contractor with a Health and Safety Specification, to which the Contractor must respond with a Health and Safety Plan for approval by the Employer.

The purpose of this Specification is to ensure that a contractor entering into a contract with the Employer maintains an acceptable level of compliance with regard to health and safety issues during the performance of the Contract. In this regard the Health and Safety Specification forms an integral part of the Contract and the Contractor shall ensure that his subcontractors and/or suppliers comply with the requirements of this Specification.

#### 4. INTERPRETATION

The OHS Act and its associated regulations shall have precedence in the interpretation of any ambiguity or inconsistency between it and this Specification.

Responsibility for health and safety relating to the Works lies with the Contractor as described in this

Specification. Nothing stated in or omitted from this Specification shall in any way limit the Contractor's obligations and liabilities in terms of the OHS Act.

## **5. GENERAL REQUIREMENTS**

The Contractor shall:

- a) create and maintain a safe and healthy work environment.
- b) execute the Works in a manner that complies with all the requirements of the OHS Act and all its associated regulations, and in so doing, minimize the risk of incidents occurring; and
- c) respond to the instructions issued by the Engineer through the Engineer's Representative, except in the case of health and safety issue which requires the Contractor's immediate attention, in which case the Employer's Health and Safety Agent can issue an instruction directly to the Contractor.

## **6. ADMINISTRATION**

### **6.1 Notification of intention to commence construction work**

The Contractor shall notify the Provincial Director of the Department of Labour in writing using the pro forma contained in Annexure A of the Construction Regulations, 2014 before construction work commences, and retain a copy of such notification in the health and safety file, where such work:

- a) involves the demolition of a structure exceeding a height of 3m;
- b) involves the use of explosives to perform construction work;
- c) involves the dismantling of fixed plant at a height greater than 3m;
- d) exceeds 30 days or will involve more than 300 person days of construction work; and includes:
  - i) excavation work deeper than 1m; or
  - ii) working at a height greater than 3m above ground or a landing.

The Contractor shall ensure that no work commences on an electrical installation which requires a new supply or an increase in electricity supply before the person who supplies or contracts or agrees to supply electricity to that electrical installation has been notified of such work.

The Contractor shall ensure that no asbestos work is carried out before the Provincial Director of the Department of Labour has been notified in writing.

### **6.2 Occupational Health and Safety Agreement**

The Contractor shall enter into an Agreement with the Employer before the commencement of the Works on Site.

### **6.3 Good standing with the Compensation Fund or a licensed compensation insurer**

The Contractor shall provide the Engineer with a letter of good standing from the Compensation Commissioner or a licensed compensation insurer before the commencement of the Works on Site.

### **6.4 Emergency procedures**

The Contractor shall submit for acceptance to the Engineer a health and safety emergency procedure, which includes but is not limited to fire, spills, accidents and exposure to hazardous substances, which:

- a) identifies the key personnel who are to be notified of any emergency.
- b) sets out details of available emergency services, including contact particulars; and
- c) the actions or steps which are to be taken during an emergency.

The Contractor shall within 24 hours of an emergency taking place notify the Engineer in writing of the emergency and briefly outline what happened and how it was dealt with.

## 6.5 Health and safety file

The Contractor shall ensure that a Health and Safety file, which shall include all documentation required in terms of the provisions of the OHS Act, the Construction Regulations, 2014 and this Health and Safety Specification, is open and kept on Site at all times.

The Health and Safety file shall be made available for inspection by any inspector, subcontractor, the Employer, the Engineer, the Employer's Health and Safety Agent, or employee of the Contractor, upon the request of such persons.

The Contractor shall hand over the Health and Safety file to the Engineer upon Works completion of the Contract and, if applicable, a certificate of compliance accompanied by a test report for the electrical installation in accordance with the provisions of the Electrical Installation Regulations, 1992.

## 6.6 Inspections, formal enquires and incidents

The Contractor shall inform the Engineer:

- i) beforehand of inspections, investigations or formal inquiries of which he has been notified by an inspector; and
- ii) as soon as reasonably practicable of the occurrence of an incident (as defined in the OHS Act) on the Site.

The Contractor shall record all incidents and notify the Engineer of any incident, except in the case of a traffic accident on a public road, as soon as possible after it has occurred and report such incident to an inspector as designated in terms of the OHS Act.

The Contractor shall investigate all incidents and issue the Engineer with copies of such investigations.

## 6.7 Personal protective equipment and clothing

The Contractor is required to identify the hazards in the workplace and deal with them appropriately. He must either eliminate hazards or, where impracticable take steps to protect workers and make it possible for them to work safely and without risk to health and safety under the hazardous conditions.

Personal Protective equipment (PPE) should, however, be **the last resort** and there should always first be an attempt to apply engineering and other solutions to mitigate hazardous situations before the issuing of PPE is considered.

Where it is not possible to create an absolutely safe and healthy workplace the Contractor is required to inform employees regarding this matter and to issue, free of charge, suitable PPE to protect them from any hazards. The contractor is to provide each employee working in excavations or manholes with gas detection equipment that has been calibrated, maintained and regularly serviced. Proof of issue and service records of gas detectors to be placed in the HSE file.

It is a further requirement that the Contractor maintain this PPE and that he instructs and trains the employees in the correct use and maintenance of the PPE as required in GSR 2(5). PPE shall be fit for purpose at all times and provide the required and intended protection.

No person shall be permitted to work on the site if the correct PPE is not used. The Contractor shall ensure that the prescribed, required and correct PPE is used by the employees as per GSR 2(6) at all times.

Employees shall comply to OHS Act Section 14(b) and (c) and do not have the right to refuse to utilise or wear the equipment prescribed by the employer and, if it is impossible for an employee to use or wear prescribed protective equipment through health or any other reason, the employee may not be allowed to continue working under the hazardous condition/s for which the equipment was prescribed.

The Contractor may not charge any fee for protective equipment prescribed by him/her but may charge for equipment under the following conditions:

- Where the employee requests additional issue in excess of what is prescribed
- Where the employee has blatantly abused or neglected the equipment leading to early failure
- Where the employee has lost the equipment

All employees, visitors and non-employees shall, as a minimum, be required to wear the following PPE on any of **the Client's** construction sites:

- Protective overalls (employees only)
- Protective footwear
- Protective headwear
- Eye protection
- Hearing protection
- High visibility vests/jackets with the Contractor company name and employees' name

**Specialised PPE requirements:**

- Respirators and breathing equipment when working with or when exposed to raw sewage
- Daily supply of organic filters for respirators
- Life jackets
- Face shields compatible with respirator system used
- Impermeable/water resistant overalls when exposed to raw sewage
- Fall protection equipment when working in elevated positions or in a fall risk position, such fall prevention equipment being a full body harness and work positioning lanyard
- Rescue equipment consisting of a full body harness and rescue lanyard/rope secured at the surface when working in fall risk position.

## **7. EMPLOYER'S HEALTH AND SAFETY AGENT**

The Employer's health and Safety Agent shall

- a) Audit the contractor compliance with the requirements of this Specification prior to the commencement of any physical construction activities on the Site.
- b) accept or reject all safety plans, giving reasons for rejecting such plans.
- c) monitor the effective implementation of all safety plans.
- d) conduct periodic and random audits on the health and safety file to establish compliance with the requirements of the specification and the Contractor's health and safety plan; and
- e) visit the site at regular intervals to conduct site inspections, and based upon such visits issue, wherever necessary, any notices and/or instructions to the Contractor or any of the contract subcontractors with a copy of the Engineer and, where relevant, to the contractor

The contractor shall invite the Employer's Health and Safety Agent to audit compliance with the requirements of this Specification before commencing with any new construction activity on the Site.

The Contractor shall permit the Employer's Health and Safety Agent to audit the Contractor's compliance with the approved Health and Safety Plan and shall provide any assistance and/or documentation as may be required in this Metal and Engineering Industries Bargaining Council (MEIBC) in this regard.

## **8. CREATING AND MAINTAINING A SAFE AND HEALTHY WORK ENVIRONMENT**

### **8.1 General**

The Contractor shall carry out regular inspections and audits to ensure that the Works are being performed in accordance with the requirements of the Specification and Contractor's health and safety plan

## 8.2 Hazard Identification and Risk Assessments

Every contractor performing construction work shall, before the commencement of any construction work or work associated with the aforesaid construction work and during such work, cause a risk assessment to be performed by a competent person, appointed in writing, and the risk assessment shall form part of the OH&S Plan and be implemented and maintained as contemplated in CR7(1)(b).

Due to the nature of the Penstocks and valves process and the associated risks, each activity must define individual tasks associated with that identified activity in a detailed method statement. These and all associated hazards must be identified and listed in the risk assessment. This ensures that critical tasks and associated hazards are not overlooked.

The risk assessment shall include, at least:

- The identification of the risks and hazards to which persons may be exposed
- The analysis and evaluation of the risks and hazards identified
- A documented plan of safe work procedures (SWP) to mitigate, reduce or control the risks and hazards that have been identified
- A monitoring plan and
- A review plan to outline the frequency of normal risk assessment reviews and additionally under what circumstances and/or occurrences risk assessments will be reviewed.
- Based on the risk assessments, the contractor must develop a set of site specific OH&S rules that will be applied to regulate the OH&S aspects of the construction.

**Review of Risk Assessments:** The Principal contractor and sub-contractors are to review the hazards identified, risk assessments and safe work procedures (SWP) each time an incident occurs and/or changes are made to designs, drawings and construction methods and processes.

## 8.3 Health and safety plans

The Contractor shall prior to commencing the Works to which this Specification applies, submit to the Employer's Health and Safety Agent for approval a suitable and sufficiently documented health and safety plan, based on this Specification and the risk assessment that is conducted.

The health and safety plan shall include, but not be limited to, the following:

- a) The safety management structure, including the names of all designated persons such as the construction supervisor and any other competent persons.
- b) Safety method statements and procedures to be adopted to ensure compliance with the OHS Act; Construction Regulations, 2014 and this Health and Safety Specification.
- c) The provision and use of temporary services.
- d) Personal protective equipment, devices and clothing required.
- e) Emergency procedures.
- f) Provision of workers' welfare facilities.
- g) Induction and training.
- h) Arrangements for monitoring and control to ensure compliance with the safety plan; and
- i) Provision and maintenance of the health and safety file and all other relevant documentation.

The Contractor shall provide each subcontractor with the sections of this Health and Safety Specification pertaining to the construction work to be performed by that subcontractor. The subcontractor shall provide the Contractor with a health and safety plan pertaining to his work, for incorporation into the Contractor's health and safety plan.

The contractor shall discuss the submitted health and safety plan with the Employer's Health and Safety Agent, modify such plan in the light of the discussions and resubmit the modified plan for approval.

The Contractor shall apply the approved health and safety plan from the date of its approval and for the duration of the Works to which this Specification applies.

The Contractor shall conduct periodic audits for compliance with the approved health and safety plan at intervals agreed upon with the Employer's health and Safety Agent, but at least once every month.

The Contractor shall update the health and safety plan whenever changes to the Works are brought about.

#### **8.4 Subcontractors**

The Contractor may only subcontract work in terms of a written subcontract and shall only appoint a subcontractor should he be reasonably satisfied that such a subcontractor has the necessary competencies and resources to safely perform the work falling within the scope of the subcontract.

The Contractor shall ensure that all of his obligations in respect of subcontractors in terms of the Construction Regulations, 2014 are adhered to.

#### **8.5 Work permits and wayleaves**

The Contractor shall be responsible for obtaining all the wayleaves, permissions or permits applicable to working near any existing services or other infrastructure on Site and shall abide by the safety conditions imposed by such wayleaves, permissions or permits.

#### **8.6 Access to the Site**

The Contractor shall ensure that access to the Site is strictly controlled and that, where possible, only authorised persons are permitted onto the Site.

The Contractor shall control the access to Site of his own personnel and equipment, and that of his subcontractors and suppliers, in such a way so as to ensure that the safety of all public pedestrian and vehicular traffic is not compromised.

#### **8.7 Existing Site Conditions**

**Hazards particular to this project by virtue of location:** The specific hazards to be addressed by the Principal Contractor/s are the interface between construction vehicles and public road users, including pedestrians.

The Contractor is to be aware of the potential for high-risk periods which exists at the beginning and end of each workday. The Principal Contractor/s is to make adequate provision for access control, traffic management including the interface between construction vehicles and public vehicles and the protection of pedestrians. All aspects for potential public liability are to be adequately addressed.

**Overhead, above ground and underground services crossing the site:**

**Overhead:** As identified by Contractor

**Electrical cables:** As identified by Contractor

**Water mains:** As identified by Contractor

**Telecommunications:** As identified by Contractor

**Underground:** Existing infrastructure as identified by Contractor

**Ground level:** As identified by the Contractor

**Service drawings available:** Provided by the Project Manager if available.

**Way leaves required:** Responsibility of the Contractor

**Permits required:** Responsibility of the Contractor (Contractor to sign before commencing with work).

**Isolations required:** As identified by the Contractor.

**Existing ground conditions:** The ground conditions within the package work area is known to be tarred road with close proximity to residential areas.

## 8.8 First aid and emergency procedures

The Contractor shall, where more than five employees are employed at a workplace, provide a first aid box or boxes at or near the workplace, which shall be available and accessible for the treatment of injured persons at that workplace. Such first aid boxes shall contain suitable first aid equipment.

The Contractor shall ensure, where there are more than 10 employees employed on the Site, that at least one person is readily available during normal working hours who is in possession of a valid certificate of competency in first aid.

## 8.9 Accident and Incident Recording, Reporting and Investigation:

**Accident and Incident Recording:** The Principal Contractor shall open and maintain an Accident and Incident Register for the duration of the project, which register shall record all accidents and incidents resulting in lost time injuries, injuries requiring medical treatment and injuries requiring first aid treatment.

This register shall be structured to identify accident and incident trends by recording the type and location of injury and the cause of injury.

**Accident and Incident Reporting:** Referencing Section 24 of the OHS Act and General Administrative Regulation 8, the contractor must report all incidents where an employee is injured on duty to the extent that he/she:

- Dies
- Becomes unconscious
- Loses a limb or part of a limb
- Is injured or becomes ill to such a degree that he/she is likely either to die or to suffer a permanent physical defect or likely to be unable for a period of at least 14 days either to work or continue with the activity for which he/she is employed

### OR WHERE

- A major incident occurred
- The health or safety of any person was endangered
- Where a dangerous substance was spilled
- The uncontrolled release of any substance under pressure took place
- Machinery or any part of machinery fractured, or failed resulting in flying, falling or uncontrolled moving object
- Machinery ran out of control

Where any of the abovementioned reportable incidents has occurred, the Contractor shall report to **the Client, The Clients H&S Agent** and the Provincial Director of the Department of Labour immediately by telephone, fax or email. The Contractor is required to provide **the Client** and **The Clients H&S Agent** with copies of all statutory reports required in terms of the OHS Act within 7 days of the incident occurring.

The Contractor is required to provide **the Client** and **The Clients H&S Agent** with copies of ALL internal and external accident/incident investigation reports including the reports contemplated above and below, within 7 days of the incident occurring.

**Accident and Incident Investigation:** Referencing General Administrative Regulation 9, the Contractor is responsible for the investigation of all accidents/incidents where employees and non-employees are injured to the extent that they have to be referred for medical treatment by a doctor, hospital or clinic. Results of such investigations are to be entered into the Accident/Incident register mentioned above.

The contractor is responsible for the investigation of all major and non-injury incidents as described in Section 24(1)(b), (c) of the OHS Act and keeping a record of the results of such investigations including the steps taken to prevent similar accidents in future.

The Contractor in conjunction with the Site Manager is responsible for the investigation of all construction related road traffic accidents and keeping a record of the results of such investigations including the steps taken to prevent similar accidents in future.

**The Client** and **The Clients H&S Agent**, reserve the right to hold its own investigation into any incident or to call for an independent external investigation as deemed necessary. All minor incidents and accidents are to be reported on a weekly basis to **The Clients H&S Agent**.

#### **8.10 Fire precautions**

The Contractor shall ensure that all appropriate measures are taken to minimise the risk of fire and that appropriate procedures and equipment are in place to deal with the event of a fire, all in accordance with Construction Regulation 29.

Sufficient and suitable storage is provided for flammable liquids, solids and gases. Smoking is prohibited.

All "Hot Work" is to be done under permit conditions.

#### **8.11 Alcohol and Other Drugs (GSR 2A):**

Referencing General Safety Regulation 2A, Contractors shall develop a Drug and Alcohol Policy and communicate such policy to their employees and sub-contractors, proof of such policy and communication to be retained in the health and safety file.

No alcohol and drugs will be allowed on site. No person may be under the influence of alcohol or any drug or have in his/her possession any alcohol or drug while on the construction site. Any person appearing to be under the influence of alcohol, or any drug shall not be permitted to remain on site or be granted entry onto the site.

Any person on prescription medication must inform his/her superior, who shall in turn report this to the Principal Contractor forthwith. Any person suffering from any illness/condition requiring medication that may have a negative effect on his/her/anyone else's health or safety performance must report this to his/her superior.

Any person suspected of being under the influence of alcohol or other drugs shall be removed from site and sent home immediately.

#### **8.12 Portable Electrical Tools and Equipment**

Portable electrical tools and equipment include every unit that draws electrical power and is moved around for use in the workplace i.e. drills, saws, grinders, portable lights, etc. and the Contractor shall comply with the requirements and provisions of Electrical Machinery Regulation 10 for the standards, maintenance and inspection of portable electrical tools and equipment.

Extension cords are deemed to be portable electrical equipment and must be inspected and maintained to the same standards as portable electrical tools. The use of non-sparking hand tools and portable electrical tools is to be enforced, and precautionary measures taken to prevent a static electricity build up.

**Portable electric lights** when used as an additional source of light in work areas with inadequate natural light, shall be constructed, insulated, safeguarded and used in compliance to Electrical Machinery Regulation 11. The contractor is to ensure that wherever work is performed where the lighting conditions are less than the minimum requirement as defined in Environmental Regulation 3 and relative schedules, that this is supplemented with additional lighting capacity to ensure that all works contemplated can be conducted safely.

The Principal Contractor and any sub-contractor shall not undertake any night work without written permission from **the Client**, or its Principal Agent is to be notified in all instances when night work occurs.

The principal contractor shall ensure that adequate lighting is provided for all night work and failure to do so shall result in the work being stopped.

## **9. WORKING AT HEIGHTS SPECIFIC REQUIREMENTS**

### **Medical certificate of fitness**

In terms of the Construction Regulations personnel working at height shall be physically and psychologically fit to work safely in such an environment and shall be in possession of a valid medical certificate of fitness (valid for 1 year since date of issue) issued by an occupational health practitioner who shall be registered with the Health Professions council of south Africa.

### **Scaffolding**

Scaffolding shall comply with the requirements of SANS 10085-1:2004

Competent persons to be appointed in writing to:

- Erect scaffolding (scaffolds erector/s)
- Act as scaffold team leader/s
- Inspect scaffolding immediately after erection and thereafter weekly and after inclement weather, as applicable by scaffold inspector/s). Every scaffold erected must be registered and the results of each inspection must be recorded in writing and kept in the job specific Health and Safety file.

Scaffolders must adopt a safe system of work when erecting scaffolding and must wear fall arrest equipment during erection/dismantling of scaffolding.

Every scaffold shall be erected by a competent scaffolding erector and on completion thereof a competent scaffolding inspector shall provide written certification that such scaffolding is safe for use.

Consideration must be given to trip hazards on the walkways.

Safe means of access must be provided by way of secured vertical ladders or ladders placed at a suitable angle for easy use. All ladders must be tied. The working platforms must provide a handhold for getting on or off access ladders etc.

Strict control measures must be put in place to prevent unauthorised alterations to scaffolding such as removing ties and scaffold boards, toe boards etc. Changes should only be made when properly assessed, planned and undertaken by competent person.

After heavy rains or strong winds an inspection of all external scaffolding must be done, and written certification must be obtained from a scaffolding inspector that the scaffolding is safe to use prior to re-commissioning.

All scaffolding shall otherwise be inspected every day before commencement of work by the user and at least once a week by a scaffolding inspector and written certification must be obtained from such inspector that the scaffolding is safe to use.

All scaffolding certificates, of whatever nature, shall be filed in the relevant Health and Safety File to be kept on site.

Scaffolding to be under the control of the scaffold competent person and all safety signage and safety PPE as required in terms of the SANS document shall be provided and used.

The Contractor shall note the following additional requirements:

Please find attached typical installation diagrams for tubular steel mobile tower scaffolding as contained within SANS 10085-1:2004.

These are to be considered as minimum standards expected from the Contractor on a Council site and will be enforced at all times. All similar type of scaffolding used on site must contain all elements as indicated on the diagrams.

Notwithstanding the requirements for industry trained scaffold erector/s, scaffold team leader/s, scaffold inspector/s in all aspects of all types of scaffolding as used generally in the construction industry as intended in the SANS document, it is understood that for minor works, where the scaffolding height does not exceed 6m this requirement is deemed impractical, however, the competent persons (scaffold erector/s, scaffold team leader/s, scaffold inspector/s) must at minimum erect/dismantle scaffolding in accordance to the manufacturer's instructions and must have received some scaffold training by a competent trainer for the specific type of scaffolding being used for a duration of at least one half to 1 full day and declared competent to perform such duty(s).

Where scaffolding is hired out Contractor's must insist on obtaining detail instruction manuals for the safe erection/dismantling of scaffolding of the type concerned and similarly the competent person must have received some type of scaffold training by competent trainers for that specific type of scaffolding being used.

Written proof of Competency of above appointees to be submitted as part of tender submission.

All scaffold training shall be accredited by Department of Labour, SAQA or SETA.

### **Ladders and ladder Work**

Ladders are legal and not banned for work at height. Ladders may be used as a workplace, within stipulated limitations, when it is not reasonably practical to use other potentially safer means and the risk assessment shows that the risks are low.

Ladders are best used as a means of access to or egress from a workplace and may be used as a workplace for short duration light work as detailed below.

Ladders should only be used as a workplace for short duration (maximum 30 minutes per task), light work (up to 10 kg) only and where

- the work only requires one hand to be used the work
- can be reached without stretching the ladder can be fixed or
- footed to prevent slipping a good handhold is available.

Ladders to be checked daily for damage etc. by user before use (i.e. pre-use check prior to setting up the ladder to quickly establish whether the ladder is safe to use there and then); recheck if it has been unattended (a pre-use check is a visual and functional check which might include, for example, stiles that are warped, cracked, bent, rotten or of different lengths or rungs that are missing, worn or loose or feet that are in a bad state of repair or dirty etc or paint or dirt on the ladder hiding defects or rivets or screws that are missing or welds that are cracked or corroded, etc.)

The Contractors shall ensure that all ladders are inspected (more in depth than pre-use checks) monthly by appointed competent ladder inspectors, are in good safe working order, are of the correct height for the task, extended at least 1m above the landing, fastened and secured or at minimum held, and at a safe angle (one in four rule). Records of inspections must be available on request.

Wherever possible tie a ladder (by its stiles) to prevent it from slipping, either at the top, the bottom or both.

Ladders should be fitted with safety feet to prevent slipping feet to be in good repair (not loose, missing, splitting, excessively worn, secure etc.), clean and in good contact with the ground (ground to be level, firm and clean).

Ladders should be set correctly, (angle of inclination), to ensure that it cannot topple over.

Access ladders should extend about 1 metre above the working platform providing a handhold for getting on or off.

Don't rest ladder against weak upper surfaces (e.g. glazing, gutters etc.); use effective spreader bars or effective stand-offs. Avoid side-on work.

Do not overreach and do not work off the top three rungs (leaning ladder) or top two steps (stepladder).

When working from a ladder, try and maintain three points of contact (e.g. both feet and one hand). Wearing of safety belt and fall protection equipment is recommended.

Users should face the ladder at all times whilst climbing or dismounting.

Only one person to work from a ladder.

All tools and equipment should be hauled up or lowered by rope or other means in a safe manner. No tools to be left on top of ladders. Heavy or bulky loads should not be carried up or down ladders a gin wheel, or other suitable lifting equipment should be used.

Ladders should be kept clean and free from greasy and oily deposits.

Ladder inspection training shall be accredited by Department of Labour, SAQA or SETA

### **Fall protection**

A contractor must-

- (a) Designate a competent person to be responsible for the preparation of a fall protection plan.
- (b) Ensure that the fall protection plan contemplated in paragraph (a) is implemented, amended where and when necessary and maintained as required; and (c) Take steps to ensure continued adherence to the fall protection plan.

A contractor must ensure that-

- (a) All unprotected openings in floors, edges, slabs, hatchways and stairways are adequately guarded, fenced or barricaded or that similar means are used to safeguard any person from falling through such openings.
- (b) No person is required to work in a fall risk position, unless such work is performed safely as contemplated in sub regulation (2);

Where roof work is being performed on a construction site, the contractor must ensure that; in addition to the requirements set out in sub regulations (2) and (4), it is indicated in the fall protection plan that-

- (c) The roof work has been properly planned.
- (d) The roof erectors are competent to carry out the work.
- (e) No employee is permitted to work on roofs during inclement weather conditions or is any conditions are hazardous to the health and safety of the employee.
- (f) All covers to openings and fragile material are of sufficient strength to withstand any imposed loads.
- (g) Suitable and sufficient platforms, coverings or other similar means of support have been provided to be used in such a way that the weight of any person passing across or working on or from fragile material is supported; and
- (h) Suitable and sufficient guard-rails, barriers and toe-boards or other similar means of protection prevent, as far as is reasonably practicable, the fall of any person, material or equipment.
- (i) When working on the roof all staff shall be attached to a "lifeline" by means of harness fitted with fall protection, which has been securely anchored at both ends.

### **Hired plan and machinery (including "cherry Packer" [elevated moving platforms])**

All contractors shall ensure that any hired plant and machinery used on site is safe to use and complies in all respects with the OHS Act.

All contractors shall ensure that operators hired with machinery are competent and licenced (where applicable) and that certificates are kept on site.

All contractors shall ensure that their employees working with/operating hired plant and machinery shall receive suitable training.

### **Confined space**

In confined spaces and other places in which flammable gases, vapours or dust can cause danger-

- (i) Only suitably protected electrical installations and equipment, including portable lights, are used; (usually 12/24V) equipment);
- (ii) There are no flames or similar means of ignition.
- (iii) There are conspicuous notices prohibiting smoking.
- (iv) Oily rags, waste and other substances liable to ignite are without delay removed to a safe place; and
- (v) Adequate ventilation is provided.
- (vi) Gas monitoring is done on a regular basis as part of permit conditions

## **10. HIGH PRESSURE WATER BLAST CLEANING**

### **Safety Precautions**

The pump shall be equipped with one or two pressure gauges, to indicate the pressure being developed. The equipment should not be used if the pressure gauges are defective.

The hose, as well as all pipes and fittings must be designed to withstand the maximum operating pressure of the pump with a safety factor of at least four.

When laying hose, handle it with care, avoiding sharp bends. Support the hose by suitable means when above ground level. Hoses must not be left where they can be driven over and damaged.

Defective hoses and fittings shall never be used.

Particular attention shall be given to the fittings due to the possibility of thread wear and damage caused by wrenches. Daily inspections shall be carried out by the contractor's foreman to check for damaged hoses etc.

The high-pressure water hoses shall be marked with the maximum permissible operating and test pressures.

The fail-safe valve, which is also frequently called a "dump valve" or "deadman control" shall be attached to the lance and shall be under the control of the operator. This valve is designed so that the high-pressure stream is actuated by a squeeze action of the hand. When the handle is released, water is diverted from the high velocity nozzle to a large reservoir, which then drops the pressure immediately to a safe level. Generally, it is preferable if only the operator handling the lance, controls this fail-safe valve.

A workman shall never be allowed to use high pressure cleaning equipment unless he is aware of the hazards involved. He shall be trained in the safe operation of the equipment, be supplied with all the protective equipment and clothing required and know correct shutdown procedure in the event of any malfunction. He must be a registered operator who has stated in writing that he understands the operating procedures, safety procedures and hazards.

Eye and face protection, preferably a full-face shield, safety hat, rain suit, heavy PVC apron, rubber

boots with steel toes, waterproof gloves, and ear protection and any other equipment deemed necessary must be worn at all times when operating the equipment.

The pumps, drivers and the water action generate high noise levels. The severity will be determined by such factors as water pressure, area enclosure and location of the cleaning area. The maximum level normally acceptable is 85 dB for persons working Without ear protection. Ear protection shall be worn at all times by the operator and any persons in the vicinity.

One person shall be assigned to operate the pump unit and be trained in all aspects of machine operation. It is essential that he/she is fully aware of the importance of not allowing himself/herself to be distracted since he is in a position to serve as the safety observer for the operation.

Each workman involved in the operation - pump operator, lance operator and helper - shall work as a team and be capable of carrying out all tasks.

The lance develops high velocities at the nozzle tip. Therefore, the operator shall be instructed never to direct the lance toward himself or another person. He and the contract supervisor must understand that "horseplay" could have very serious consequences and can result in immediate dismissal.

Only clean water shall be used at all times.

If raw water is used which contain high residuals of nitrogen and ammonia gases, break, "break point" chlorination can occur and free chlorine is sometimes liberated. Under these conditions, (of high residuals) the operator shall be especially alert to any evidence of chlorine liberation.

Respirators for the operators and a ventilation system for the general area shall also be provided if deemed necessary due to enclosed or confined work area.

Barricades and warning signs shall be placed at least 10 meters from the cleaning operation to keep-involved personnel out of the area.

No portion of the human body shall ever be placed in front of the Jet, because no satisfactory protective clothing has yet been developed to protect personnel from high-pressure water jets.

Supervisors and operators shall be alert for conditions which could present special hazards, such as:

- Possible water contact with electrical equipment
- Rubber clothing which has become torn
- Pollution caused by chemical or oily wastes

It is recommended that the following tests be made before resuming each job:

- Run the pump without the lance to completely wash out the hose
- Use a tip cleaner on each orifice and make sure it is open, then measure each opening to make sure it is the correct size.
- If nozzles are eroded to a larger size the lance man may not be able to adequately control the lance due to the reaction force.

Due to the extremely dangerous nature of hydro blasting the safest approach to every task shall be adopted at all times.

Flexible lances shall only be allowed if no other safer alternative is available and approval has been obtained prior to each application.

Approval to use flexible lances shall only be granted subject to the submittal by the contractors of

- a) Additional safety precautions.
- b) Proof of all operators been informed of the dangers regarding the specific task.

- c) No other safer alternative available.

Back flow arrestors shall be used every time flexible lances are allowed to be used.

All personnel involved in hydro blasting shall be informed of the possibility of blow back and the corresponding potential danger involved prior to any cleaning exercise.

Process equipment shall be dismantled to the safest state possible for HP cleaning.

The contractor has the right to refuse performing a specific task if their competent person in charge finds:

- a) The safety conditions or precautions taken are insufficient.
- b) Process equipment to be unsafe or insufficiently dismantled.
- c) Task too dangerous to perform.

### **Maintenance**

Repairs or splicing of defective high-pressure hoses shall only be performed by the hose manufacturer or an authorised service specialising in this work.

The contractor shall provide proof that all relief valves have been checked regularly for conformity to the settings established. Pressure gauges should also be calibrated regularly. (For this application a calibration frequency of 100 hours is probably necessary).

Due to static build up during cleaning operations, the component parts of the units shall be earthed. Diesel and petrol-driven pumps shall be earthed during refuelling operations. The earthing system shall be checked regularly.

When internal combustible engine pumps are located inside a building, the exhaust should be discharged outside the building to prevent combustion vapours from entering the work areas.

An internal combustion engine operated pump may not be utilised without granting of a suitable hot work permit in Production areas.

## **11. LIFTING OPERATIONS**

Referencing Construction Regulation 23, Construction Regulation 27, Driven Machinery Regulation 18 and SANS 12480-1, lifting equipment must be designed and constructed in accordance with generally accepted technical standards and operated, used, inspected and maintained in accordance with the requirements of the Driven Machinery Regulation.

The requirements of Construction Regulation 22 and Driven Machinery Regulation 18 are to be stringently applied and maintained in respect of all lifting tackle and lifting operations.

In addition to the required legal appointment of operators, supervisors and inspectors in respect of lifting machines, appointments shall also be made for Slingsmen and Banksman/Signallers, with the required proof of competency and experience.

Furthermore, all training providers in respect of operators of lifting machines are required to be accredited by the Transport Seta as contained in notice R.910 of 2015 (G.G. 39252 of 02/10/2015). Proof of such accreditation by the Transport Seta is to be attached to any certification issued by such training provider.

Evacuation procedures, risk assessments, safe working procedures and lifting plans are to be developed and communicated to all relevant persons involved in the operation of lifting machinery.

Documented proof of such communication is to be kept in the site safety file.

Documented proof of lifting machinery services and maintenance are required. The last major service record is to be present in the safety file. The lifting machinery logbook and all other legal documentation is to be available for inspection and audit.

The Principal Contractor shall be responsible for ensuring that the necessary inspections and performance tests by a competent registered LMI as outlined in the Driven Machinery Regulations for lifting equipment and lifting tackle are conducted, and documented proof of such inspections and performance tests retained in the health and safety file.

- DMR 18(5): Annual inspection and performance test of the whole installation and all working parts.
- DMR 18(6): Ropes, chains, hooks or other attaching devices, sheaves, brakes and safety devices at intervals not exceeding six (6) months.
- DMR 18(10) (e): Lifting tackle at intervals not exceeding three (3) months.

All lifting operations are to have a clearly defined and demarcated safe operating area below the lifting area, with warning signage strategically placed and a watcher/spotter shall be deployed to prevent unauthorised access to the lifting operations area.

Where the lifting arc shall cause loads to be moved above public roadways and pedestrian walkways and thoroughfares, such areas shall have barricading erected to prevent persons from passing below suspended loads and to adequately protect pedestrians from any potential falling load.

Worn and damaged steel wire ropes, slings and lifting tackle must be discarded (not used any further for lifting purposes, regardless of the load) when excessive wear and corrosion is evident. Furthermore, under normal operating conditions the ropes must be examined by a competent person every three months for this purpose and the results recorded.

## 12. COVID-19 SPECIAL CONDITIONS

The Contractor is to comply with all COVID-19 national regulations including requirements detailed in Government Gazette Volume 658 of 29 April 2020 (No. 43257), Guidelines for Symptom Monitoring and Management of Essential Workers for COVID-19 Related Infection as well as Construction Covid-19 Rapid Response Task Team dated 26 April 2020.

## ANNEXURE 2: Environmental Management Specification

### ENVIRONMENTAL MANAGEMENT SPECIFICATION FOR MECHANICAL AND ELECTRICAL MAINTENANCE CONTRACTS

For use with the General Conditions of Contract for Plant Maintenance for Electrical and Mechanical Works.

#### H1. SCOPE

The Environmental Management Programme (EMP) for the project is comprised of this Environmental Management (EM) Specification and its Annexures, which together cover the requirements for controlling the impact on the environment of maintenance activities.

#### H2. INTERPRETATIONS

##### H2.1. Supporting specifications

The following standardised specification shall, *inter alia*, apply to this Contract:

- a) SANS 1200A, as may be varied or added to in the Scope of Work
- b) Environmental Strategy for the City of Cape Town (POLICY NUMBER 46612)

##### H2.2. Application

This EM Specification contains clauses that are generally applicable to the undertaking of maintenance works in areas where it is necessary to impose pro-active controls on the extent to which the maintenance activities impact on the environment.

In the event of any difference or discrepancy between the provisions of the Standardised Specifications and the provisions of the EM Specification, the latter shall prevail.

##### H2.3. Definitions and abbreviations

For the purposes of this EM Specification the following definitions and abbreviations shall apply:

###### H2.3.1. Environment

The surroundings within which humans exist and that are made up of -

- i. the land, water and atmosphere of the earth;
- ii. micro-organisms, plant and animal life;
- iii. any part or combination of i) and ii) and the interrelationships among and between them; and
- iv. the physical, chemical, aesthetic and cultural properties and conditions of the foregoing that influence human health and well-being.

###### H2.3.2. Potentially hazardous substance

A substance which, in the reasonable opinion of the Employer, can have a deleterious effect on the environment.

###### H2.3.3. Method Statement

A written submission by the Contractor to the Employer in response to the EM Specification or a request by the Employer, setting out the plant, materials, labour and method the Contractor proposes using to carry out an activity, in such detail that the Employer is enabled to assess whether the Contractor's proposal is in accordance with the Scope of Work and/or will produce results in accordance with the EM Specification.

H2.3.4. Reasonable

Unless the context indicates otherwise, means reasonable in the opinion of the Employer after he has consulted with a person suitably experienced in "environmental implementation plans" and "environmental management plans" (both as defined in the National Environmental Management Act, 107 of 1998).

H2.3.5. Solid waste

All solid waste, including maintenance debris, chemical waste, excess cement/ concrete, wrapping materials, timber, tins and cans, drums, wire, nails, domestic waste, dead vegetation, asphalt products, sewage, sewage debris, etc.

H2.3.6. Contaminated water

Water contaminated by the Contractor's activities containing cements, concrete, lime, paint products, thinners, turpentine, chemicals, fuels, oils washing detergents, sewage, etc.

H2.3.7. Working area

Any area within the boundaries of the Site where maintenance is taking place.

H2.3.8. Contractor's camp  
*(Not Applicable to maintenance tenders)*

The area designated for all temporary site offices, storage areas, maintenance plant parking areas, staff welfare facilities, etc.

H2.3.9. Employer's Representative (ER)

The person so named in the Contract Data, whose function is to administer the Contract as representative of the Employer.

The natural person appointed by the Employer in terms of the Contract, who shall observe the execution of the Works, examine and test materials and workmanship, and deliver and receive communications to/from the Contractor.

H2.3.10. Environmental Officer (EO)

Appointed by the Employer as his environmental representative on Site, with the mandate to enforce compliance with the EMP. The duties of the EO are stipulated in the City's guideline document for the EO and ER.

H2.3.11. Environmental Control Officer (ECO)

An independent appointment to objectively monitor implementation of relevant environmental legislation, conditions of Environmental Authorisations (EAs), and the EMP for the project.

H2.3.12. Environmental Site Officer (ESO)

Employed by the Contractor as his environmental representative to monitor, review and verify compliance with the EMP by the Contractor. The ESO must ensure that he is involved at all phases of the maintenance (from site clearance to rehabilitation).

H2.3.13. Abbreviations

The following abbreviations occur in this EM Specification:

EMP - Environmental Management Programme  
EM Specification – Environmental Management Specification  
EO - Environmental Officer

ECO – Environmental Control Officer  
 ESO – Environmental Site Officer  
 ER – Employer's Representative  
 MSDS - Material Safety Data Sheets

#### H2.4. **Employer's authority to delegate**

The Employer may assign duties and delegate authority to assistants who may include a Employer's Representative. Other than the ER, another assistant to the Employer can be in the form of an Environmental Officer (EO), who shall be responsible for monitoring compliance with the EMP. All instructions given by the EO shall go through the ER, who will then convey these to the Contractor, except in the case of an environmental emergency, in which case the EO can issue an instruction directly to the Contractor. An environmental emergency is one which, in the opinion of the EO, would cause serious environmental harm if not addressed immediately.

Depending on the nature/environmental sensitivity of the Contract the following variations in the organisational structure are possible:

- a) The ER may work together with an EO; or
- b) There may be an ER only (for maintenance projects with low potential for causing significant environmental impacts). In this case the ER has responsibility for the EO's functions.
- c) There may be an independently appointed Environmental Control Officer (ECO) who will fulfil essentially the same functions as the EO. The ECO may work with just the ER (if there is no EO) or may work with both the ER and EO.

### H3. **MATERIALS**

#### H3.1. **Materials handling, use and storage**

The Contractor shall ensure that any delivery drivers are informed of all procedures and restrictions (including "no go" areas) required to comply with the EM Specification. The Contractor shall ensure that these delivery drivers are supervised during offloading by someone with an adequate understanding of the requirements of the EM Specification.

Materials shall be appropriately secured to ensure safe passage between destinations. Loads, including but not limited to, sand, stone chip, fine vegetation, refuse, paper and cement, shall have appropriate cover to prevent them spilling from the vehicle during transit. The Contractor shall be responsible for any clean-up resulting from the failure by his employees or suppliers to properly secure transported materials.

All manufactured and or imported materials shall be stored on an agreed location. The method of rehabilitation of these areas, shall be subject to the Employer's approval.

Stockpile areas shall be approved by the Employer before any stockpiling commences.

#### H3.2. **Hazardous substances**

Hazardous chemical substances (as defined in the Regulations for Hazardous Chemical Substances in GN 1179 (25 August 1995)) stored on Site for use during maintenance shall be stored in secondary containers which are clearly and appropriately marked/signed. The relevant Material Safety Data Sheets (MSDS) shall be available on Site. Procedures detailed in the MSDSes shall be followed in the event of an emergency situation.

If potentially hazardous substances are to be stored on Site, the Contractor shall inform the Employer of such substances and provide a Method Statement detailing the substances/ materials to be used, together with the storage, handling and disposal procedures of the materials. Hazardous substances shall be stored out of flood risk areas and disposal of these substances shall be at a licensed waste disposal facility.

#### H4. **PLANT (referring to “Contractor’s Equipment” as defined in the General Condition of Contract, and the Contractor’s facilities as used in SANS 1200A)**

##### H4.1. **Fuel (petrol and diesel) and oil**

##### H4.1.1. Mobile Fuel bowser

If mobile fuel and oil bowser is required on Site, then the Contractor shall submit a Method Statement covering the procedures for dealing with accidental hydrocarbon spillage and leaks, and detailing how these liquids will be stored, handled and disposed of. The Employer shall approve the location of all refuelling areas. Symbolic safety signs depicting “**No Smoking**”, “**No Naked Lights**” and “**Danger**” conforming to the requirement of SANS 1186 are to be prominently displayed in and around the refuelling area. There shall be adequate fire-fighting equipment at the refuelling area.

The Contractor shall ensure that all liquid fuels and oils are stored in tanks with lids, which are kept firmly shut and adequately secured. The capacity of the tank shall be clearly displayed and the product contained within the tank clearly identified using the emergency information system detailed in SANS 0232 part 1. Fuel bowser shall have a capacity not exceeding 1000 litres and shall be kept on site only for as long as fuel is needed for maintenance activities, on completion of which they shall be removed.

Only empty and externally clean tanks may be stored on the bare ground. Empty and externally dirty tanks shall be sealed and stored on an area where the ground has been protected.

Adequate precautions shall be provided to prevent spillage during the filling of any tank and during the dispensing of the contents. If fuel is dispensed from 200 litre drums, the proper dispensing equipment shall be used, and the drum shall not be tipped in order to dispense fuel. The dispensing mechanism for the fuel storage tanks shall be stored in a waterproof container when not in use.

##### H4.1.2. Refuelling

Refuelling of plant and equipment shall be done only on approved by the Employer. The surface under the temporary refuelling area shall be protected against pollution to the reasonable satisfaction of the Employer prior to any refuelling activities. The Contractor shall ensure that there is always a supply of absorbent material (e.g. Spill Sorb or Enretech #1 powder or equivalent) readily available that is designed to absorb, break down and encapsulate minor hydrocarbon spillage. The quantity of such material shall be able to handle a minimum of 200 litres of hydrocarbon liquid spill.

##### H4.1.3. Treatment and remediation

Treatment and remediation of hydrocarbon spill and leak areas shall be undertaken to the satisfaction of the Employer. In the event of a hydrocarbon spill the source of the spillage shall be isolated and the spillage contained.

##### H4.2. **Ablution and toilet facilities**

Washing, whether of the person or of personal effects, defecating and urinating are strictly prohibited other than at the facilities provided.

*Temporary toilets are not foreseen to be required for maintenance contracts. If temporary toilets are required the following rules shall apply:*

Toilet facilities provided by the Contractor shall occur at a maximum rate of 1 toilet per 30 workers (1:15 is preferred). Toilet facilities shall be located within the Contractor’s camp, but also at work areas remote from the camp, all to the satisfaction of the Employer. All portable toilets shall be adequately secured to the ground to prevent them toppling over as a result of wind or any other cause.

The Contractor shall ensure that the entrances to these toilets are adequately screened from view, that they are maintained in a hygienic state, serviced regularly, that no spillage occurs when they are cleaned and that contents are removed from Site. Toilets shall also be emptied before any temporary site closure for a period exceeding one week. Discharge of waste from toilets into the environment

and burial of waste is strictly prohibited. The Contractor shall provide toilet paper at all times.

No ablution facilities shall be located closer than 50m to any water body

A Method Statement shall be provided by the Contractor detailing the provision, location, and maintenance of ablution facilities.

#### **H4.3. Eating areas**

The Contractor shall designate eating areas. The feeding of, or leaving of food for, animals is strictly prohibited. Sufficient bins, as specified in Clause H4.4 below, shall be present in these areas.

#### **H4.4. Solid waste management**

##### **H4.4.1. Litter and refuse**

The site shall be kept neat and clean at all times, littering is prohibited.

No on-site burying or dumping of any waste materials, vegetation, litter or refuse shall occur. The Contractor shall provide scavenger and weatherproof bins with lids, of sufficient number and capacity to store the solid waste produced on a daily basis. The lids shall be kept firmly on the bins at all times. Bins shall not be allowed to become overfull and shall be emptied regularly, at least once a week. Waste from bins may be temporarily stored on Site in a central waste area that is weatherproof and scavenger-proof, and which the Employer has approved. Wherever possible refuse shall be recycled, and containers for glass, paper, metals and plastics shall be used and the contents delivered to suitable recycling facilities when necessary.

All other litter and refuse shall be disposed of off Site at an approved landfill site. The Contractor shall supply the Employer with a certificate of disposal.

##### **H4.4.2. Maintenance waste**

Where possible all maintenance waste or spoil material shall be recycled, either on Site or elsewhere. As a last resort all maintenance waste shall be disposed of off Site at an approved landfill site. The Contractor shall supply the Employer with a certificate of disposal.

#### **H4.5. Contaminated water management**

Potential pollutants of any kind and in any form shall be kept, stored, and used in such a manner that any spill or escape can be contained and the water table and/or any adjacent water courses or bodies are not endangered. Spill kits which can be used to contain and/or mop up spills shall be available. Water containing such pollutants as cements, concrete, lime, chemicals, oils and fuels shall be discharged into a conservancy tank for removal from the Site to a licensed disposal facility. This particularly applies to water emanating from concrete batching plants and to runoff from fuel storage, refuelling or maintenance equipment washing areas. Wash down areas shall be done in such a manner so as to ensure that the surrounding areas are not polluted.

No paint products, chemical additives and cleaners, such as thinners and turpentine, may be disposed of into the stormwater system or elsewhere on Site. Brush/roller wash facilities shall be established to the satisfaction of the Employer.

A Method Statement shall be provided by the Contractor detailing the management of contaminated water.

Should contaminated water be released into the environment, specifically into a water course, monitoring thereof shall commence in accordance to the National Water Act, 36 of 1998, Section 21(f) – refer to GN 399 (26 March 2004). Contaminated water must not be released into the environment without authorisation from the relevant authority.

The Contractor shall notify the Employer immediately of any pollution incidents on Site and, at his own cost, take all reasonable measures to contain and minimise the effects of the pollution.

Any rehabilitation of the environment required as a result of such pollution shall be carried out by the Contractor at his own cost in accordance with a Method Statement approved by the Employer.

**H4.6. Site structures**

*(Not applicable to maintenance contracts)*

The type and colour of roofing and cladding materials to the Contractor's temporary structures shall be selected to reduce the visual impact.

**H4.7. Lights**

The Contractor shall ensure that any lighting installed on the Site for his activities does not cause a reasonably avoidable disturbance to other users of the surrounding area.

Lighting installed shall, as far as practically possible, be energy efficient. Lighting utilised on Site shall be turned off when not in use.

**H4.8. Workshop, equipment maintenance and storage**

No workshops or plant maintenance facilities shall be constructed on Site for performing major or routine maintenance of Contractors equipment and vehicles.

All vehicles and plant shall be kept in good working order. Leaking vehicles and plant shall be repaired immediately or removed from the Site.

The washing of vehicles and plant on Site shall be restricted to emergency requirements only. Washing may only be undertaken in areas designated by the Employer.

**H4.9. Noise**

The Contractor shall limit noise levels (for example, by installing and maintaining silencers on plant). The provisions of SANS 1200A Clause 4.1 regarding "built-up areas" shall apply.

Appropriate directional and intensity settings are to be maintained on all hooters and sirens.

No amplified music shall be allowed on Site. The use of audio equipment shall not be permitted, unless the volume is kept sufficiently low so as to be unobtrusive. The Contractor shall not use sound amplification equipment on Site, unless in emergency situations.

Maintenance activities generating output levels of 85 dB(A) or more in residential areas, shall be confined to the hours 08h00 to 17h00 Mondays to Fridays. Should the Contractor need to do this work outside of the above times, he shall do so only with the approval of the Employer, and the surrounding communities shall be informed prior to the work taking place.

**H5. MAINTENANCE**

**H5.1. Method Statements**

The Contractor shall submit the environmental method statements required within such reasonable time as the Employer shall specify or as required by the EM Specification. The Contractor shall not commence any activity until the Method Statement in respect thereof has been approved and shall, except in the case of emergency activities, allow a period of two weeks for consideration of the Method Statement by the Employer.

The Employer may require changes to a Method Statement if the proposal does not comply with the

specification or if, in the reasonable opinion of the Employer, the proposal may result in, or carries a greater than reasonable risk of, damage to the environment in excess of that permitted by the EM Specification.

Approved Method Statements shall be readily available on the Site and shall be communicated to all relevant personnel. The Contractor shall carry out the Works in accordance with the approved Method Statement. Approval of the Method Statement shall not absolve the Contractor from any of his obligations or responsibilities in terms of the Contract.

Changes to the way the Works are to be carried out must be reflected by amendments to the original approved Method Statements, and these amendments require the signature of both the Contractor and the Employer.

Method Statements shall consider all environmental hazards and risks identified by the Contractor and/or Employer and shall contain sufficient information and detail to enable the Employer to assess the potential negative environmental impacts associated with the proposed activity and shall cover applicable details with regard to:

- a) maintenance procedures,
- b) materials and equipment to be used,
- c) getting the equipment to and from Site,
- d) how the equipment/material will be moved while on Site,
- e) how and where material will be stored,
- f) the containment (or action to be taken if containment is not possible) of leaks or spills of any liquid or material that may occur,
- g) the control of fire,
- h) timing and location of activities,
- i) compliance/non-compliance with the EM Specification,
- j) any other information deemed necessary by the Employer.

The format to be used for the required method statements is bound in Annexure A of this EM Specification. The Contractor (and, where relevant, any sub-contractors) must also sign the Method Statement, thereby indicating that the work will be carried out according to the methodology contained in the approved Method Statement.

#### **H5.1.1 Method Statements to be provided within 14 days from the Commencement Date**

- a) Layout and Preparation.
- b) Ablution Facilities: number of, location, cleaning, method of securing to the ground, etc. of portable toilets (H4.2).
- c) Solid Waste Management: number of, type, location, cleaning, method of securing to the ground, etc. of bins (H4.4).
- d) Environmental Awareness Training: logistics for the environmental awareness courses for all the Contractor's management staff, as well as other employees (H5.2).
- e) Emergency Procedures for Accidental Hydrocarbon Leaks and Spillages (H4.1 and H5.8).
- f) Asphalt and Bitumen: details of all methods and logistics associated with the use of bitumen and asphalt (H5.11).

#### **H5.2 Environmental Awareness Training**

It is a requirement of this Contract that environmental awareness training courses are run for all personnel on Site. Courses shall be run during normal working hours at a suitable venue provided by the Contractor. All attendees shall remain for the duration of the course and sign an attendance register that clearly indicates participants' names on completion, a copy of which shall be handed to the Employer. The Contractor shall allow for sufficient sessions to train all personnel. Subsequent

sessions shall be run for any new personnel coming onto Site. A Method Statement with respect to the organisation of these courses shall be submitted.

Notwithstanding the specific provisions of this clause, it is incumbent upon the Contractor to convey the spirit of the EM Specification to all personnel involved with the Works.

**H5.2.1 Training Course for Management and Foremen**

The environmental awareness training course for management shall include all management and foremen. The course, which shall be presented by the Employer or his designated representative, shall be of approximately one hour duration. The course shall be undertaken prior to the commencement of work on Site.

**H5.2.2 Training Course for Site Staff and Labour**

The environmental awareness training course for site staff and labour shall be presented by the Contractor from material provided by the Employer. The course shall be approximately one hour long. The course shall be undertaken not later than 3 working days after the commencement of work on Site, with sufficient sessions to accommodate all available personnel.

All the Contractor's employees, sub-contractors' employees and any suppliers' employees that spend more than 1 day a week or four days in a month on Site shall attend the Environmental Awareness Training Course for Site Staff and Labour

**H5.3 Contractor's Environmental Representative (ESO)**

The Contractor shall appoint an environmental representative, also called an Environmental Site Officer (ESO), who shall be responsible for undertaking site inspection to monitor compliance with this EM Specification. The Contractor shall forward the name of the environmental representative (ESO) to the Employer for his approval. The environmental representative (ESO) shall complete Environmental Site Inspection Checklists (Annexure B attached hereto) and these shall be submitted to the Employer once a week.

**H5.4 Site division, demarcation and "no go" areas**

The Contractor shall restrict all his activities, materials, plant and personnel to within the Site or any particular working areas specified or indicated.

Where environmentally sensitive areas are specified as "no go" areas, the Contractor shall ensure that, insofar as he has the authority, no person, plant or material shall enter the "no go" areas at any time.

**H5.5 Access routes/ haul roads**

On the Site and, if so required, within such distance of the Site as may be stated by the Employer, the Contractor shall control the movement of all vehicles and maintenance equipment, including that of his suppliers, so that they remain on designated routes, are distributed so as not to cause an undue concentration of traffic, and that all relevant laws are complied with. In addition, the movement of such vehicles and maintenance equipment shall be planned and operated so as to minimise disruption to regular users of the routes. As far as possible the Contractor shall use existing access and haul routes. Damage to existing access roads as a result of maintenance activities shall be repaired to the satisfaction of the Employer, using material similar to that originally used. The cost of the repairs shall be borne by the Contractor. New temporary access or haul routes may only be established with the prior approval of the Employer. The rehabilitation of such routes shall be to the Contractor's own cost and to the approval of the Employer.

Any directional signage required by the Contractor for the purposes of directing the movement of his own vehicles and maintenance equipment (or that of his subcontractors or suppliers) must be of a design and in a location approved by the Employer. Directional signage may not be erected in such a

manner that it interferes with sight lines or pedestrian movement.

#### **H5.6 Maintenance personnel information posters**

The Contractor shall erect and maintain information posters for the information of his employees, depicting actions to be taken to ensure compliance with aspects of the EM Specification. The specification for the poster is presented in Annexure C of this EM Specification. The symbols shall be black, and the circles shall be red lines. The Contractor shall ensure that the maintenance personnel information posters are not damaged in any way and shall replace a poster if any part of it becomes illegible.

#### **H5.7 Fire controls**

No fires may be lit on Site. Any fires which occur shall be reported to the Employer immediately.

Smoking shall not be permitted in those areas where it is a fire hazard. Such areas shall include fuel storage and refuelling areas, and any other areas where the vegetation or other materials are susceptible to the start and rapid spread of fire.

In terms of the National Environment Management: Air Quality Act, 39 of 2004 and Community Fire Safety By-law, burning is not permitted as a disposal method.

The Contractor shall appoint a Fire Officer (who may be the ESO) who shall be responsible for ensuring immediate and appropriate actions in the event of a fire and shall ensure that employees are aware of the procedure to be followed. The Contractor shall advise the relevant authority of a fire as soon as one starts and shall not wait until he can no longer control it.

The Contractor shall comply with Clause 27 of the Maintenance Regulations, 2003 where applicable, and shall ensure that there is suitable and sufficient fire-fighting equipment available on Site at all times for the applicable maintenance works.

The Contractor shall be liable for any costs relating to the rehabilitation of burnt areas, should the fire be the result of the Contractor's activities on Site

The Contractor shall submit a Method Statement to the Employer covering the procedure to be followed in the event of a fire.

#### **H5.8 Emergency procedures**

The Contractor's attention is drawn to the Method Statements required in terms of Clauses H4.1 and H5.7 above. Such Method Statements shall include procedures to be followed by the Contractor in the event of an emergency.

Furthermore, in the event of an emergency, the Contractor shall contact the City of Cape Town's Emergency Call Centre by telephoning 107 or 021 480 7700 (from a cell phone).

#### **H5.9 Community relations (Not Applicable for this Contract)**

If so required, the Contractor shall erect and maintain information boards in the position, quantity, design and dimensions specified in the Scope of Work or as directed by the Employer. Such boards shall include contact details for complaints by members of the public in accordance with details provided by the Employer.

The Contractor shall keep a "Complaints Register" on Site. The Register shall contain all contact details of the person who made the complaint, and information regarding the complaint itself.

#### **H5.10 General protections in terms of the National Heritage Resources Act, 25 of 1999**

The Contractor shall take cognisance of the provisions of the National Heritage Resources Act, 25 of 1999 in respect of, *inter alia*, structures older than 60 years; archaeology, palaeontology and

meteorites; burial grounds and graves; and public monuments and memorials.

#### **H5.11 Protection of natural features**

The Contractor shall not deface, paint, damage or mark any natural features (e.g. rock formations) situated in or around the Site for survey or other purposes, unless agreed beforehand with the Employer. Any features affected by the Contractor in contravention of this clause shall be restored/rehabilitated to the satisfaction of the Employer. The cost of restoration/rehabilitation shall be borne by the Contractor.

The Contractor shall not permit his employees to make use of any natural water sources (e.g. springs, streams, open water bodies) for the purposes of swimming, personal washing and the washing of machinery or clothes.

#### **H5.12 Protection of flora and fauna**

Except to the extent necessary for the carrying out of the Works, as specified by the Employer, no vegetation shall be removed, damaged or disturbed.

The presence of any wild animals found on Site shall be reported to the Employer, who shall issue an instruction with regard to their removal or relocation. If a wild animal needs removal from the Site the Cape Nature (Metro Region) Conservation Services Manager may be contacted for assistance (tel 021 955 9132/9121/3122/9130). Trapping poisoning, injuring or shooting animals is strictly forbidden. No domestic pets or livestock are permitted on Site, with the exception of controlled watchdogs approved by the Employer.

Where the use of herbicides, pesticides and other poisonous substances has been specified, the Contractor shall submit a Method Statement to the Employer for approval.

#### **H5.13 Erosion and sedimentation control**

The Contractor shall take all reasonable measures to limit erosion and sedimentation due to the maintenance activities and shall, in addition, comply with such detailed measures as may be required by the Scope of Work. Where erosion and/or sedimentation, whether on or off the Site, occurs, rectification shall be carried out in accordance with details specified by the Employer. Where erosion and/or sedimentation occur due to the fault of the Contractor, rectification shall be carried out to the reasonable requirements of the Employer, at the Contractor's cost. In particular, the Contractor shall ensure that the City's stormwater system is kept free from sediment arising from the Works.

Any runnels or erosion channels developed during the maintenance period or during the vegetation establishment period shall be backfilled and compacted, and the areas restored to a proper condition. Stabilisation of cleared areas to prevent and control erosion shall be pro-actively managed by the Contractor. The method of stabilisation shall be determined in consultation with the Employer.

#### **H5.14 Aesthetics**

The Contractor shall take any requisite measures to ensure that maintenance activities do not have an undue negative impact on the aesthetics of the area.

#### **H5.15 Temporary site closure**

In the event of temporary site closure (for a period exceeding one week), the Contractor's ESO shall carry out checks and ensure that, amongst others, the following conditions pertain and report on compliance with this clause:

- a) Fire extinguishers are serviced and accessible.
- b) There is adequate ventilation in enclosed spaces.
- c) All hazardous substance stores are securely locked.
- d) Fencing and barriers are in place.

- e) Wind and dust mitigation measures, e.g. straw, brush packs, irrigation, etc. are in place.
- f) Excavated and filled slopes and stockpiles are at a stable angle and capable of accommodating normal expected water flows.
- g) There are sufficient detention ponds or channels in place.
- h) Cement and materials stores are secured.
- i) Toilets are empty and secured.
- j) Central waste area and all refuse bins are empty and secured.
- k) Contaminated water conservancy tank empty.
- l) Any bunded areas are clean and treated with an approved product where applicable (e.g. Spill Sorb or Enretech #1 powder or equivalent).
- m) Drip trays are empty and secure

#### **H5.17 Asphalt and bitumen**

Bitumen drums/products, if stored on Site, shall be stored in an area approved by the Employer.

When heating bitumen products, the Contractor shall take cognisance of appropriate fire risk controls. Heating shall only be undertaken using LPG or similar zero emission fuels. Appropriate firefighting equipment shall be readily available on Site.

#### **H5.18 Dust**

The Contractors shall be solely responsible, at his cost, for the control of dust arising from his activities on Site, and for any costs involved in damages resulting from the dust. The Contractor shall take all reasonable measures to minimise the generation of dust

#### **H5.19 Contractor's advertising signage**

Any advertising on the Site or any part of the Works shall remain at the sole discretion of the Employer, who reserves the right to order, via the Employer, its removal, covering or re-sizing, wherever placed, at no cost to the Employer.

Apart from at the Contractor's camp, no signage advertising the Contractor, or any of its subcontractors, manufacturers, suppliers or service providers shall be placed, fixed or erected anywhere on the Site or on the Works without the prior approval of the Employer. No advertising signage will be permitted on any designated scenic route. Notwithstanding any prior approval given, the Employer may instruct the Contractor to remove, cover or re-size any advertising signage at any time at no cost to the Employer.

Advertising signage at the Contractor's camp shall be appropriately designed and sized with due consideration to the surrounding environment, views and sight lines.

Branding or identification markings on the Contractor's and subcontractor's vehicles and equipment is generally permitted, although the Employer reserves the right to instruct, via the Employer, the removal, covering or re-sizing of any branding, markings or signage, on any equipment (scaffolding, for example), which it considers inappropriate in the environment in which it is placed.

No third party advertising (that is, in respect of any person, business or product that is not associated with the Works) shall be permitted anywhere on the Site or Works.

#### **H5.20 Clearance of Site on completion**

On completion of the Works, and at final completion when all defects have been remedied or corrected, the Contractor shall, in addition to the requirements for clearance of the Site in terms of the Contract, ensure that he has complied with the following requirements in terms of this EM Specification:

##### **H5.20.1 Clause H3.1**

Clean-up of improperly secured transported materials, and rehabilitation of storage areas.

H5.20.2 Clause H4.1.3

Remediation of hydrocarbon spill and leak areas.

H5.20.3 Clause H4.4

Disposal of litter, refuse and Contractor's waste.

H5.20.4 Clause H5.4

Removal of temporary fences and Contractor's camp.

H5.20.5 Clause H5.5

Repair of access roads damaged by the Contractor, and rehabilitation of temporary access routes.

H5.20.6 Clause H5.7

Rehabilitation of burnt areas should a fire be the result of Contractor's activities on Site.

H5.20.7 Clauses H5.11 to H5.13

Rehabilitation of heritage and natural features, including vegetation which is damaged or disturbed, which required protection in terms of these clauses.

H5.20.8 Clause H5.14

Rectification where erosion and/or sedimentation has occurred due to the fault of the Contractor .

H5.20.9 Clause H5.19

Removal of Contractor's advertising signage.

## H6 TOLERANCES

### H6.1 Fines

Environmental management is concerned not only with the final results of the Contractor's operations, but also with the control of how these operations are carried out. Tolerance with respect to environmental matters applies not only to the finished product, but also to the standard of the day-to-day operations required to complete the Works.

It is thus required that the Contractor shall comply with the EM Specification on an on-going basis and any failure on his part to do so will entitle the Employer to certify the imposition of a fine. Fines may be issued per incident at the discretion of the Employer. Such fines will be issued in addition to any remedial costs incurred as a result of non-compliance with the environmental specifications. The Employer will inform the Contractor of the contravention and the amount of the fine, and will deduct the amount from monies due in payment certificates issued under the Contract.

Maximum fines for the following transgressions by either the Contractor and/or his sub-contractors may be imposed by the Employer, as follows:

|                                                                                                                                            | Maximum fine<br>per incident |
|--------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| a) Vehicles, plant or materials related to the Contractor's operations, parked or stored outside the demarcated boundaries of the Site.    | R 2 000                      |
| b) Persons, vehicles, plant or materials related to the Contractor's operations, found within the designated boundaries of a "no go" area. | R 4 000                      |

|    |                                                                                                                                                                                                                                                                                   |         |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| c) | Persistent and unrepaired oil leaks from machinery/not using a drip tray to collect waste oil and other lubricants/not using specified absorbent material to encapsulate hydrocarbon spillage/using inappropriate methods of refuelling (the use of a funnel rather than a pump). | R 3 000 |
| d) | Refuelling in areas not approved by the Employer.                                                                                                                                                                                                                                 | R 3 000 |
| e) | Litter on Site.                                                                                                                                                                                                                                                                   | R 1 000 |
| f) | Deliberate lighting of fires on Site.                                                                                                                                                                                                                                             | R 5 000 |
| g) | Individual not making use of the Site ablution facilities.                                                                                                                                                                                                                        | R 1 000 |
| h) | Damage to trees not specified to be removed.                                                                                                                                                                                                                                      | R 5 000 |
| i) | Dust or excessive noise emanating from the site                                                                                                                                                                                                                                   | R 1 000 |
| j) | Not containing water contaminated with pollutants such as cement, concrete, fuel, etc.                                                                                                                                                                                            | R 2 000 |

For each subsequent similar offence, the fine shall be doubled in value to a maximum value of R50 000.

## **H7 TESTING**

Not applicable to this tender.

## **H8 MEASUREMENT AND PAYMENT**

### **H8.1 Basic principles**

Except where separate pay items have been measured in the Schedules of Quantities, all costs in respect of complying with the EM Specification are deemed to be covered by the sum tendered for complying with the EM Specification.

## ANNEXURE A: ENVIRONMENTAL METHOD STATEMENT

CONTRACT:.....

DATE:.....

**PROPOSED ACTIVITY** (give title of method statement and reference number from the EMP):

|  |
|--|
|  |
|--|

**WHAT WORK IS TO BE UNDERTAKEN** (give a brief description of the works - attach extra information to ensure accurate description given):

|  |
|--|
|  |
|--|

**WHERE THE WORKS ARE TO BE UNDERTAKEN** (where possible, provide an annotated plan and a full description of the extent of the works):

|  |
|--|
|  |
|--|

**START AND END DATE OF THE WORKS FOR WHICH THE METHOD STATEMENT IS REQUIRED:**

Start Date:

End Date:

**HOW THE WORKS ARE TO BE UNDERTAKEN** (provide as much detail as possible, including annotated sketches and plans where possible):

Note: please give too much information rather than too little. Please ensure that issues such as emergency procedures, hydrocarbon management, wastewater management, access, individual responsibilities, materials, plant used, maintenance of plant, protection of natural features, etc. are covered where relevant

**DECLARATIONS****1) EMPLOYER'S REPRESENTATIVE/ENVIRONMENTAL OFFICER/ENVIRONMENTAL CONTROL OFFICER**

The work described in this Method Statement, if carried out according to the methodology described, appears to be satisfactorily mitigated to prevent avoidable environmental harm:

\_\_\_\_\_  
(signed)

\_\_\_\_\_  
(print name)

Dated: \_\_\_\_\_

**2) CONTRACTOR**

I understand the contents of this Method Statement and the scope of the works required of me. I further understand that this Method Statement may be amended on application to other signatories and that the Employer's Representative/Environmental Officer/Environmental Control Officer will audit my compliance with the contents of this Method Statement. I understand that this method statement does not absolve me from any of my obligations or responsibilities in terms of the Contract.

\_\_\_\_\_  
(signed)

\_\_\_\_\_  
(print name)

Dated: \_\_\_\_\_

**3) EMPLOYER**

The works described in this Method Statement are approved.

\_\_\_\_\_  
(signed)

\_\_\_\_\_  
(print name)

\_\_\_\_\_  
(designation)

Dated: \_\_\_\_\_

**TENDER NO: 55G/2026/27**

**ANNEXURE B: ENVIRONMENTAL SITE INSPECTION CHECKLIST**  
TO BE SUBMITTED TO THE EMPLOYER ONCE A WEEK

**CONTRACT:**.....

**DATE:**.....

| ENVIRONMENTAL ASPECT                                                                                                                   | YES/ NO<br>(✓ or X) | COMMENTS |
|----------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------|
| • All new personnel on Site are aware of the contents of the EMP and have been through the environmental awareness course.             |                     |          |
| • Contractor's camp is neat and tidy, and the labourers' facilities are of an acceptable standard.                                     |                     |          |
| • Sufficient and appropriate firefighting equipment is visible and readily available in the appropriate places.                        |                     |          |
| • Waste control and removal system is being maintained.                                                                                |                     |          |
| • Fences are being maintained.                                                                                                         |                     |          |
| • Drip trays are being utilised where there is a risk of spillage.                                                                     |                     |          |
| • Bunded areas/drip trays are being emptied on a regular basis (especially after rain).                                                |                     |          |
| • No leaks are visible from maintenance vehicles.                                                                                      |                     |          |
| • Refuelling of vehicles and plant occurs within designated areas, and appropriate refuelling apparatus and drip trays are being used. |                     |          |
| • "No go" areas, natural features, vegetation, etc. have not been damaged.                                                             |                     |          |
| • Dust control measures (if necessary) are in place and are effectively controlling dust.                                              |                     |          |
| • Noise control measures (if necessary) are in place and are working effectively.                                                      |                     |          |
| • Erosion and sedimentation control measures (if necessary) are in place and are controlling effectively.                              |                     |          |
| • Material stockpiles are located within the boundary of the Site and are protected from erosion.                                      |                     |          |
| • Other                                                                                                                                |                     |          |

Completed by:.....

Signed:.....

## ANNEXURE C: MAINTENANCE PERSONNEL INFORMATION POSTER


| ENVIRONMENTAL MANAGEMENT DO'S AND DON'TS                                              |                                                                            |                                                                                     |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|    | Workers & equipment must stay inside the site boundaries at all times      |    |
|    | Do not swim in or drink from streams                                       |    |
|    | Do not throw oil, petrol, diesel, concrete or rubbish in the stream        |    |
|    | Do not work in the stream without direct instruction                       |    |
|    | Do not damage the banks or vegetation of the stream                        |    |
|   | Protect animals on the site                                                |   |
|  | Ask your supervisor or Contract's Manager to remove animals found on site  |  |
|  | Do not damage or cut down any trees or plants without permission           |  |
|  | Do not pick flowers                                                        |  |
|    | Put cigarette butts in a rubbish bin                                       |    |
|    | Do not smoke near gas, paints or petrol                                    |    |
|    | Do not light any fires without permission                                  |    |
|    | Know the positions of fire fighting equipment                              |    |
|    | Report all fires                                                           |    |
|   | Do not burn rubbish or vegetation without permission                       |   |
|  | Work with petrol, oil & diesel in areas marked for this                    |  |
|  | Report any petrol, oil & diesel leaks or spills                            |  |
|  | Use a drip tray under vehicles & machinery                                 |  |
|    | Empty drip trays after rain & do not throw this water into a river         |    |
|    | Try to avoid producing dust - wet dry ground & soil                        |    |
|    | Do not make loud noises around the site, especially near schools and homes |    |
|    | Report or repair noisy vehicles                                            |    |


### ANNEXURE 3: WORK PROJECT PROCESS AND FRAMEWORK CONTRACT FLOW DIAGRAM

Typical Steps involved to execute a Works Project:

1. Scoping Document to be completed by CCT
2. Contractor Accept/Refusal Works Project within 2 working days of receiving QCP from CCT failure to respond the alt service provider will be given work.
3. Site Visit, if required (Contractor and CCT)
4. Contractor returns completed BOQ Items based on Scoping and SOR (Both), along with Technical Failure Assessment Report (if requested), within 5 working days post acceptance of works project and/or site visit.
5. Contractor and CCT Agree on BOQ Items based on Scoping and SOR (Both)
6. Provisional Sum (If Applicable) – Proof of Three (3) Quotes
7. **Compile and Sign Works Package Contract**
8. Purchase Order (CCT)
9. Risk Assessment/Method Statement/Timeline (Supplier) within 2 working days of receiving Purchase Order
10. Execution of Works Project  
Inspection Hold Point / Quality Control documentation
11. Penalty (If Applicable), as per clause 22 of SCC.
12. Completion Acceptance (CCT)
13. Invoice (Supplier) within 1 working day of receiving completion acceptance.
14. Payment (CCT)
15. Warranty Period

See illustrative flow diagram:





## ANNEXURE 4: WORKS PROJECT ACCEPTANCE/REFUSAL NOTICE

### Works Project Acceptance/Refusal Notice

Should the contractor accept the work opportunity, he shall do so on this form as part of his Works Project offer.

Should the contractor wish to refuse the work opportunity, he shall do so on this form, which must be returned to the offices of the Employer's agent as soon as possible, but not later than the date for submission agreed with CCT. The contractor must provide written reason/s for refusing the work opportunity and these must be submitted with the completed Works Project Acceptance/Refusal Notice.

In the event that the contractor fails to submit a refusal notice, or an offer, by the due date, the City reserves the right to offer the works to the alternative bidder.

I/We herewith

|               |                          |   |                     |
|---------------|--------------------------|---|---------------------|
| <b>Accept</b> | <input type="checkbox"/> | } | Tick applicable box |
| <b>Refuse</b> | <input type="checkbox"/> |   |                     |

the opportunity afforded to me/us by the City of Cape Town to participate in the work allocation process as set out in the Work Allocation Procedures for the work specified in the Works Project contract document.

I/We accept that no contractor will be allocated work unless the contractor has demonstrated to the satisfaction of the Employer that he has the resources, including a site specific construction manager, required for this Works Project.

I/We agree to the construction time period specified in the Scope of Work.

**CONTRACTOR'S NAME:** .....

**AUTHORISED CONTACT PERSON (NAME):** .....

**SIGNATURE:** .....

**DATE:**.....

## Annexure 5: Local Workshop and Storage Facility Checklist

**NOTE:** This is not an eligibility criterion; it is a contract condition.

A City of Cape Town Engineer will engage the successful tenderer(s) and a workshop inspection will be arranged with the tenderer(s) within one month from contract commencement date.

The CCT Engineer is required to inspect, complete and certify the workshop in order to ensure it meets the CCT Water and Sanitation department's minimum requirements for a maintenance workshop suitable for industrial type repairs, and this term tender's requirements.

Workshop name: \_\_\_\_\_

Workshop location: \_\_\_\_\_

| CHECKS                                                                                                                                                                                                         | Comment | Acceptable Yes/No |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|
| Structure: <ul style="list-style-type: none"> <li>- Roof and walls</li> <li>- Hard Floor Area</li> <li>- Office</li> <li>- Floor layout and clear demarcation</li> <li>- Compliant to 5S Principles</li> </ul> |         |                   |
| Minimum working height of 3m available                                                                                                                                                                         |         |                   |
| The workshop has suitable lifting equipment (forklift/overhead gantry or mobile A frame)                                                                                                                       |         |                   |
| The workshop is suitably equipped in terms of a lathe machine.                                                                                                                                                 |         |                   |
| The workshop is suitably equipped in terms of a milling machine.                                                                                                                                               |         |                   |
| The workshop is suitably equipped in terms of Tig/Mig Welding Equipment                                                                                                                                        |         |                   |
| Vehicles: <ul style="list-style-type: none"> <li>- LDV</li> <li>- Truck</li> <li>- Crane</li> </ul>                                                                                                            |         |                   |
| Storage capability                                                                                                                                                                                             |         |                   |

### COMMENTS

|                            |  |  |
|----------------------------|--|--|
| Date                       |  |  |
| Project Name               |  |  |
| CCT Rep – Name & Signature |  |  |

**(14.1) MONTHLY PROJECT LABOUR REPORT (EXAMPLE)****ANNEX 1****CITY OF CAPE TOWN  
MONTHLY PROJECT LABOUR REPORT**CITY OF CAPE TOWN  
ISIXEKO SASEKAPA  
STAD KAAPSTAD**Instructions for completing and submitting forms**General

- 1 The Monthly Project Labour Reports must be completed in full, using typed, proper case characters; alternatively, should a computer not be available, handwritten in black ink.
- 2 Incomplete / incorrect / illegible forms will not be accepted.
- 3 Any conditions relating to targeted labour stipulated in the Contract (in the case of contracted out services or works) shall apply to the completion and submission of these forms.
- 4 This document is available in Microsoft Excel format upon request from the City's EPWP office, tel 021 400 9406, email EPWPLR@capetown.gov.za.

Project Details

- 5 If a field is not applicable insert the letters: NA
- 6 Only the Project Number supplied by the Corporate EPWP Office must be inserted.  
The Project Number can be obtained from the Coordinator or Project Manager or from the e-mail address in point 4 above.
- 7 On completion of the contract or works project the anticipated end date must be updated to reflect the actual end date.

Beneficiary Details and Work Information

- 8 Care must be taken to ensure that beneficiary details correspond accurately with the beneficiary's ID document.

- 9 A new beneficiary is one in respect of which a new employment contract is signed in the current month. A certified ID copy must accompany this labour report on submission.
- 10 Was the beneficiary sourced from the City's job seeker database?
- 11 The contract end date as stated in the beneficiary's employment contract.
- 12 Where a beneficiary has not worked in a particular month, the beneficiary's name shall not be reflected on this form at all for the month in question.
- 13 Training will be recorded separately from normal working days and together shall not exceed the maximum of 23 days per month
- 14 Workers earning more than the maximum daily rate (currently R450 excluding any benefits) shall not be reflected on this form at all.

Submission of Forms

- 15 Signed hardcopy forms must be scanned and submitted to the City's project manager in electronic (.pdf) format, together with the completed form in Microsoft Excel format.
- 16 Scanned copies of all applicable supporting documentation must be submitted along with each monthly project labour report. Copies of employment contracts and ID documents are only required in respect of new beneficiaries.
- 17 If a computer is not available hardcopy forms and supporting documentation will be accepted.

**PROJECT DETAILS**

Numbers in cells below e.g (6) refer to the relevant instruction above for completing and submitting forms

|                                                                                                 |     |                                         |              |
|-------------------------------------------------------------------------------------------------|-----|-----------------------------------------|--------------|
| CONTRACT OR WORKS<br>PROJECT NAME: (6)                                                          |     | EPWP SUPPLIED<br>PROJECT NUMBER: (6)    |              |
| DIRECTORATE:                                                                                    |     | DEPARTMENT:                             |              |
| CONTRACTOR OR<br>VENDOR NAME:                                                                   |     | CONTRACTOR OR VENDOR<br>E-MAIL ADDRESS: |              |
| CONTRACTOR OR VENDOR<br>CONTACT PERSON:                                                         |     | CONTRACTOR OR VENDOR<br>TEL. NUMBER:    | CELL<br>WORK |
| PROJECT LABOUR REPORT CURRENT MONTH (mark with "X")                                             |     |                                         |              |
| JAN                                                                                             | FEB | MAR                                     | APR          |
| MAY                                                                                             | JUN | JUL                                     | AUG          |
| SEP                                                                                             | OCT | NOV                                     | DEC          |
| YEAR                                                                                            |     |                                         |              |
| ACTUAL START DATE (yyyy/mm/dd)                                                                  |     |                                         |              |
| ANTICIPATED / ACTUAL END DATE (yyyy/mm/dd) (7)                                                  |     |                                         |              |
| TOTAL PROJECT EXPENDITURE / VALUE OF WORK DONE TO-DATE (INCLUDING ALL COSTS, BUT EXCLUDING VAT) |     |                                         |              |
| R                                                                                               |     |                                         |              |

ANNEX 1 (continued)

## MONTHLY PROJECT LABOUR REPORT

## BENEFICIARY DETAILS AND WORK INFORMATION



|                                      |  |
|--------------------------------------|--|
| CONTRACT OR WORKS<br>PROJECT NUMBER: |  |
|--------------------------------------|--|

|      |       |
|------|-------|
| Year | Month |
|      |       |

|       |    |  |
|-------|----|--|
| Sheet |    |  |
| 1     | of |  |

|     | (8)        | (8)     | (8)       | (9)                   |              |                | (10)                      |                              | (11)                       | (12)                                        | (13)          | (14)                        |
|-----|------------|---------|-----------|-----------------------|--------------|----------------|---------------------------|------------------------------|----------------------------|---------------------------------------------|---------------|-----------------------------|
| No. | First name | Surname | ID number | New Beneficiary (Y/N) | Gender (M/F) | Disabled (Y/N) | Job seeker database (Y/N) | Contract start date (DDMMYY) | Contract end date (DDMMYY) | No. days worked this month (excl. training) | Training days | Rate of pay per day (R – c) |
| 1   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 2   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 3   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 4   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 5   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 6   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 7   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 8   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 9   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 10  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 11  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 12  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 13  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 14  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 15  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 16  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 17  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 18  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 19  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 20  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
|     |            |         |           |                       |              |                |                           |                              |                            |                                             | 0             | 0 R -                       |

|                                                          |      |  |           |  |
|----------------------------------------------------------|------|--|-----------|--|
| Declared by Contractor or Vendor to be true and correct: | Name |  | Signature |  |
|                                                          | Date |  |           |  |

|                                                |      |  |           |  |
|------------------------------------------------|------|--|-----------|--|
| Received by Employer's Agent / Representative: | Name |  | Signature |  |
|                                                | Date |  |           |  |

**(14.2) BBBEE SUB-CONTRACT EXPENDITURE REPORT (PRO FORMA)**

TENDER NO. AND DESCRIPTION: .....

SUPPLIER: .....

**B-BBEE SUB-CONTRACT EXPENDITURE REPORT**

|                                                                                          |   |                                       |  |
|------------------------------------------------------------------------------------------|---|---------------------------------------|--|
| Rand Value of the contract (as defined in Schedule 4: Preference Schedule) ( <b>P*</b> ) | R | B-BBEE Status Level of Prime Supplier |  |
|------------------------------------------------------------------------------------------|---|---------------------------------------|--|

| Name of Sub-contractor<br>(list all)             | B-BBEE Status Level of<br>supplier <sup>1</sup> | Total value of Sub-<br>contract (excl. VAT) <sup>1</sup> | Value of Sub-contract<br>work to date<br>(excl. VAT) <sup>1</sup> | Value of Sub-contract work to<br>Sub-contractors with a lower B-<br>BBEE Status Level than<br>supplier |
|--------------------------------------------------|-------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| Sub-contractor A                                 |                                                 | R                                                        | R                                                                 | R                                                                                                      |
| Sub-contractor B                                 |                                                 | R                                                        | R                                                                 | R                                                                                                      |
| Sub-contractor C                                 |                                                 | R                                                        | R                                                                 | R                                                                                                      |
|                                                  |                                                 |                                                          |                                                                   |                                                                                                        |
|                                                  |                                                 |                                                          |                                                                   |                                                                                                        |
| <sup>1</sup> Documentary evidence to be provided |                                                 |                                                          |                                                                   | Total: R                                                                                               |
|                                                  |                                                 |                                                          |                                                                   | Expressed as a percentage of <b>P*</b> %                                                               |

**Signatures**

Declared by supplier  
to be true and  
correct:

.....

Date: .....

Verified by CCT  
Project Manager:

.....

Date: .....

**(14.3) PARTNERSHIP/ JOINT VENTURE (JV) / CONSORTIUM/ EXPENDITURE REPORT (PRO FORMA)**

TENDER NO. AND DESCRIPTION: .....

SUPPLIER: .....

**PARTNERSHIP/ JOINT VENTURE (JV)/ CONSORTIUM EXPENDITURE REPORT**

|                                                                                 |   |                                                                    |  |
|---------------------------------------------------------------------------------|---|--------------------------------------------------------------------|--|
| Rand value of the contract (as defined in Schedule 4: Preference Schedule) (P*) | R | B-BBEE Status Level of Partnership/ Joint Venture (JV)/ Consortium |  |
|---------------------------------------------------------------------------------|---|--------------------------------------------------------------------|--|

| Name of partners to the Partnership/ JV / Consortium (list all) | B-BBEE Status Level of each partner at contract award | Percentage contribution of each partner as per the Partnership/ JV/ Consortium Agreement <sup>1</sup> | Total value of partner's contribution (excl. VAT) <sup>1</sup><br>B = A% x P* | Value of partner's contribution to date (excl. VAT) <sup>1</sup><br>C | Value of partner's contribution as a percentage of the work executed to date<br>D = C/P*x100 |
|-----------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-----------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
|                                                                 |                                                       | A                                                                                                     |                                                                               |                                                                       |                                                                                              |
| Partner A                                                       |                                                       | %                                                                                                     | R                                                                             | R                                                                     | %                                                                                            |
| Partner B                                                       |                                                       | %                                                                                                     | R                                                                             | R                                                                     | %                                                                                            |
| Partner C                                                       |                                                       | %                                                                                                     | R                                                                             | R                                                                     | %                                                                                            |
|                                                                 |                                                       |                                                                                                       |                                                                               |                                                                       |                                                                                              |
|                                                                 |                                                       |                                                                                                       |                                                                               |                                                                       |                                                                                              |

<sup>1</sup>Documentary evidence to be provided**Signatures**Declared by supplier  
to be true and  
correct:

.....

Date: .....

Verified by CCT  
Project Manager:

.....

Date: .....

## C.7 SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract, referring to the National Treasury – Conditions of Contract (revised July 2010), are applicable to this agreement.

### 1. Definitions

1. The following terms shall be interpreted as indicated:

- 1.1 'Closing time' means the date and hour specified in the bidding documents for the receipt of bids.
  - a) "Commencement Date" means the date the Supplier confirms receipt from the Purchaser of 1 (one) complete, signed copy of the Contract, the *Schedule of Deviations* (if any).
  - b) "Conditions of Contract" means the general conditions of contract and special conditions of contract including all other contract data incorporated by reference.
- 1.2 'Contract' means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3 'Contract price' means the price payable to the supplier under the contract for the full and proper performance of his or her contractual obligations.
- 1.4 'Corrupt practice' means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5 'Countervailing duties' are imposed in cases in which an enterprise abroad is subsidised by its government and encouraged to market its products internationally.
- 1.6 'Country of origin' means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognised new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 'Day' means calendar day.
- 1.8 'Delivery' means delivery in compliance with the conditions of the contract or order.
- 1.9 'Delivery ex stock' means immediate delivery directly from stock actually on hand.
- 1.10 'Delivery into consignee's store or to his site' means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11 'Dumping' occurs when a private enterprise abroad markets its goods on its own initiative in the RSA at lower prices than that of the country of origin, and which action has the potential to harm the local industries in the RSA.
- 1.12 'Force majeure' means an event beyond the control of the supplier, not involving the supplier's fault or negligence, and not foreseeable. Such events may include, but are not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 'Fraudulent practice' means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 'GCC' means the General Conditions of Contract.
- 1.15 The word 'Goods' is to be replaced everywhere it occurs in the GCC with the phrase 'Goods and / or Services' which means all of the equipment, machinery, materials, services, products, consumables, etc. that the Supplier is required to deliver to the Purchaser under the agreement. This definition shall also be

applicable, as the context requires, anywhere where the words “supplies” and “services” occurs in the GCC.

- 1.16 ‘Imported content’ means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 ‘Local content’ means that portion of the bidding price, which is not included in the imported content, provided that local manufacture does take place.
- 1.18 ‘Manufacture’ means the production of products in a factory using labour, materials, components and machinery, and includes other, related value-adding activities.
- 1.19 The word ‘Order’ is to be replaced everywhere it occurs in the GCC with the words ‘Purchase Order’ which means the official purchase order authorised and released on the Purchaser’s SAP System.
- 1.20 ‘Project site’, where applicable, means the place indicated in bidding documents.
- 1.21 ‘Purchaser’ means the City of Cape Town. The address of the Purchaser is 12 Hertzog Boulevard, Cape Town, 8001 (chosen domicilium citandi et executandi).
- 1.22 ‘Republic’ means the Republic of South Africa.
- 1.23 ‘SCC’ means the Special Conditions of Contract.
- 1.24 ‘Services’ means those functional services ancillaries to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance, and other such obligations of the supplier covered under the contract.
- 1.25 ‘Written’ or ‘in writing’ means handwritten in ink or any form of electronic or mechanical writing.
- 1.26 ‘Supplier’ means the provider of Goods and / or Services with whom the Contract is concluded also referred to as “contractor” in the GCC.
- 1.27 “Intellectual Property” means any and all intellectual property rights of any nature anywhere in the world whether registered, registerable or otherwise, including patents, trademarks, registered designs and domain names, applications for any of the foregoing, trade or business names, copyright and rights in the nature of copyright, design rights, rights in databases, know-how, trade secrets and any other intellectual property rights which subsist in computer software, computer programs, websites, documents, information, techniques, business methods, drawings, logos, instruction manuals, lists and procedures and particulars of customers, marketing methods and procedures and advertising literature, including the “look and feel” of any websites
- 1.28 “Working Day” means Monday to Friday excluding weekends and Public Holidays (in the Republic of South Africa).

## 2. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders, including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

### 3. General Obligations

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable, a non-refundable fee for documents may be charged.
- 3.2 The Parties will be liable to each other arising out of or in connection with any breach of the obligations detailed or implied in this contract, subject to clause 28.
- 3.3 If the Supplier is a joint venture, all parties in a joint venture or consortium shall be jointly and severally liable to the Purchaser in terms of the Contract and shall carry individually the minimum levels of insurance stated in the Contract, if any.
- 3.4 The Parties shall comply with all laws, regulations and bylaws of local or other authorities having jurisdiction regarding the Delivery of the Goods and/or Services and give all notices and pay all charges required by such authorities.
- 3.4.1 The Parties agree that this Contract shall also be subject to the CCT's Supply Chain Management Policy ("SCM Policy") that was applicable on the date the bid was advertised as amended from time to time. If the Purchaser adopts a new SCM Policy which contemplates that any clause therein would apply to the Contract emanating from this tender, such clause shall also be applicable to the Contract. Please refer to this document contained on the CCT's website.
- 3.4.2 Abuse of the supply chain management system is not permitted and may result in termination of the Contract, restriction of the Supplier, and/or the exercise by the CCT of any other remedies available to it as described in the SCM Policy or in law.
- 3.5 The Supplier shall:
  - 3.5.1 Arrange for the documents listed below to be provided to the Purchaser prior to the issuing of the Purchase Order by the Purchaser and no later than the periods as set out in the Contract:
    - a) Proof of Insurance (Refer to Clause 11) or Insurance Broker's Warrantee,
    - b) Letter of good standing from the Compensation Commissioner, or a licensed compensation insurer (Refer to Clause 11),
    - c) Initial delivery programme, and
    - d) Other requirements as detailed in the Contract.
  - 3.5.2 Only when notified of the acceptance of the bid on the Date of Commencement of Contract, the Supplier shall commence with and carry out the Delivery of the Goods and/or Services in accordance with the Contract, to the satisfaction, of the Purchaser.
  - 3.5.3 Provide all of the necessary materials, labour, plant and equipment required for the delivery of the Goods and/or Services including any temporary services that may be required.
  - 3.5.4 Insure his workmen and employees against death or injury arising out of the delivery of the Goods.
  - 3.5.5 Be continuously represented during the Delivery of the Goods and/or Services by a competent representative duly authorised to execute instructions.
  - 3.5.6 In the event of a loss resulting in a claim against the insurance policies stated in clause 11, pay the first amount (excess) as required by the insurance policy.
  - 3.5.7 Comply with all written instructions from the Purchaser subject to clause 18.
  - 3.5.8 Complete and Deliver the goods within the period stated in clause 10, or any extensions thereof in terms of clause 21.
  - 3.5.9 Make good at his own expense, all incomplete and defective Goods during the warranty period.
  - 3.5.10 Pay to the Purchaser any penalty for delay as due on demand by the Purchaser. The Supplier hereby consents to such amounts being deducted from any payment due to the Supplier.
  - 3.5.11 Comply with the provisions of the OHAS Act & all relevant regulations.

- 3.5.12 Comply with all laws relating to wages and conditions generally governing the employment of labour in the Cape Town area and any applicable Bargaining Council agreements.
- 3.5.13 Deliver the Goods in accordance with the Contract and with all reasonable care, diligence and skill in accordance with generally accepted professional techniques and standards.
- 3.6 The Purchaser shall:
  - 3.6.1 Issue Purchaser Orders for the Goods and/or Services required under this Contract. No liability for payment will ensue for arising out of the Delivery of the Goods and/or Services, unless a Purchase Order has been issued to the Supplier.
  - 3.6.2 Make payment to the Supplier for the Goods and/or Services as set out herein.
  - 3.6.3 Take possession of the Goods and /or Services upon Delivery by the Supplier.
  - 3.6.4 Regularly inspect the Goods to establish that it is being delivered in compliance with the Contract.
  - 3.6.5 Give any instructions and/or explanations and/or variations to the Supplier including any relevant advice to assist the Supplier to understand the Contract.
  - 3.6.6 Grant or refuse any extension of time requested by the Supplier of the period stated in clause 10.
  - 3.6.7 Inspect the Goods and/or Services to determine if, in the opinion of the Purchaser, it has been delivered in compliance with the Contract, alternatively in such a state that it can be properly used for the purpose for which it was intended.
  - 3.6.8 Brief the Supplier and issue all documents, information, etc. in accordance with the contract.

#### **4. Standards**

- 4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

#### **5. Use of contract documents and information; inspection, copyright, confidentiality, etc.**

- 5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for the purposes of such performance.
- 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1, except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself, mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so, required by the purchaser.
- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.
- 5.5 Copyright of all documents prepared by the Supplier in accordance with the relevant provisions of the Copyright Act (Act 98 of 1978) relating to the Contract shall be vested in the Purchaser. Where copyright is vested in the Supplier, the Purchaser shall be entitled to use the documents or copy them only for the purposes for which they are intended in regard to the agreement and need not obtain the Supplier's permission to copy it for such use. Where copyright is vested in the Purchaser, the Supplier shall not be liable in any way for the use of any of the information other than as originally intended in terms of the agreement and the Purchaser hereby indemnifies the Supplier against any claim which may be made against it by any person / entity, arising from the use of such documentation for other purposes.

The ownership of data and factual information collected by the Supplier and paid for by the Purchaser shall, after payment, vest with the Purchaser.

## 5.6 Publicity and publication

The Supplier shall not release public or media statements or publish material related to the services or agreement within two (2) years of Delivery of the Goods, without the written approval of the Purchaser, which approval shall not be unreasonably withheld.

## 5.7 Confidentiality

Both Parties shall keep all information obtained by them in the context of the agreement, confidential and shall not divulge it without the written approval of the other Party.

## 5.8 Intellectual Property

5.8.1 The Supplier acknowledges that it shall not acquire any right, title or interest in or to the Intellectual Property of the Purchaser.

5.8.2 The Supplier hereby assigns to the Purchaser, all Intellectual Property created, developed or otherwise brought into existence by it for the purposes of the agreement, unless the Parties expressly agree otherwise in writing.

5.8.3 The Supplier shall, and warrants that it shall:

5.8.3.1 Not be entitled to use the Purchaser's Intellectual Property for any purpose other than as contemplated in the agreement.

5.8.3.2 not modify, add to, change or alter the Purchaser's Intellectual Property, or any information or data related thereto, nor may the Supplier produce any product as a result of, including and/or arising from any such information, data and Intellectual Property, and in the event that it does produce any such product, the product shall be, and be deemed in law to be, owned by the Purchaser;

5.8.3.3 Not apply for or obtain registration of any domain name, trademark or design which is similar to any Intellectual Property of the Purchaser;

5.8.3.4 Comply with all reasonable directions or instructions given to it by the Purchaser in relation to the form and manner of use of the CCT Intellectual Property, including without limitation, any brand guidelines which the Purchaser may provide to the Supplier from time to time.

5.8.3.5 Ensure that its employees, directors, members and contractors comply strictly with the provisions of this Clause 5.5.8.4 above unless the Purchaser expressly agrees to the contrary, in writing and only after obtaining due internal authority for such agreement.

5.8.4 The Supplier represents and warrants to the Purchaser that, in providing Goods and/or Services for the duration of the agreement it will not infringe or make unauthorised use of the Intellectual Property rights of any third party and hereby indemnifies the Purchaser from any claims, liability, loss, damages, costs, and expenses arising from the infringement or unauthorised use by the Supplier of any third party's Intellectual Property rights.

5.8.5 Upon expiry of the contract period and in the event that the Contract is terminated, ended or is declared void, any and all of the Purchaser's Intellectual Property, and any and all information and data related thereto, shall be immediately handed over to the Purchaser by the Supplier and no copies thereof shall be retained by the Supplier unless the Purchaser expressly and in writing, after obtaining due internal authority, agrees otherwise.

## 5.9 Protection of Personal Information Act of 2013

By submitting a tender to the Purchaser, (and by concluding any ensuing related agreement with the City of Cape Town, if applicable), the Tenderer thereby acknowledges and unconditionally agrees:

5.9.1 that the tenderer has been informed of the purpose of the collection and processing of its personal information as defined in the Protection of Personal Information Act of 2013 ("POPIA"), which, for the avoidance of doubt is for, and in relation to, the tender process and the negotiation, conclusion, performance and enforcement of the ensuing agreement, if applicable, as well as for the City of Cape Town's reporting purposes;

- 5.9.2 to the collection and processing of the tenderer's personal information by the City of Cape Town and agrees to make available to the City of Cape Town, all information reasonably required by the City of Cape Town for the above purposes.
- 5.9.3 that the personal information the City of Cape Town collects from the tenderer or about the tenderer may be further processed for other activities and/or purposes which are lawful, reasonable, relevant and not excessive in relation to the purposes set out above, for which it was originally collected.
- 5.9.4 that, the tenderer indemnifies the City of Cape Town and its officials, employees, and directors and undertakes to keep the City of Cape Town and its officials, employees, and directors indemnified in respect of any claim, loss, demands, liability, costs and expenses of whatsoever nature which may be made against the City of Cape Town (including the costs incurred in defending or contesting any such claim) in relation to the tenderer or the tenderer's employees', representatives' and/or sub-Suppliers' non-compliance with POPIA and/or the City of Cape Town's failure to obtain the tenderer's consent or to notify the tenderer of the reason for the processing of the tenderer's personal information;
- 5.9.5 to the disclosure of the tenderer's personal information by the City of Cape Town to any third party, where the City of Cape Town has a legal or contractual obligation to disclose such personal information to the third party (or a legitimate interest exists therein).
- 5.9.6 that, under POPIA, the tenderer may request to access, confirm, request the correction, destruction, or deletion of, or request a description of, personal information held by the City of Cape Town in relation to you, subject to applicable law; and that under POPIA, subject to applicable law, the tenderer also has the right to be notified of a personal information breach and the right to object to, or restrict, the City of Cape Town's processing of its personal information.

## 5.10 PERFORMANCE MONITORING

- 5.10.1 As required by section 116(2)(b) of the Local Government: Municipal Financial Management Act 56 of 2003, the CCT shall monitor the performance of the Supplier on at least a monthly basis, and the Supplier agrees to provide the CCT with its full cooperation in this regard.

## 6. Patent rights

- 6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from the use of the goods or any part thereof by the purchaser.

## 7. Performance Security

- 7.1 Within 14 (fourteen) days of Commencement Date the Supplier shall furnish to the Purchaser the performance security:
- 7.1.1 For the Guarantee Sum equal to **DRAFTER TO INSERT RAND AMOUNTS REQUIRED AS DETERMINED IN ACCORDANCE WITH THE REQUIREMENTS OF THE SCM POLICY]** being 0% percent of the Contract price or such other applicable amount.
- 7.1.2 The Performance Security/Guarantee furnished shall be issued by an Approved Financial Institution listed in the Pro Forma Performance Security/Guarantee as at [ insert date] (being institutions approved for issue of contract guarantees by the Purchaser).
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be furnished strictly in accordance with the terms and conditions set out in Form of Performance Security/ Guarantee.
- 7.4 The performance security will be discharged by the Purchaser and returned to the Supplier strictly in accordance with the terms and conditions set out in the Performance Security/ Guarantee.

## 8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.

- 8.2 If it is a bid condition that Goods and/or Services to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or Supplier shall be open, at all reasonable hours, for inspection by a representative of the Purchaser or an organisation acting on behalf of the Purchaser.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention of such is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or analysed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier, who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal, the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of the GCC.

## **9. Packing**

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in the SCC, and in any subsequent instructions ordered by the purchaser.

## **10. Delivery and documents**

- 10.1 Delivery of the goods shall be made by the Supplier in accordance with the terms specified in the contract. The time for Delivery of the goods shall be the date as stated on the Purchase Order. In the case of agreements for Delivery of goods in terms of framework or panel agreements, Purchase Orders for the supply and delivery of goods may be raised up until the expiry of a framework or panel agreement, provided that the goods can be delivered within 30 (thirty) days of expiry of the framework or panel agreement. In this context, the "goods" does not include services and carries its ordinary meaning. All Purchase Orders other than for the supply and Delivery of goods (i.e. supply of services, professional services or constructions works), must be completed prior to the expiry of the contract period.
- 10.2 The Purchaser shall determine, in its sole discretion, whether the Goods and/or Services have been delivered in compliance with the Contract, alternatively in such a state that it can be properly used for the purpose for which it was intended. When the Purchaser determines that the Goods and/or Services have been satisfactorily delivered, the Purchaser must issue an appropriate certification, or written approval, to that effect. Invoicing may only occur, and must be dated, on or after the date of such written acceptance of the Goods.

## **11. Insurance**

- 11.1 The goods supplied under the contract shall be fully insured, in a freely convertible currency, against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.
- 11.2 Without limiting the obligations of the Supplier in terms of this Contract, the Supplier shall affect and maintain the following additional insurances:
- 11.2.1 Public liability insurances, in the name of the Supplier, covering the Supplier and the Purchaser against liability for the death of or injury to any person, or loss of or damage to any property, arising out of or in the course of this Contract, in an amount not less than **[R20 million]** for any single claim.
- 11.2.2 Motor Vehicle Liability Insurance, in respect of all vehicles owned and / or leased by the Supplier, comprising (as a minimum) "Balance of Third Party" Risks including Passenger Liability Indemnity.
- 11.2.3 Registration / insurance in terms of the Compensation for Occupational Injuries and Disease Act, Act 130 of 1993. This can either take the form of a certified copy of a valid Letter of Good Standing issued by the Compensation Commissioner, or proof of insurance with a licenced compensation insurer, from either the Supplier's broker or the insurance company itself (see the Pro Forma Insurance Broker's Warranty).
- [11.2.4 In the case of Contracts for delivery of professional services, Professional indemnity insurance providing cover in an amount of not less than **[R5 million]** in respect of each and every claim during the contract period.]
- 11.2.5 In the event of under insurance or the insurer's repudiation of any claim for whatever reason, the Purchaser will retain its right of recourse against the Supplier.
- 11.3 The Supplier shall be obliged to furnish the Purchaser with proof of such insurance as the Purchaser may require from time to time for the duration of this Contract. Evidence that the insurances have been effected in terms of this clause, shall be either in the form of an insurance broker's warranty worded precisely as per the pro forma version contained in the Pro forma Insurance Broker's Warranty or copies of the insurance policies.

## 12. Transportation

- 12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

## 13. Incidental Services

- 13.1 The supplier may be required to provide any or all of the following services, including additional services (if any) specified in the SCC:
- (a) performance or supervision of on-site assembly, and/or commissioning of the supplied goods;
  - (b) furnishing of tools required for the assembly and/or maintenance of the supplied goods;
  - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
  - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
  - (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

## 14. Spare parts

- 14.1 As specified in the SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
  - (b) in the event of termination of production of the spare parts:
    - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and

- (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

## 15. Warranty

- 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications), or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2 This warranty shall remain valid for 12 (twelve) months after the goods, or any portion thereof, as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for 18 (eighteen) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in the SCC.
- 15.3 The purchaser shall notify the supplier promptly, in writing, of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, within the period specified in the SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in the SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

## 16. Payment

- 16.1 Payment of invoices will be made:
- 16.1.1 Within 30 (thirty) days of receiving the relevant invoice or statement from the Supplier, unless otherwise prescribed for certain categories of expenditure or specific contractual requirements in accordance with any other applicable policies of the Purchaser.
- 16.1.2 Notwithstanding anything contained above, the Purchaser shall not be liable for payment of any invoice that pre-dates the date of delivery of any Goods and/or Services.
- 16.2 The Supplier shall furnish the purchaser's Accounts Payable Department with an original tax invoice, clearly showing the amount due in respect of each and every claim for payment.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than 30 (thirty) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in the SCC.
- 16.5 Notwithstanding any amount stated on the Purchase Order, the Supplier shall only be entitled to payment for Goods and/or Services actually delivered in terms of the Specification and Drawings, or any variations thereof made in accordance with clause 18. Any contingency sum included shall be for the sole use, and at the discretion, of the Purchaser.
- 16.6 The Purchaser will only make advanced payments to the Supplier in strict compliance with the terms and conditions as contained in the Pro forma Advanced Payment Guarantee and only once the authenticity of such guarantee has been verified by the Purchaser's Treasury Department.
- 16.6.1 The Advance Payment Schedule applicable to this Contract is set out below. The items of plant and materials which have been identified by the Purchaser as being suitable for advance payment in terms of this Contract are listed in the table below, and for which the Purchaser is prepared to make advance payment to the Supplier, subject to the conditions below. Should an item or items be added to the list at tender stage by a tenderer, no obligation to advance payment shall be incurred by the Purchaser, for such items added by the tenderer except as provided for herein.

|                                                                                 |                                                                                                    |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| Plant and materials which have been manufactured and are stored by the supplier | Plant and materials yet to be manufactured and for which a deposit with order is required from the |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|

|  |                                                                                           |
|--|-------------------------------------------------------------------------------------------|
|  | supplier by a third-party manufacturer/supplier, and which may be stored by the supplier: |
|  |                                                                                           |
|  |                                                                                           |
|  |                                                                                           |
|  |                                                                                           |

16.6.2 The Supplier can only rely on advance payment being permitted by the Purchaser in respect of the plant and materials listed in the table above. The Purchaser may, however, permit advance payment for other plant and materials in exceptional circumstances and at its sole discretion, during the course of the Contract, and upon reasonable request from the Supplier.

16.6.3 Advance payment for the purposes of deposits will only be provided up to a limit of [0 %] of the value of any one item being claimed.

16.6.4 The Supplier shall provide the Purchaser with documentary evidence of the terms and conditions for which a deposit with order is required by a third party manufacturer/supplier, together with the advance payment guarantee.

16.6.5 The Supplier will also be permitted to obtain advance payment for the balance of the value of the plant and materials in respect of which he has paid a deposit, for an item which after manufacture is stored by the Supplier. The Supplier shall, in respect of such payment, provide an advance payment guarantee, either for such balance or, if the advance payment guarantee in respect of the deposit is to be returned by the Purchaser upon request, for the whole value of the item.

## 17. Prices

*Add the following after clause 17.1*

17.2 If as a result of an award of a contract beyond the original tender validity period, the contract execution will be completed beyond a period of twelve (12) months from the expiry of the original tender validity period, then the contract may be subject to contract price adjustment for that period beyond such twelve (12) months. An appropriate contract price adjustment formula will be determined by the Purchaser delegated authority if such was not included in the bid documents.

17.3 If as a result of any extension of time granted, the contract execution will be completed beyond a period of twelve (12) months from the expiry of the original tender validity period, then contract price adjustment may apply to that period beyond such twelve (12) months. An appropriate contract price adjustment formula will be determined by the Director: Supply Chain Management if such was not included in the bid documents.

## 18. Contract Amendments and Variations

18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned. Variations means changes to the Goods and/or Services, extension of the contract period or increases in the value of the Contract as a result of written instructions issued by the Purchaser to the Supplier. Such changes are subject to prior approval by the Purchaser's delegated authority. Should the Supplier deliver any Goods not described in a written instruction from the Purchaser, the Purchaser's liability for payment shall not arise until such time as the change has been duly approved and such approval communicated to the Purchaser.

## 19. Assignment

19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

## 20. Subcontracts

20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

20.2 The Supplier shall be liable for the acts, defaults and negligence of any subcontractor, his agents or

employees as fully as if they were the acts, defaults or negligence of the Supplier.

- 20.3 Any appointment of a subcontractor shall not amount to a contract between the Purchaser and the subcontractor, or a responsibility or liability on the part of the Purchaser to the subcontractor and shall not relieve the Supplier from any liability or obligation under the Contract.

## 21. Delays in the supplier's performance

*Delete Clause 21.2 in its entirety and replace with the following:*

- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.

- 21.2 If at any time during the performance of obligations contained in the Contract the Supplier or its subcontractors should encounter conditions beyond their reasonable control which impede the timely delivery of the Goods and/or Services, the Supplier shall notify the Purchaser in writing, within 7 (seven) days of first having become aware of these conditions, of the facts of the delay, its cause(s) and its probable duration. As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may at his discretion extend the time for Delivery.

Where additional time is granted, the Purchaser shall also determine whether or not the Supplier is entitled to payment for additional costs in respect thereof. The principle to be applied in this regard is that where the Purchaser or any of its agents are responsible for the delay, reasonable costs shall be paid. In respect of delays that were beyond the reasonable control of both the Supplier and the Purchaser, additional time only (no costs) will be granted.

The Purchaser shall notify the Supplier in writing of his decision(s) in the above regard.

- 21.3 No provision in this Contract shall be deemed to prohibit the obtaining of Goods and/or Services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure, outside of the contract, small quantities of supplies; or to have minor essential services executed if an emergency arises, or the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.
- 21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without cancelling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and, without prejudice to his other rights, be entitled to claim damages from the supplier.

## 22. Penalties

- 22.1 Subject to GCC Clause 25, if the Supplier fails to deliver any or all of the Goods and/or Services within the period(s) specified in the Contract, the Purchaser shall, without prejudice to its other remedies under the Contract, deduct from amounts payable, as a penalty, a sum as stated herein for each day of the delay until actual Delivery or performance.

The penalty for this contract shall be **0.1% of the Work Project contract amount per day**.

- 22.2 The Purchaser shall, without prejudice to its other remedies under the contract, deduct from amounts payable, financial penalties as contained on the Preference Schedule for breaches of the conditions upon which preference points were awarded.
- 22.3 Where the aggregate amount of penalties levied against a Work Package equals or exceeds fifteen percent (15%) of the Work Package value, the Work Package shall automatically be terminated and withdrawn from the Contractor, and may be awarded to the alternative bidder, without prejudice to the Employer's rights to recover any additional losses, damages, or costs incurred.

## 23. Termination

23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part, if the Supplier fails to remedy the breach in terms of such notice:

- (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2; or
- (b) if the supplier fails to perform any other obligation(s) under the contract; or
- (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.

23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.

23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

23.4 If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than 14 (fourteen) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated 14 (fourteen) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.

23.5 Any restriction imposed on any person by the Accounting Officer/Authority will, at the discretion of the Accounting Officer/Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person is or was, in the opinion of the Accounting Officer/Authority, actively associated.

23.6 If a restriction is imposed, the purchaser must, within 5 (five) working days of such imposition, furnish the National Treasury with the following information:

- (i) the name and address of the supplier and/or person restricted by the purchaser.
- (ii) the date of commencement of the restriction.
- (iii) the period of restriction; and
- (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, Act 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period of not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction, and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

23.8 In addition to the grounds for termination due to default by the Supplier, the Contract may also be terminated:

23.8.1 Upon the death of the Supplier who was a Sole Proprietor, or a sole member of a Close Corporation, in which case the contract will terminate forthwith.

23.8.2 If the Parties, by mutual agreement, terminate the Contract.

23.8.3 If a material irregularity vitiates the procurement process leading to the conclusion of the Contract, rendering the procurement process and the conclusion of the resulting Contract unfair, inequitable, non-transparent, uncompetitive or not cost-effective the Contract may be terminated by the Purchaser (upon conclusion of applicable processes by the City Manager as described in the Purchaser's SCM Policy).

#### 23.8.4 Reputational risk or harm to the Purchaser.

The Purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, may terminate the contract if the implementation of the contract may result in reputational risk or harm to the Purchaser as a result of (inter alia):

- a) reports of poor governance and/or unethical behaviour.
- b) association with known notorious individuals and family of notorious individuals.
- c) poor performance issues, known to the Purchaser
- d) negative social media reports.
- e) adverse assurance (e.g. due diligence) report outcomes; or
- f) circumstances where the relevant vendor has employed, or is directed by, anyone who was previously employed in the service of the state (as defined in clause 1.53), where the person is or was negatively implicated in any SCM irregularity.

By or in relation to the Supplier, the Contract may be terminated by the Purchaser after providing notice to the Supplier.

- 23.9 If the Contract is terminated in terms of clause 23.8, all obligations that were due and enforceable prior to the date of the termination, must be performed by the relevant Party.

### 26. Termination for insolvency

- 26.1 In the event of the Supplier becoming bankrupt or otherwise insolvent the Purchaser may elect to:

- 26.1.1 At any time, terminate the Contract by giving written notice to the Supplier; or

- 26.1.2 Accept a Supplier's proposal (via the liquidator) to render delivery utilising the appropriate contractual mechanisms or takes steps to ensure its rights are protected and any negative impact on service delivery is mitigated.

- 26.2 In the event of the Purchaser electing to cancel the Contract in accordance with clause 26.1.1 above, the Purchaser shall make payment of all verified and signed off invoices. In the event of there being any dispute in respect of any outstanding invoices such dispute shall be dealt with in accordance with the dispute resolution mechanism in the Contract.

### 27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever, with the exception of termination in terms of clause 23 arises between the Purchaser and the Supplier in connection with or arising out of the Contract, the Parties shall make every effort to resolve such dispute or difference amicably, by mutual consultation.

- 27.2 Should the Parties fail to resolve any dispute by way of mutual consultation, either party shall be entitled to refer the matter for mediation before an independent and impartial person appointed by the City Manager in accordance with Regulation 50(1) of the Local Government: Municipal Finance Management Act, 56 of 2003 – Municipal Supply Chain Management Regulations (Notice 868 of 2005). Such referral shall be done by either party giving written notice to the other of its intention to commence with mediation. No mediation may be commenced unless such notice is given to the other party.

Irrespective whether the mediation resolves the dispute, the Parties shall bear their own costs concerning the mediation and share the costs of the mediator and related costs equally.

The mediator shall agree the procedures, representation and dates for the mediation process with the Parties. The mediator may meet the Parties together or individually to enable a settlement.

Where the Parties reach settlement of the dispute or any part thereof, the mediator shall record such agreement and on signing thereof by the Parties the agreement shall be final and binding.

Save for reference to any portion of any settlement or decision which has been agreed to be final and binding on the Parties, no reference shall be made by or on behalf of either party in any subsequent court proceedings, to any outcome of an amicable settlement by mutual consultation, or the fact that any particular evidence was given, or to any submission, statement or admission made in the course of amicable settlement by mutual consultation or mediation.

## 28. Limitation of Liability

28.1 Except in cases of criminal negligence or wilful misconduct, and in the case of infringement pursuant to Clause 6:

- (a) notwithstanding any provision to the contrary contained in this contract, neither the supplier nor any of its officers, directors, employees, agents contractors, consultants or other representatives shall be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect, incidental, special or consequential loss or damage of any kind, including without limitation the loss of use, loss of production, or loss of profits or interest costs, loss of goodwill, lost or damaged data or software, costs of substitute products/services and/or loss of business or business opportunities (whether foreseeable or unforeseeable), provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser;
- (b) the aggregate liability of the Supplier to the Purchaser, whether under the Contract, in tort or otherwise, shall not exceed the sums insured in terms of clause 11 in respect of insurable events, or where no such amounts are stated, to an amount equal to twice the Contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

28.2 Without detracting from, and in addition to, any of the other indemnities in this Contract, the Supplier shall be solely liable for and hereby indemnifies and holds harmless the Purchaser against all claims, charges, damages, costs, actions, liability, demands and/or proceedings and expense in connection with:

- a) personal injury or loss of life to any individual.
- b) loss of or damage to property.

arising from, out of, or in connection with the performance by the Supplier in terms of this Contract, save to the extent caused by the gross negligence or wilful misconduct of the Purchaser.

28.3 The Supplier and/or its employees, agents, concessionaires, suppliers, sub-contractors or customers shall not have any claim of any nature against the purchaser for any loss, damage, injury or death which any of them may directly or indirectly suffer, whether or not such loss, damages, injury or death is caused through negligence of the Purchaser or its agents or employees.

28.4 Notwithstanding anything to the contrary contained in this Contract, under no circumstances whatsoever, including as a result of its negligent (including grossly negligent) acts or omissions or those of its servants, agents or contractors or other persons for whom in law it may be liable, shall any party or its servants (in whose favour this constitutes a *stipulatio alteri*) be liable for any indirect, extrinsic, special, penal, punitive, exemplary or consequential loss or damage of any kind whatsoever, whether or not the loss was actually foreseen or reasonably foreseeable), sustained by the other party, its directors and/or servants, including but not limited to any loss of profits, loss of operation time, corruption or loss of information and/or loss of contracts.

28.5 Each party agrees to waive all claims against the other insofar as the aggregate of compensation which might otherwise be payable exceeds the aforesaid maximum amounts payable.

## 29. Governing language

29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

## 30. Applicable Law

30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in the SCC.

## 31. Notices

31.1 Any notice, request, consent, approvals or other communications made between the Parties pursuant to the Contract shall be in writing and forwarded to the addresses specified in the Contract and may be given as set out hereunder and shall be deemed to have been received when:

- a) hand delivered – on the day delivery of delivery or the next Working Day,
- b) sent by registered mail – five (5) Working Days after mailing,

- c) sent by email or telefax – one (1) Working Day after transmission.

### **32. Taxes and Duties**

- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, licence fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, licence fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate submitted by the bidder. In this regard, it is the responsibility of the Tenderer to submit evidence in the form of a valid Tax Compliance Status PIN issued by SARS to the CCT at the Supplier Management Unit located within the Supplier Management / Registration Office, 2nd Floor (Concourse Level), Civic Centre, 12 Hertzog Boulevard, Cape Town (Tel 021 400 9242/3/4/5), or included with this tender.
- 32.4 The VAT registration number of the CCT is 4500193497.

### **34 Prohibition of Restrictive practices**

- 34.1 In terms of section 4 (1) (b) (iii) of the Competition Act, Act 89 of 1998, as amended, an agreement between or concerted practice by firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder(s) is/are or a contractor(s) was/were involved in collusive bidding (or bid rigging).
- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has/have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act, Act 89 of 1998.
- 34.3 If a bidder(s) or contractor(s) has/have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and/or terminate the contract in whole or part, and/or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding 10 (ten) years and/or claim damages from the bidder(s) or contractor(s) concerned.

### **35. Reporting Obligations**

- 35.1 The Supplier shall complete, sign and submit with each delivery note, all the documents as required in the Specifications including Monthly Project Labour Reports (Annexure B). Any failure in this regard may result in a delay in the processing of payments.

## C.8 GENERAL CONDITIONS OF CONTRACT

(National Treasury - General Conditions of Contract (revised July 2010))

### TABLE OF CLAUSES

1. Definitions
2. Application
3. General
4. Standards
5. Use of contract documents and information; inspection
6. Patent rights
7. Performance security
8. Inspections, tests and analysis
9. Packing
10. Delivery and documents
11. Insurance
12. Transportation
13. Incidental services
14. Spare parts
15. Warranty
16. Payment
17. Prices
18. Contract amendments
19. Assignment
20. Subcontracts
21. Delays in the supplier's performance
22. Penalties
23. Termination for default
24. Dumping and countervailing duties
25. Force majeure
26. Termination for insolvency
27. Settlement of disputes
28. Limitation of liability
29. Governing language
30. Applicable law
31. Notices
32. Taxes and duties
33. National Industrial Participation Programme (NIPP)
34. Prohibition of restrictive practices

### 1. Definitions

1. The following terms shall be interpreted as indicated:

1.1 'Closing time' means the date and hour specified in the bidding documents for the receipt of bids.

1.2 'Contract' means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the Parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

1.3 'Contract price' means the price payable to the supplier under the contract for the full and proper performance of his or her contractual obligations.

1.4 'Corrupt practice' means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.

1.5 'Countervailing duties' are imposed in cases in which an enterprise abroad is subsidised by its government and encouraged to market its products internationally.

- 1.6 'Country of origin' means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognised new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 'Day' means calendar day.
- 1.8 'Delivery' means delivery in compliance with the conditions of the contract or order.
- 1.9 'Delivery ex stock' means immediate delivery directly from stock actually on hand.
- 1.10 'Delivery into consignee's store or to his site' means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11 'Dumping' occurs when a private enterprise abroad markets its goods on its own initiative in the RSA at lower prices than that of the country of origin, and which action has the potential to harm the local industries in the RSA.
- 1.12 'Force majeure' means an event beyond the control of the supplier, not involving the supplier's fault or negligence, and not foreseeable. Such events may include, but are not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 'Fraudulent practice' means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 'GCC' means the General Conditions of Contract.
- 1.15 'Goods' means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 'Imported content' means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 'Local content' means that portion of the bidding price, which is not included in the imported content, provided that local manufacture does take place.
- 1.18 'Manufacture' means the production of products in a factory using labour, materials, components and machinery, and includes other, related value-adding activities.
- 1.19 'Order' means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 'Project site', where applicable, means the place indicated in bidding documents.
- 1.21 'Purchaser' means the organisation purchasing the goods.
- 1.22 'Republic' means the Republic of South Africa.
- 1.23 'SCC' means the Special Conditions of Contract.

1.24 'Services' means those functional services ancillaries to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance, and other such obligations of the supplier covered under the contract.

1.25 'Written' or 'in writing' means handwritten in ink or any form of electronic or mechanical writing.

## **2. Application**

2.1 These general conditions are applicable to all bids, contracts and orders, including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.

2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.

2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

## **3. General**

3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable, a non-refundable fee for documents may be charged.

3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from [www.treasury.gov.za](http://www.treasury.gov.za).

## **4. Standards**

4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

## **5. Use of contract documents and information; inspection.**

5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only as far as may be necessary for the purposes of such performance.

5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1, except for purposes of performing the contract.

5.3 Any document, other than the contract itself, mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.

5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

## **6. Patent rights**

6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from the use of the goods or any part thereof by the purchaser.

## **7. Performance Security**

7.1 Within 30 (thirty) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in the SCC.

- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 1.3 The performance security shall be denominated in the currency of the contract or in a freely convertible currency acceptable to the purchaser, and shall be in one of the following forms:
- a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
  - b) A cashier's or certified cheque.
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than 30 (thirty) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in the SCC.

## **8. Inspections, tests and analyses**

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organisation acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention of such is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or analysed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier, who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal, the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of the GCC.

## **9. Packing**

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in the SCC, and in any subsequent instructions ordered by the purchaser.

**10. Delivery and documents**

10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in the SCC.

10.2 Documents to be submitted by the supplier are specified in the SCC.

**11. Insurance**

11.1 The goods supplied under the contract shall be fully insured, in a freely convertible currency, against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

**12. Transportation**

12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

**13. Incidental Services**

13.1 The supplier may be required to provide any or all of the following services, including additional services (if any) specified in the SCC:

- (f) performance or supervision of on-site assembly, and/or commissioning of the supplied goods;
- (g) furnishing of tools required for the assembly and/or maintenance of the supplied goods;
- (h) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
- (i) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the Parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- (j) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.

13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the Parties and shall not exceed the prevailing rates charged to other Parties by the supplier for similar services.

**14. Spare parts**

14.1 As specified in the SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:

- (c) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
- (d) in the event of termination of production of the spare parts:
  - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
  - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

**15. Warranty**

15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications), or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.

15.2 This warranty shall remain valid for 12 (twelve) months after the goods, or any portion thereof, as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for 18 (eighteen) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in the SCC.

15.3 The purchaser shall notify the supplier promptly, in writing, of any claims arising under this warranty.

15.4 Upon receipt of such notice, the supplier shall, within the period specified in the SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.

15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in the SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

## **16. Payment**

16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in the SCC.

16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfilment of any other obligations stipulated in the contract.

16.3 Payments shall be made promptly by the purchaser, but in no case later than 30 (thirty) days after submission of an invoice or claim by the supplier.

16.4 Payment will be made in Rand unless otherwise stipulated in the SCC.

## **17. Prices**

17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices tendered by the supplier in his bid, with the exception of any price adjustments authorized in the SCC or in the purchaser's request for bid validity extension, as the case may be.

## **18. Contract Amendments**

18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the Parties concerned.

## **19. Assignment**

19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

## **20. Subcontracts**

20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

## **21. Delays in the supplier's performance**

21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.

21.2 If at any time during the performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his or her discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the Parties by amendment of contract.

21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.

21.4 The right is reserved to procure, outside of the contract, small quantities of supplies; or to have minor essential services executed if an emergency arises, or the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.

- 21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without cancelling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and, without prejudice to his other rights, be entitled to claim damages from the supplier.

## **22. Penalties**

- 22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services, using the current prime interest rate, calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

## **23. Termination for default**

- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (d) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
  - (e) if the supplier fails to perform any other obligation(s) under the contract; or
  - (f) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4 If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than 14 (fourteen) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated 14 (fourteen) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.
- 23.5 Any restriction imposed on any person by the Accounting Officer/Authority will, at the discretion of the Accounting Officer/Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person is or was, in the opinion of the Accounting Officer/Authority, actively associated.
- 23.6 If a restriction is imposed, the purchaser must, within 5 (five) working days of such imposition, furnish the National Treasury with the following information:
- (i) the name and address of the supplier and/or person restricted by the purchaser;
  - (ii) the date of commencement of the restriction;
  - (iii) the period of restriction; and
  - (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, Act 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period of not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction, and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

## **24. Anti-dumping and countervailing duties and rights**

24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidised import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall, on demand, be paid forthwith by the contractor to the State, or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he or she delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him or her.

## **25. Force majeure**

25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if, and to the extent that, his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.

25.2 If a force majeure situation arises, the supplier shall notify the purchaser promptly, in writing, of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

## **26. Termination for insolvency**

26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

## **27. Settlement of Disputes**

27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the Parties shall make every effort to resolve such dispute or difference amicably, by mutual consultation.

27.2 If, after 30 (thirty) days, the Parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.

27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.

27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.

27.5 Notwithstanding any reference to mediation and/or court proceedings herein,

- (a) the Parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
- (b) the purchaser shall pay the supplier any monies due to the supplier.

## **28. Limitation of Liability**

28.1 Except in cases of criminal negligence or wilful misconduct, and in the case of infringement pursuant to Clause 6:

- (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
- (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

## **29. Governing language**

29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the Parties shall also be written in English.

## **30. Applicable Law**

30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in the SCC.

## **31. Notices**

31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail, and any other notice to him shall be posted by ordinary mail, to the address furnished in his bid or to the address notified later by him in writing; and such posting shall be deemed to be proper service of such notice.

31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

## **32. Taxes and Duties**

32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, licence fees, and other such levies imposed outside the purchaser's country.

32.2 A local supplier shall be entirely responsible for all taxes, duties, licence fees, etc., incurred until delivery of the contracted goods to the purchaser.

32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

## **33. National Industrial Participation (NIP) Programme**

33.1 The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.

## **34 Prohibition of Restrictive practices**

34.1 In terms of section 4 (1) (b) (iii) of the Competition Act, Act 89 of 1998, as amended, an agreement between or concerted practice by firms, or a decision by an association of firms, is prohibited if it is between Parties in a horizontal relationship and if a bidder(s) is/are or a contractor(s) was/were involved in collusive bidding (or bid rigging).

34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has/have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act, Act 89 of 1998.

34.3 If a bidder(s) or contractor(s) has/have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and/or terminate the contract in whole or part, and/or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding 10 (ten) years and/or claim damages from the bidder(s) or contractor(s) concerned.



## C.9 ANNEXURES

### Annexure A – Pro Forma Insurance Broker's Warranty

*Broker Logo*

*Letterhead of supplier's Insurance Broker*

Date \_\_\_\_\_

CCT  
City Manager  
Civic Centre  
12 Hertzog Boulevard  
Cape Town  
8000

Dear Sir

**TENDER NO.:** 2023/24

**TENDER DESCRIPTION:**

**NAME OF SUPPLIER:** \_\_\_\_\_

*I, the undersigned, do hereby confirm and warrant that all the insurances required in terms of the abovementioned contract have been issued and/or in the case of blanket/umbrella policies, have been endorsed to reflect the interests of the CCT with regard to the abovementioned contract, and that all the insurances and endorsements, etc., are all in accordance with the requirements of the contract.*

*I furthermore confirm that all premiums in the above regard have been paid.*

Yours faithfully

Signed: \_\_\_\_\_

For: \_\_\_\_\_ (Supplier's Insurance Broker)

## Annexure B – Monthly Project Labour Report

### ANNEX 1

### CITY OF CAPE TOWN MONTHLY PROJECT LABOUR REPORT



CITY OF CAPE TOWN  
ISIXEKO SASEKAPA  
STAD KAAPSTAD

#### Instructions for completing and submitting forms

##### General

- The Monthly Project Labour Reports must be completed in full, using typed, proper case characters; alternatively, should a computer not be available, handwritten in black ink.
- Incomplete / incorrect / illegible forms will not be accepted.
- Any conditions relating to targeted labour stipulated in the Contract (in the case of contracted out services or works) shall apply to the completion and submission of these forms.
- This document is available in Microsoft Excel format upon request from the City's EPWP office, tel 021 400 9406, email EPWPLR@capetown.gov.za.

##### Project Details

- If a field is not applicable insert the letters: NA
- Only the Project Number supplied by the Corporate EPWP Office must be inserted.  
The Project Number can be obtained from the Coordinator or Project Manager or from the e-mail address in point 4 above.
- On completion of the contract or works project the anticipated end date must be updated to reflect the actual end date.

##### Beneficiary Details and Work Information

- Care must be taken to ensure that beneficiary details correspond accurately with the beneficiary's ID document.

- A new beneficiary is one in respect of which a new employment contract is signed in the current month. A certified ID copy must accompany this labour report on submission.
- Was the beneficiary sourced from the City's job seeker database?
- The contract end date as stated in the beneficiary's employment contract.
- Where a beneficiary has not worked in a particular month, the beneficiary's name shall not be reflected on this form at all for the month in question.
- Training will be recorded separately from normal working days and together shall not exceed the maximum of 23 days per month
- Workers earning more than the maximum daily rate (currently R450 excluding any benefits) shall not be reflected on this form at all.

##### Submission of Forms

- Signed hardcopy forms must be scanned and submitted to the City's project manager in electronic (.pdf) format, together with the completed form in Microsoft Excel format.
- Scanned copies of all applicable supporting documentation must be submitted along with each monthly project labour report. Copies of employment contracts and ID documents are only required in respect of new beneficiaries.
- If a computer is not available hardcopy forms and supporting documentation will be accepted.

#### PROJECT DETAILS

Numbers in cells below e.g (6) refer to the relevant instruction above for completing and submitting forms

|                                                     |     |                                         |              |     |     |     |     |     |     |     |     |      |  |  |  |  |
|-----------------------------------------------------|-----|-----------------------------------------|--------------|-----|-----|-----|-----|-----|-----|-----|-----|------|--|--|--|--|
| CONTRACT OR WORKS<br>PROJECT NAME: (6)              |     | EPWP SUPPLIED<br>PROJECT NUMBER: (6)    |              |     |     |     |     |     |     |     |     |      |  |  |  |  |
| DIRECTORATE:                                        |     | DEPARTMENT:                             |              |     |     |     |     |     |     |     |     |      |  |  |  |  |
| CONTRACTOR OR<br>VENDOR NAME:                       |     | CONTRACTOR OR VENDOR<br>E-MAIL ADDRESS: |              |     |     |     |     |     |     |     |     |      |  |  |  |  |
| CONTRACTOR OR VENDOR<br>CONTACT PERSON:             |     | CONTRACTOR OR VENDOR<br>TEL. NUMBER:    | CELL<br>WORK |     |     |     |     |     |     |     |     |      |  |  |  |  |
| PROJECT LABOUR REPORT CURRENT MONTH (mark with "X") |     |                                         |              |     |     |     |     |     |     |     |     |      |  |  |  |  |
| JAN                                                 | FEB | MAR                                     | APR          | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | YEAR |  |  |  |  |

|                                                                                                 |  |  |  |  |  |                                                |  |  |  |  |  |
|-------------------------------------------------------------------------------------------------|--|--|--|--|--|------------------------------------------------|--|--|--|--|--|
| ACTUAL START DATE (yyyy/mm/dd)                                                                  |  |  |  |  |  | ANTICIPATED / ACTUAL END DATE (yyyy/mm/dd) (7) |  |  |  |  |  |
|                                                                                                 |  |  |  |  |  |                                                |  |  |  |  |  |
| TOTAL PROJECT EXPENDITURE / VALUE OF WORK DONE TO-DATE (INCLUDING ALL COSTS, BUT EXCLUDING VAT) |  |  |  |  |  |                                                |  |  |  |  |  |
| R                                                                                               |  |  |  |  |  |                                                |  |  |  |  |  |

ANNEX 1 (continued)

## MONTHLY PROJECT LABOUR REPORT

## BENEFICIARY DETAILS AND WORK INFORMATION



CITY OF CAPE TOWN  
ISIXEKO SASEKAPA  
STAD KAAPSTAD

|                                              |  |  |  |             |  |              |  |              |  |  |  |  |
|----------------------------------------------|--|--|--|-------------|--|--------------|--|--------------|--|--|--|--|
| <b>CONTRACT OR WORKS<br/>PROJECT NUMBER:</b> |  |  |  | <b>Year</b> |  | <b>Month</b> |  | <b>Sheet</b> |  |  |  |  |
|                                              |  |  |  |             |  |              |  | 1 of         |  |  |  |  |

|     | (8)        | (8)     | (8)       | (9)                   |              |                | (10)                      |                              | (11)                       | (12)                                        | (13)          | (14)                        |
|-----|------------|---------|-----------|-----------------------|--------------|----------------|---------------------------|------------------------------|----------------------------|---------------------------------------------|---------------|-----------------------------|
| No. | First name | Surname | ID number | New Beneficiary (Y/N) | Gender (M/F) | Disabled (Y/N) | Job seeker database (Y/N) | Contract start date (DDMMYY) | Contract end date (DDMMYY) | No. days worked this month (excl. training) | Training days | Rate of pay per day (R – c) |
| 1   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 2   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 3   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 4   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 5   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 6   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 7   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 8   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 9   |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 10  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 11  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 12  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 13  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 14  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 15  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 16  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 17  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 18  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 19  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |
| 20  |            |         |           |                       |              |                |                           |                              |                            |                                             |               |                             |

0

0 R -

|                                                          |      |  |           |  |
|----------------------------------------------------------|------|--|-----------|--|
| Declared by Contractor or Vendor to be true and correct: | Name |  | Signature |  |
|                                                          | Date |  |           |  |

|                                                |      |  |           |  |
|------------------------------------------------|------|--|-----------|--|
| Received by Employer's Agent / Representative: | Name |  | Signature |  |
|                                                | Date |  |           |  |

## Annexure C - Pro Forma Performance Security/ Guarantee

### GUARANTEE PERFORMANCE SECURITY

#### GUARANTOR DETAILS AND DEFINITIONS

"Guarantor" means: .....

Physical address of Guarantor: .....

"Supplier" means: .....

"Contract Sum" means: The accepted tender amount (INCLUSIVE OF VAT) of R .....

Amount in words: .....

"Guaranteed Sum" means: The maximum amount of R .....

Amount in words: .....

"Contract" means: The agreement made in terms of the Form of Offer and Acceptance for tender no ...and such amendments or additions to the contract as may be agreed in writing between the Parties.

"Expiry Date" means: The date of issue by the Purchaser of the Letter of Contract Completion of the Supplier's performance obligations.

#### PERFORMANCE GUARANTEE

1. The Guarantor's liability shall be limited to the amount of the Guaranteed Sum.
2. The Guarantor's period of liability shall be from and including the date of issue of this Guarantee/Performance Security up to and including the expiry date of the contract or the date of payment in full of the Guaranteed Sum, whichever occurs first.
3. The Guarantor hereby acknowledges that:
  - 3.1 any reference in this Guarantee/Performance to "Contract" is made for the purpose of convenience and shall not be construed as any intention whatsoever to create an accessory obligation or any intention whatsoever to create a suretyship;
  - 3.2 Its obligation under this Guarantee/Performance Security is restricted to the payment of money.
4. Subject to the Guarantor's maximum liability referred to in 1, the Guarantor hereby undertakes to pay the CCT the sum due and payable upon receipt of the documents identified in 4.1 to 4.2:
  - 4.1 A copy of a first written demand issued by the CCT to the Supplier stating that payment of a sum which is due and payable has not been made by the Supplier in terms of the Contract and failing such payment within seven (7) calendar days, the CCT intends to call upon the Guarantor to make payment in terms of 4.2;
  - 4.2 A first written demand issued by the CCT to the Guarantor at the Guarantor's physical address with a copy to the Supplier stating that a period of seven (7) days has elapsed since the first written demand in terms of 4.1 and the sum has still not been paid.
5. Subject to the Guarantor's maximum liability referred to in 1, the Guarantor undertakes to pay to the CCT the Guaranteed Sum or the full outstanding balance upon receipt of a first written demand from the CCT to the Guarantor at the Guarantor's physical address calling up this Guarantee / Performance Security, such demand stating that:
  - 5.1 The Contract has been terminated due to the Supplier's default and that this Guarantee/Performance Security is called up in terms of 5; or

- 5.2 a provisional or final sequestration or liquidation court order has been granted against the Supplier and that the Guarantee/Performance Guarantee is called up in terms of 5; and
- 5.3 The aforesaid written demand is accompanied by a copy of the notice of termination and/or the provisional/final sequestration and/or the provisional liquidation court order.
6. It is recorded that the aggregate amount of payments required to be made by the Guarantor in terms of 4 and 5 shall not exceed the Guarantor's maximum liability in terms of 1.
7. Where the Guarantor has made payment in terms of 5, the CCT shall upon the termination date of the Contract, submit an expense account to the Guarantor showing how all monies received in terms of this Guarantee/Performance Security have been expended and shall refund to the Guarantor any resulting surplus. All monies refunded to the Guarantor in terms of this Guarantee/Performance Security shall bear interest at the prime overdraft rate of the CCT's bank compounded monthly and calculated from the date payment was made by the Guarantor to the CCT until the date of refund.
8. Payment by the Guarantor in terms of 4 or 5 shall be made within seven (7) calendar days upon receipt of the first written demand to the Guarantor.
9. The CCT shall have the absolute right to arrange its affairs with the Supplier in any manner which the CCT may deem fit and the Guarantor shall not have the right to claim his release from this Guarantee /Performance Security on account of any conduct alleged to be prejudicial to the Guarantor.
10. The Guarantor chooses the physical address as stated above for the service of all notices for all purposes in connection herewith.
11. This Guarantee/Performance Security is neither negotiable nor transferable and shall expire in terms of 2, where after no claims will be considered by the Guarantor. The original of this Guarantee / Performance Security shall be returned to the Guarantor after it has expired.
12. This Guarantee/Performance Security, with the required demand notices in terms of 4 or 5, shall be regarded as a liquid document for the purposes of obtaining a court order.
13. Where this Guarantee/Performance Security is issued in the Republic of South Africa the Guarantor hereby consents in terms of Section 45 of the Magistrate's Courts Act No 32 of 1944, as amended, to the jurisdiction of the Magistrate's Court of any district having jurisdiction in terms of Section 28 of the said Act, notwithstanding that the amount of the claim may exceed the jurisdiction of the Magistrate's Court.

Signed at .....

Date .....

Guarantor's signatory (1) .....

Capacity .....

Guarantor's signatory (2) .....

Capacity .....

Witness signatory (1) .....

Witness signatory (2) .....

## **Annexure D – LIST OF APPROVED FINANCIAL INSTITUTIONS**

### **1.1 National Banks**

ABSA Bank Limited  
FirstRand Bank Limited  
Investec Bank Limited  
Nedbank Limited  
Standard Bank of South Africa Limited

### **1.2 International Banks (with branches in South Africa)**

Barclays Bank PLC  
Citibank NA  
Credit Agricole Corporate and Investment Bank  
HSBC Bank PLC  
JPMorgan Chase Bank  
Societe Generale  
Standard Chartered Bank

### **1.3 Insurance Companies**

American International Group Inc (AIG)  
Bryte Insurance Company Limited  
Coface SA  
Compass Insurance Company Limited  
Credit Guarantee Insurance Corporation of Africa Limited  
Guardrisk Insurance Company Limited  
Hollard Insurance Company Limited  
Infiniti Insurance Limited  
Lombard Insurance Company Limited  
Mutual and Federal Risk Financing Limited  
New National Assurance Company Limited  
PSG Konsult Ltd (previously Absa Insurance)  
Regent Insurance Company Limited  
Renasa Insurance Company Limited  
Santam Limited

## Annexure E - Pro Forma Advance Payment Guarantee

### ADVANCE PAYMENT GUARANTEE

#### GUARANTOR DETAILS AND DEFINITIONS

"Guarantor" means: .....

Physical address of guarantor: .....

"Supplier" means: .....

"Contract Sum" means: The accepted tender amount (INCLUSIVE of VAT) of R .....

Amount in words: .....

"Contract" means: The agreement made in terms of the Form of Offer and Acceptance and such amendments or additions to the Contract as may be agreed in writing between the Parties.

"Plant and materials" means: The Plant and materials in respect of which an advance payment prior to manufacture is required, which the CCT has agreed may be subject to advance payment, such Plant and materials being listed in the Schedule of Plant and materials.

"Schedule of Plant and materials" means: A list of Plant and materials which shows the value thereof to be included in the Guaranteed Advance Payment Sum.

"Guaranteed Advance Payment Sum" means: The maximum amount of R.....

Amount in words: .....

1. The Guarantor's liability shall be limited to the amount of the Guaranteed Advance Payment Sum.
2. The Guarantor's period of liability shall be from and including the date of issue of this Advance Payment Guarantee and up to and including the termination of the Contract or the date of payment in full of the Guaranteed Advance Payment Sum, whichever occurs first.
3. The Guarantor hereby acknowledges that:
  - 3.1 any reference in this Advance Payment Guarantee to the Contract is made for the purpose of convenience and shall not be construed as any intention whatsoever to create an accessory obligation or any intention whatsoever to create a suretyship;
  - 3.2 Its obligation under this Advance Payment Guarantee is restricted to the payment of money.
4. Subject to the Guarantor's maximum liability referred to in 1, the Guarantor hereby undertakes to pay the CCT the sum advanced to the Supplier upon receipt of the documents identified in 4.1 to 4.2:
  - 4.1 A copy of a first written demand issued by the CCT to the Supplier stating that payment of a sum advanced by the CCT has not been repaid by the Supplier in terms of the Contract ("default") and failing such payment within seven (7) calendar days, the CCT intends to call upon the Guarantor to make payment in terms of 4.2;
  - 4.2 A first written demand issued by the CCT to the Guarantor at the Guarantor's physical address with a copy to the Supplier stating that a period of seven (7) calendar days has elapsed since the first written demand in terms of 4.1 and the sum advanced has still not been repaid by the Supplier.
5. Subject to the Guarantor's maximum liability referred to in 1, the Guarantor undertakes to pay to the CCT the Guaranteed Advance Payment Sum or the full outstanding balance not repaid upon receipt of a first

written demand from the CCT to the Guarantor at the Guarantor's physical address calling up this Advance Payment Guarantee, such demand stating that:

- 5.1 the Contract has been terminated due to the Supplier's default and that this Advance Payment Guarantee is called up in terms of 5; or
  - 5.2 a provisional or final sequestration or liquidation court order has been granted against the Supplier and that the Advance Payment Guarantee is called up in terms of 5; and
  - 5.3 The aforesaid written demand is accompanied by a copy of the notice of termination and/or the provisional/final sequestration and/or the provisional liquidation court order.
6. It is recorded that the aggregate amount of payments required to be made by the Guarantor in terms of 4 and 5 shall not exceed the Guarantor's maximum liability in terms of 1.
  7. Payment by the Guarantor in terms of 4 or 5 shall be made within seven (7) calendar days upon receipt of the first written demand to the Guarantor.
  9. The CCT shall have the absolute right to arrange its affairs with the Supplier in any manner which the CCT may deem fit and the Guarantor shall not have the right to claim his release from this Advance Payment Guarantee on account of any conduct alleged to be prejudicial to the Guarantor.
  10. The Guarantor chooses the physical address as stated above for the service of all notices for all purposes in connection herewith.
  11. This Advance Payment Guarantee is neither negotiable nor transferable and shall expire in terms of 2, where after no claims will be considered by the Guarantor. The original of this Guarantee shall be returned to the Guarantor after it has expired.
  12. This Advance Payment Guarantee, with the required demand notices in terms of 4 or 5, shall be regarded as a liquid document for the purposes of obtaining a court order.
  13. Where this Guarantee/Performance Security is issued in the Republic of South Africa the Guarantor hereby consents in terms of Section 45 of the Magistrate's Courts Act No 32 of 1944, as amended, to the jurisdiction of the Magistrate's Court of any district having jurisdiction in terms of Section 28 of the said Act, notwithstanding that the amount of the claim may exceed the jurisdiction of the Magistrate's Court.

Signed at .....

Date .....

Guarantor's signatory (1) .....

Capacity .....

Guarantor's signatory (2) .....

Capacity .....

Witness signatory (1) .....

Witness signatory (2) .....

## Annexure F - Tender Returnable Documents

TENDER NO: 55G/2026/27

**TENDER DESCRIPTION: VALVES: SUPPLY, INSTALLATION, SERVICING, REPAIRING, AND RECONDITIONING OF VALVES AND ASSOCIATED PIPEWORK FOR WATER AND SANITATION FOR THE CITY OF CAPE TOWN**

### Schedule F.1: Contract Price Adjustment and/or Rate of Exchange Variation

#### 1. TENDER CONDITIONS

- 1.1 The Contract Price Adjustment (CPA) mechanism and/or provisions relating to Rate of Exchange (RoE) Variation, contained in this schedule is compulsory and binding on all Tenderers/Suppliers and this schedule (the parts relevant to the particular tender) must be completed by all Tenderers/Suppliers.
- 1.2 Tenderers/Suppliers are not permitted to amend, vary, alter or delete this schedule or any part thereof unless otherwise stated in this schedule.
- 1.3 Tenderers are not permitted to offer fixed and firm prices except as provided for in the Price Schedule.

#### 2. CPA PROVISIONS SELECTION

- 2.1 The prices stipulated on the Price Schedule are subject to adjustment as set out below.
- 2.2 Tenderer must indicate the specific CPA and/or RoE provisions applicable to its bid by marking the relevant checkboxes below. Tenderers to note that the CPA and/or RoE provisions are not exclusive and multiple CPA Types can exist if the bid contains both local and foreign exchange based pricing. In such cases the CPA and/or ROE provision applies **only** to that particular portion of the tendered price.
- 2.3 The CPA and/or RoE provisions applicable to this tender and resulting contract are to be indicated below by selecting the relevant boxes (with multiple selections only where indicated permissible):

|   | <u>Indicate option</u>                                                              | <u>CPA Type</u>                            | <u>Period</u> | <u>Refer to Section</u>                          |
|---|-------------------------------------------------------------------------------------|--------------------------------------------|---------------|--------------------------------------------------|
|   |  |                                            |               |                                                  |
| A | N/A                                                                                 | <b>FIRM PRICES</b> as per Pricing Schedule | Annual        | <i>Pricing Schedule C.4 and Schedule F.1 (A)</i> |

#### LOCAL (RSA) TENDER CONTENT:

**EITHER**

|   |    |                        |                     |                         |
|---|----|------------------------|---------------------|-------------------------|
| B | NA | SEIFSA Index based CPA | Monthly / Quarterly | <i>Schedule F.1 (B)</i> |
|---|----|------------------------|---------------------|-------------------------|

**OR**

|   |     |                                 |        |                         |
|---|-----|---------------------------------|--------|-------------------------|
| C | N/A | Pricelist / Quotation Based CPA | Ad-Hoc | <i>Schedule F.1 (C)</i> |
|---|-----|---------------------------------|--------|-------------------------|

**OR**

|   |  |                              |          |                         |
|---|--|------------------------------|----------|-------------------------|
| D |  | STATS SA CPI Index Based CPA | Annually | <i>Schedule F.1 (D)</i> |
|---|--|------------------------------|----------|-------------------------|

**OR/AND**

|   |    |                                                     |          |                         |
|---|----|-----------------------------------------------------|----------|-------------------------|
| E | NA | Sectorial Determination 1: Contract Cleaning Sector | Annually | <i>Schedule F.1 (E)</i> |
|---|----|-----------------------------------------------------|----------|-------------------------|

**OR**

|   |    |                                                    |          |                         |
|---|----|----------------------------------------------------|----------|-------------------------|
| E | NA | Sectorial Determination 6: Private Security Sector | Annually | <i>Schedule F.1 (E)</i> |
|---|----|----------------------------------------------------|----------|-------------------------|

#### IMPORTED GOODS AND / OR COMPONENTS (IF APPLICABLE)

|                                  |     |                                    |                      |                  |
|----------------------------------|-----|------------------------------------|----------------------|------------------|
| F                                | N/A | ROE based CPA                      | Ad-Hoc               | Schedule F.1 (F) |
| <b>AND (IF REQUIRED), EITHER</b> |     |                                    |                      |                  |
| G                                | N/A | Pricelist / Quotation based CPA    | Ad-Hoc /<br>Periodic | Schedule F.1 (G) |
| <b>OR</b>                        |     |                                    |                      |                  |
| H                                | N/A | Overseas CPI / PPI index based CPA | Ad-Hoc /<br>Periodic | Schedule F.1 (H) |

2.4 CPA and/or RoE provisions marked as **not applicable** is not relevant and will not apply to this tender and resulting contract.

### 3. CONTRACT CPA APPLICATIONS AND ADMINISTRATION

3.1 Any claim for variation in the contract price (either CPA or RoE adjustments) must be submitted in writing:

- i. By letter to: **Director Water and Sanitation, Technical Services**, City of Cape Town,  
P O Box 655, Cape Town, 8000 or
- ii. By email to: **CPA.Request@capetown.gov.za**

**at least 14 days prior** to the month upon which the adjustment would become effective in the case of prices being set in advance, and as soon as relevant indices are available and no later than 60 days after the date of delivery of goods or the completion of the project (i.e. date of issue of the Taking-Over Certificate, if applicable) in the case of adjustments being claimed retrospectively for Goods or Services. The latter case is only applicable where specifically provided for in the CPA provisions.

- 3.2 When submitting a request for CPA and/or RoE adjustment the Supplier must indicate the Rand Value claimed for each item listed on C.4 - Price Schedule, clearly indicating the item number as per C.4 - Price Schedule. **Percentage increases will not be considered.** A mere notification of a request for CPA without stating the new price claimed for each item shall, for the purpose of this clause, will not be regarded as a valid request.
- 3.3 The CCT reserves the right to request from the Supplier to submit an auditor's certificates or any other similar documentary proof as it may require in order to verify a claim for CPA or RoE adjustments. Price adjustments will not be processed until such time as the Supplier submits such auditor's certificates or other documentary proof to the CCT. Should the Supplier fail to submit the auditor's certificates or other documentary proof to the CCT within 30 days from the written request, it shall be presumed that the Supplier has abandoned its request.
- 3.4 The CCT reserves the right to withhold payment of any claim for adjustment while only provisional figures are available and until such time as the final (revised) figures are issued by the relevant authority.
- 3.5 The CCT will confirm in writing once processing of the CPA or RoE adjustments have been completed including the effective date of the adjustments.
- 3.6 In stances where pricelist-based and other non-index based CPA requests are investigated and found to be not reasonable or market related, the CCT reserves the right to reject such requests. Where disputes arise with respect to such rejected requests the CCT reserves the right to procure the Goods from other available Suppliers until such time as the dispute is resolved.
- 3.7 The adjustment will apply to all Purchase Orders or Purchase Order lines where the delivery date is on or after the effective date of the adjustment.
- 3.8 The successful Tenderers/Suppliers shall immediately upon notification of commencement date of contract (or date of issue of first PO) submit written application for approval of adjustment to the contract prices in C.4 Price Schedule that shall be applicable during the first contract price cycle of the contract. This application will be assessed in accordance with the processes provided in the schedules below.

#### F.1 (A) – FIRM PRICES

***NOT APPLICABLE***

**TENDER NO. 55G/2026/27**

**F.1 (B) LOCAL SOUTH AFRICAN CONTENT – SEIFSA INDICES**

***NOT APPLICABLE***

|                                                                                           |
|-------------------------------------------------------------------------------------------|
| <b>F.1 (C) LOCAL SOUTH AFRICAN CONTENT - SUPPLIER/ MANUFACTURER PRICE LIST/QUOTATIONS</b> |
|-------------------------------------------------------------------------------------------|

*NOT APPLICABLE*

**F.1 (D) LOCAL SOUTH AFRICAN CONTENT - STATS SA CONSUMER PRICE INDEX**

1. Applicable where the Tenderer/Suppliers has indicated their tendered rates are subject to adjustment based on changes in the Statistics South Africa (STATS SA) Consumer Price Indices.
2. A minimum of 10% of the tendered rates as per C.4 Pricing Schedule shall be fixed and free of variation for the first cycle adjustment 1. Thereafter, a minimum of 10% of the approved adjusted contract rate for each of the subsequent years shall be fixed and free from variation as per the following sequence:

Adjustment 1 = 10% of Tendered rates

Adjustment 2 = 10% of Adjusted 1 contract rates

Adjustment 3 = 10% of Adjusted 2 contract rates

3. A total of 90% of the tendered rates as per C.4 Pricing Schedule shall be adjusted in accordance with **clause 5** below for the first cycle adjustment 1. Thereafter, a total of 90% of the approved adjusted contract rate for the subsequent years shall be adjusted annually in accordance with **clause 5** below, as per the following sequence:

Adjustment 1 = 90% of Tendered rates

Adjustment 2 = 90% of Adjusted 1 contract rates

Adjustment 3 = 90% of Adjusted 2 contract rates

4. The Contract Price(s) will be subject to adjustment annually based on the average percentage of change over 12 months (Adjustment 2 & 3) or other average percentage change (Adjustment 1 only) as published by STATS SA: Consumer Price Index (P0141–Table B2 – CPI headline year-on-year rates) as follows:

#### **Contract Price adjustment cycle 1**

- 5.1 CPA applicable from the commencement of the contract to the end of the **12<sup>th</sup> month** calculated as follows:
  - a) The **base month** for the price adjustment being **the month the tender closed**; and
  - b) The **end month** shall be **four (4) calendar months** prior to the **commencement date of the contract**.

#### **Contract Price adjustment cycle 2**

- 5.2 CPA applicable from the **start of the 13<sup>th</sup> month of the contract to end of the 24<sup>th</sup> month of the contract** calculated as follows:
  - a) The base month for the price adjustment shall be **three (3) calendar months** prior to the commencement month of the contract; and
  - b) The end month shall be **three (3) calendar months** prior to **12<sup>th</sup> month of the contract**.

#### **Contract Price adjustment cycle 3**

- 5.3 CPA applicable from the **start of the 25<sup>th</sup> month to end of the 36<sup>th</sup> month** calculated as follows:
  - a) The **base month** for the price adjustment shall be **three (3) calendar months** prior to the **13<sup>th</sup> month of the contract**; and
  - b) The **end month** shall be **three (3) calendar months** prior to **24<sup>th</sup> month of the contract**.

6. Subject to prior approval by the CCT delegated authority, in the event of any extension of the contract period beyond month 36 of the contract will follow the outlined above in determining the base and end month for the future period.

|                                                                       |
|-----------------------------------------------------------------------|
| <b>F.1. (E) LOCAL SOUTH AFRICAN CONTENT – SECTORIAL DETERMINATION</b> |
|-----------------------------------------------------------------------|

***NOT APPLICABLE***

|                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------|
| <p><b>F.1. (F) GOODS AND/OR COMPONENTS IMPORTED FROM OUTSIDE OF SOUTH AFRICA</b><br/><b>RATE OF EXCHANGE PRICE VARIATIONS</b></p> |
|-----------------------------------------------------------------------------------------------------------------------------------|

***NOT APPLICABLE***

|                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>F.1. (G) GOODS AND/OR COMPONENTS IMPORTED FROM OUTSIDE OF SOUTH AFRICA -<br/>MANUFACTURER/SUPPLIER PRICE/QUOTATION LIST</b></p> |
|---------------------------------------------------------------------------------------------------------------------------------------|

***NOT APPLICABLE***

|                                                                                                              |
|--------------------------------------------------------------------------------------------------------------|
| <b>F.1. (H) GOODS AND/OR COMPONENTS IMPORTED FROM OUTSIDE OF SOUTH AFRICA - BASED<br/>ON FOREIGN INDICES</b> |
|--------------------------------------------------------------------------------------------------------------|

***NOT APPLICABLE***

**F.1 (B) LOCAL SOUTH AFRICAN CONTENT – SEIFSA INDICES**

***NOT APPLICABLE***

|                                                                                           |
|-------------------------------------------------------------------------------------------|
| <b>F.1 (C) LOCAL SOUTH AFRICAN CONTENT - SUPPLIER/ MANUFACTURER PRICE LIST/QUOTATIONS</b> |
|-------------------------------------------------------------------------------------------|

1. Tenderers /Suppliers that are not the manufacturer or original supplier of the tendered goods and whose tender prices are based on the price list/quotation of another company (manufacturer or other supplier) may apply Supplier / Manufacturer Pricelist / Quotation based CPA.
2. In such cases the Tenderer is required to submit with his tender a copy of the original Supplier / Manufacturer Pricelist / Quotation upon which his tender prices are based. Such pricelist / Quotation is required to be on the Letterhead of the Supplier / Manufacture, is to be dated, referenced and signed, and is to provide clear reference to the tender number and is required to clearly reference each item quoted to the respective Tender Item Number indicated in C.4 Price Schedule.
3. The tenderer shall further confirm the Manufacturer / Supplier, quotation date and reference number and applicable tender Items by completing Table F.1(C).1 below.

**Table F.1(C).1: Price Schedule information for Manufacturers/Suppliers Price List(s)/Quotation**

| Manufacturer/<br>Supplier Name | Price List Information          |                                          |                                                            |
|--------------------------------|---------------------------------|------------------------------------------|------------------------------------------------------------|
|                                | Price<br>List/Quotation<br>Date | Price List/Quotation<br>Reference Number | Pricelist applicable to Items<br>as per C.4 Price Schedule |
|                                |                                 |                                          |                                                            |
|                                |                                 |                                          |                                                            |
|                                |                                 |                                          |                                                            |
|                                |                                 |                                          |                                                            |

4. During the contract period, the Tenderer (now Supplier) must submit the request for price adjustment based on increases in pricelists of manufacturers/suppliers prior to the effective date of the increase in the pricelist.
5. The effective date of any price adjustment granted will be the first day of the month following the month during which the fully substantiated application for contract price adjustment is submitted or, by agreement between the Tenderer/Supplier and the CCT, a subsequent date on which the price adjustment will become effective.
6. Purchase orders placed prior to the effective date of any price increase shall be placed at the previously agreed price, not the claimed adjusted price.
7. In instances where the Supplier's price adjustment claimed is less than entitled, the lesser price will be accepted.
8. Only the difference in source supplier / manufacturer pricelist (actual cost, not percentage) may be adjusted and under no circumstances may the Tenderer/Supplier increase their profit margin.
9. The Tenderer/Supplier shall, when submitting claims for contract price adjustment, submit all of the documentation indicated below a minimum of two weeks prior to the effective date of the contract price adjustment:
  - a) Copies of price lists upon which original tender prices were based (refer to clause 2, Table F.1(C).1 above) clearly indicating the item(s) according to C.4 Price Schedule.
  - b) The new price list (*from the same Supplier / Manufacturer as originally tendered*) on the relevant

manufacturer/suppliers letterhead (with pamphlets, brochures and e-mail communication) clearly indicating the item(s) according to C.4 Price Schedule.

- c) Detailed calculations indicating how the “adjusted” price was calculated. The calculations must be submitted in Excel, together with a signed, “PDF” version of the Excel spreadsheet. The example below – Table F.1(C).2, is what is required.
  - d) A covering letter on the Supplier’s letterhead requesting the CPA with the effective date of the claim.
10. The CCT will consider the request and either refer the request back for correction or additional information or approve the request.
  11. The CCT will assess such pricelist based CPA claims against market pricing and indices and other input pricing indicators and will only approve such claims that are confirmed to be reasonable, and market related with reference to the source pricing information provided with the tender and with the CPA application
  12. Approval of the CPA request including confirmation of the effective date, will be communicated to the Supplier in writing together with a list of the approved adjusted rates. The effective date will be as per clause 5 above.
  13. The successful Tenderer/Supplier shall upon notification of the commencement date of contract submit written application for approval for adjustment of unit prices for the Goods where the Tenderer may have been notified by the Supplier / Manufacturer of the Goods of a price increase, together with the required supporting documentation. This application will be assessed in accordance with the process laid out above in order to determine approved contract prices at the commencement of the contract.
  14. Failure to submit such application within two working weeks of commencement of contract shall result in the tendered unit prices being applied for initial orders placed following commencement of the contract.
  15. In the event of a Supplier changing its Supplier / Manufacturer during the tenure of the contract, no request for price variations will be considered unless the Supplier has obtained **prior written approval from the City for the change** of Supplier / Manufacturer. Such approval shall include technical approval by the Engineer of the goods supplied by the replacement Supplier / Manufacturer. Technical approval by the Engineer shall be a prerequisite for any change of Supplier / Manufacturer.

**Table F.1(C).2 – Pro Forma Table for Adjustments in price where the Supplier is not the Manufacturer)**

| C.4 Price Schedule Item No. | Original Tender Price | Previous and New Price List Information |              |                                                                                                             |                                                                                                        |                                                                                    | New Contract Price (ZAR) (Excl. VAT) |
|-----------------------------|-----------------------|-----------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------|
|                             |                       | Manufacturer/Supplier                   | Material no. | Price as per previous Manufacturer/Supplier Price List (Excl. Vat)<br><br>Price List Date: _____<br><br>(B) | Price as per new Supplier/Manufacturer Price List (Excl. Vat)<br><br>Price List Date: _____<br><br>(C) | Difference between the previous and new manufacturer Price list (C)-(B)<br><br>(D) |                                      |
|                             | (A)                   |                                         |              |                                                                                                             |                                                                                                        |                                                                                    | (A)+(D)                              |
|                             |                       |                                         |              |                                                                                                             |                                                                                                        |                                                                                    |                                      |
|                             |                       |                                         |              |                                                                                                             |                                                                                                        |                                                                                    |                                      |
|                             |                       |                                         |              |                                                                                                             |                                                                                                        |                                                                                    |                                      |

*\*When submitting the first request for price adjustment, use the tender price as per C.4 Price Schedule.*

**F.1 (D) LOCAL SOUTH AFRICAN CONTENT - STATS SA CONSUMER PRICE INDEX**

5. Applicable where the Tenderer/Suppliers has indicated their tendered rates are subject to adjustment based on changes in the Statistics South Africa (STATS SA) Consumer Price Indices.
6. A minimum of 10% of the tendered rates as per C.4 Pricing Schedule shall be fixed and free of variation for the first cycle adjustment 1. Thereafter, a minimum of 10% of the approved adjusted rate for each of the subsequent years shall be fixed and free from variation as per the following sequence:

Adjustment 1 = 10% of tendered rates  
 Adjustment 2 = 10% of Adjusted 1 tendered rates  
 Adjustment 3 = 10% of Adjusted 2 tendered rates  
 Adjustment 4 = 10% of Adjusted 3 tendered rates  
 Adjustment 5 = 10% of Adjusted 4 tendered rates  
 Adjustment 6 = 10% of Adjusted 5 tendered rates  
 Adjustment 7 = 10% of Adjusted 6 tendered rates  
 Adjustment 8 = 10% of Adjusted 7 tendered rates  
 Adjustment 9 = 10% of Adjusted 8 tendered rates

7. A total of 90% of the tendered rates as per C.4 Pricing Schedule shall be adjusted annually in accordance with **clause 5** below for the first cycle adjustment 1. Thereafter, a total of 90% of the approved adjusted rate for the subsequent years shall be adjusted annually in accordance with **clause 5** below, as per the following sequence:

Adjustment 1 = 90% of tendered rates  
 Adjustment 2 = 90% of Adjusted 1 tendered rates  
 Adjustment 3 = 90% of Adjusted 2 tendered rates  
 Adjustment 4 = 90% of Adjusted 3 tendered rates  
 Adjustment 5 = 90% of Adjusted 4 tendered rates  
 Adjustment 6 = 90% of Adjusted 5 tendered rates  
 Adjustment 7 = 90% of Adjusted 6 tendered rates  
 Adjustment 8 = 90% of Adjusted 7 tendered rates  
 Adjustment 9 = 90% of Adjusted 8 tendered rates

8. The Contract Price(s) shall remain FIRM for the first 12 calendar months from Date of contract commencement ~~Tender Closing~~ and Suppliers are not permitted to request CPA during this period.
9. The Contract Price(s) will thereafter be subject to adjustment annually based on the average percentage of change over 12 months as published by STATS SA: Consumer Price Index (P0141–Table B2 – CPI headline year-on-year rates) as follows:

No adjustment applicable for 12 months from tender closing (close of tender being month 0).

5.1 ADJUSTMENT 1 – Anniversary (13th month from Date of contract commencement to the end of the 24th month)

Average CPI will be calculated by utilising the latest indices published in the 13th month from close of tender (close of tender being month 0) and month one (1) being the base month indice, by adding the percentage CPI for the 12 months and dividing by 12 months.

5.2 ADJUSTMENT 2 – Anniversary (25th month from Date of contract commencement, till the 36th month)

Average CPI will be calculated by utilising the latest indices published in the 25th month from close of tender (close of tender being month 0) and month thirteen (13) being the base month indice, by adding the percentage CPI for the 12 months and dividing by 12 months.

5.3 ADJUSTMENT 3 – Anniversary (37th month from Date of contract commencement, till the 48th month)

Average CPI will be calculated by utilising the latest indices published in the 37th month from close of tender (close of tender being month 0) and month twenty-five (25) being the base month indice, by adding the percentage CPI for the 12 months and dividing by 12 months.

5.4 ADJUSTMENT 4 – Anniversary (49th month from Date of contract commencement, till the 60th month)

Average CPI will be calculated by utilising the latest indices published in the 49th month from close of tender (close of tender being month 0) and month thirty-seven (37) being the base month indice, by adding the percentage CPI for the 12 months and dividing by 12 months.

5.5 ADJUSTMENT 5 – Anniversary (61st month from Date of contract commencement, till the 72nd month)

Average CPI will be calculated by utilising the latest indices published in the 61st month from close of tender (close of tender being month 0) and month forty-nine (49) being the base month indice, by adding the percentage CPI for the 12 months and dividing by 12 months.

5.6 ADJUSTMENT 6 – Anniversary (73rd month from Date of contract commencement, till the 84th month)

Average CPI will be calculated by utilising the latest indices published in the 73rd month from close of tender (close of tender being month 0) and month sixty-one (61) being the base month indice, by adding the percentage CPI for the 12 months and dividing by 12 months.

5.7 ADJUSTMENT 7 – Anniversary (85th month from Date of contract commencement, till the 96th month)

Average CPI will be calculated by utilising the latest indices published in the 85th month from close of tender (close of tender being month 0) and month seventy-three (73) being the base month indice, by adding the percentage CPI for the 12 months and dividing by 12 months.

5.8 ADJUSTMENT 8 – Anniversary (97th month from Date of contract commencement, till the 108th month)

Average CPI will be calculated by utilising the latest indices published in the 97th month from close of tender (close of tender being month 0) and month eighty-five (85) being the base month indice, by adding the percentage CPI for the 12 months and dividing by 12 months.

5.9 ADJUSTMENT 9 – Anniversary (109th month from Date of contract commencement, till the 120th month)

Average CPI will be calculated by utilising the latest indices published in the 109th month from close of tender (close of tender being month 0) and month ninety-seven (97) being the base month indice, by adding the percentage CPI for the 12 months and dividing by 12 months.

10. Subject to prior approval by the CCT delegated authority, in the event of any extension of the contract period beyond month 120 of the contract will follow the outlined above in determining the base and end month for the future period.

|                                                                       |
|-----------------------------------------------------------------------|
| <b>F.1. (E) LOCAL SOUTH AFRICAN CONTENT – SECTORIAL DETERMINATION</b> |
|-----------------------------------------------------------------------|

***NOT APPLICABLE***

**F.1. (F) GOODS AND/OR COMPONENTS IMPORTED FROM OUTSIDE OF SOUTH AFRICA  
RATE OF EXCHANGE PRICE VARIATIONS**

1. Subject to the above, when tendered prices of certain items in C.4 Price Schedule are subject to adjustment for changes in the cost of goods and/or components imported from outside of South Africa, the Tenderer must (as part of the bid submission) provide a list of such items and other information as required in Table F.1 (F).2 below and include it in the bid submission.
2. Only tenderers who are the direct importer of the goods may claim rate of exchange price variations.

**Table F.1 (F).1: Information required for prices subject to Rate of Exchange adjustments**

|                                                                                                |                      |
|------------------------------------------------------------------------------------------------|----------------------|
| Exchange Rate on which tender is based:                                                        | _____ 1 : Rand _____ |
| Exchange Rate on which tender is based: (if more than one currency)                            | _____ 1 : Rand _____ |
| Exchange Rate on which tender is based: (if more than one currency)                            | _____ 1 : Rand _____ |
| Name of Bank                                                                                   |                      |
| Date of quoted rate of exchange                                                                |                      |
| Documentation relevant to calculation of adjustments based on Rate of Exchange (Mark with "x") |                      |
| Bill of Lading                                                                                 |                      |
| Waybill                                                                                        |                      |
| Customs invoice                                                                                |                      |
| Other: _____                                                                                   |                      |

**7 TABLE F.1 (F).2: Price Basis for Imported Resources**

| C.4 Price Schedule Detail   |                          | Rand Value Calculation for Foreign Content (FOB) |                                   |                                                      | Customs Surcharge |      | Customs Duty |      |                               | Rand Value for South African Content (FOR) | Total Tender Price in Rand of (C) + (D) + (E) + (F) included in Price Schedule C.4 |
|-----------------------------|--------------------------|--------------------------------------------------|-----------------------------------|------------------------------------------------------|-------------------|------|--------------|------|-------------------------------|--------------------------------------------|------------------------------------------------------------------------------------|
| C.4 Price Schedule Item No. | Description of Resources | Value in Foreign Currency denomination           | Rate of Exchange as at Base Date* | Value in Rand for Foreign currency content (A) x (B) | %                 | Rand | %            | Rand | Customs Duty Tariff Reference | Value in Rand for South African Content    | (G)                                                                                |
|                             |                          | (A)                                              | (B)                               | (C)                                                  |                   | (D)  |              | (E)  |                               | (F)                                        |                                                                                    |
|                             |                          |                                                  |                                   |                                                      |                   |      |              |      |                               |                                            |                                                                                    |
|                             |                          |                                                  |                                   |                                                      |                   |      |              |      |                               |                                            |                                                                                    |
|                             |                          |                                                  |                                   |                                                      |                   |      |              |      |                               |                                            |                                                                                    |
|                             |                          |                                                  |                                   |                                                      |                   |      |              |      |                               |                                            |                                                                                    |
|                             |                          |                                                  |                                   |                                                      |                   |      |              |      |                               |                                            |                                                                                    |
|                             |                          |                                                  |                                   |                                                      |                   |      |              |      |                               |                                            |                                                                                    |
|                             |                          |                                                  |                                   |                                                      |                   |      |              |      |                               |                                            |                                                                                    |

\* Base Date: 7 (seven) calendar days before tender closing.

3. Any items/resources not inserted in Table F.1 (F).2 above, are deemed to be manufactured / supplied in South Africa and is not subject to adjustment in terms of variation in rate of exchange.
4. The price adjustment for variations in the cost of plant and materials imported from outside of South Africa shall be based on the information contained on the schedule titled "Price Basis for Imported Resources" (Table F.1 (F).2). The Rand value of goods and components comprising entirely or partly imported content that is inserted on the Table F.1(F).2 titled "Price Basis for Imported Resources" (column (G)) shall be the rate tendered in the Pricing Schedule C.4, and shall be the value in foreign currency (column (A)) converted to South African Rand (column (C)) by using the closing spot selling rate on the Base Date (seven calendar days before tender closing date) rounded to the second decimal place (column (B)), to which shall be added any Customs Surcharge and Customs Duty applicable at

that date (columns (D) and (E)) and any South African manufactured or added content (column (F)). Any mark-up by the Tenderer or other costs not detailed above shall be entirely contained within the South African Content (Column (F)).

5. The adjustments shall be calculated upon the value in foreign currency in the Supplier's forward cover contract.
6. Any increase or decrease in the Rand value between the amounts of Customs Surcharge and Customs Duty inserted in on the schedule titled "Price Basis for Imported Resources" and those amounts actually paid to the Customs and Excise Authorities, which are due to changes in the percentage rates applicable or to the foreign exchange rate used by the authorities, shall be adjusted accordingly.
7. The Tenderer shall state the Customs Duty Tariff Reference applicable to each item and the Supplier shall advise the CCT's Agent of any changes which occur.
8. Suppliers shall take out Forward Cover covering the foreign exchange component of the cost of any imported portion of the Goods ordered on **each purchase order** issued by the Employer.
9. The process to be followed by Suppliers for claims for Rate of Exchange Variations shall be as follows:
  - a) The Supplier shall within seven working days from the date of receipt of the purchase order arrange forward cover by way of a contract with a bank which is an authorised foreign exchange dealer, the foreign exchange component of the cost of any imported goods and components inserted by the Tenderer on the scheduled titled "Price Basis for Imported Resources" (Table F.1 (F).2), and submit such Forward Cover quotation to the City for approval.
  - b) Upon receipt of the quotation for Forward Cover from the bank, the Supplier must forward the quote ideally, within 15 minutes of receiving it from their banker to the CCT: [CPA.Request@capetown.gov.za](mailto:CPA.Request@capetown.gov.za) and Contract Manager: **godwin.izaaks@capetown.gov.za** This is to ensure that the time difference from generation of the quotation for Forward Cover to finalising the Forward Cover with the Bank, is kept to a minimum due to the change in the exchange rate throughout the day.
  - c) The Contract Manager will forward the quotation to the CCT Treasury Department immediately for their consideration and approval. The cut-off time for receipt of quotations for Forward Cover will be 14h00. It must be noted that if this deadline will not be achieved, it is recommended that the quotation process be undertaken on the following day which should fall within the 7 days of receipt of the purchase order.
  - d) Only once the Forward Cover quotation rate has been approved by CCT Treasury Department, may the Supplier finalise the Forward Cover contract with their bank at the rate approved by the CCT Treasury Department for that Purchase Order and forward a copy of the contract to the CCT via email: [CPA.Request@capetown.gov.za](mailto:CPA.Request@capetown.gov.za) and Contract Manager **godwin.izaaks@capetown.gov.za**
  - e) The Forward Cover quotation envisaged above shall have the CCT purchase order number and a Forward Cover Contract (FCC) Value Date that is directly based upon the required delivery date for the imported Goods or components necessary in order to meet the Contract Delivery Period. Future FCC Value Dates beyond the Contract Delivery Period shall not be acceptable.
10. On delivery of the goods to the City the Supplier shall submit the following documentation to the CCT via email: [CPA.Request@capetown.gov.za](mailto:CPA.Request@capetown.gov.za) and Contract Manager: **godwin.izaaks@capetown.gov.za**:
  - a) The Bill of Lading/Waybill/Customs Invoice (clearly indicating the items as identified on the purchase order).
  - b) Calculations detailing the difference in the rate of exchange at the time of entry and the date of tender. These shall be submitted on a covering letter.
  - c) The invoice / credit note for the Rate of Exchange adjustment applicable to the specific order.
11. In exceptional circumstances, and subject to the Employer's explicit written approval, Rate of Exchange variations on Goods or components that are imported in bulk in advance in fulfilment of the contract requirements or to create buffer stocks, but not specifically in response to specific purchase orders placed by the Employer in accordance with the contract, shall be based upon whichever of the following

two methodologies is more advantageous to the Employer:

- a) Methodology 1: A spot quotation for the Forward Cover Contract rate for the imported portion of the Goods, based upon the FCC Value Date for the particular purchase order(s), as outlined in clause 9 above.
  - b) Methodology 2: The actual Rate of Exchange cost variations incurred in fulfilment of the purchase order(s), fully substantiated by detailed Bills of Lading and Customs Invoice applicable to the particular Goods delivered. The applicable Rate of Exchange shall be the rate as defined on the Customs Invoice for the imported Goods.
  - c) Determination of the more advantageous methodology shall be conducted and approved following delivery of the imported Goods or components to the Supplier but prior to delivery of the Goods to the Employer.
12. Approval of the process detailed in Clause 11 and sub-clauses above shall be on an order by order basis and application shall be submitted, with required supporting documents, immediately on receipt of the relevant purchase order(s).

**F.1. (G) GOODS AND/OR COMPONENTS IMPORTED FROM OUTSIDE OF SOUTH AFRICA -  
MANUFACTURER/SUPPLIER PRICE/QUOTATION LIST**
**1. Manufacturer's / Supplier's Pricelist / Quotation Based CPA – Imported Goods or Components:**

- 1.1 Tenderers with imported Goods or Components may claim contract price adjustment based on the overseas SUPPLIER'S / MANUFACTURER'S PRICE LISTS/ QUOTATION from the supplier or manufacturer of the tendered items.
- 1.2 In such cases the Tenderer is required to submit with his tender a copy of the original overseas Supplier / Manufacturer Pricelist / Quotation upon which his tender prices are based. Such pricelist / Quotation is required to be on the Letterhead of the Supplier / Manufacture, is to be dated, referenced and signed, and is to provide clear reference to the tender number or unambiguously indicate the relevant component.
- 1.3 The Tenderer is required to clearly reference each item quoted to the respective Tender Item Number indicated in C.4 Price Schedule by completing Table F.1 (G).1 below.

**Table F.1 (G).1: Price Schedule information for Imported Goods or Components - Manufacturers/Suppliers Price List(s)/Quotation**

| Manufacturer/<br>Supplier Name | Price List Information           |                                          |                                                            |
|--------------------------------|----------------------------------|------------------------------------------|------------------------------------------------------------|
|                                | Price<br>List/Quotation<br>Date. | Price List/Quotation<br>Reference Number | Pricelist applicable to Items<br>as per C.4 Price Schedule |
|                                |                                  |                                          |                                                            |
|                                |                                  |                                          |                                                            |
|                                |                                  |                                          |                                                            |
|                                |                                  |                                          |                                                            |

- 1.4 During the contract period, the Tenderer (now Supplier) must submit the request for price adjustment based on increases in pricelists of manufacturers/suppliers prior to the effective date of the increase in the pricelist.
- 1.5 Price adjustment will be processed on an ad-hoc/ monthly/ quarterly/ **bi-annual**/ annual basis, by formal notification and evidence of a Supplier / Manufacturer price adjustment letter.
- 1.6 The effective date of any price adjustment granted will be the first day of the month following the month during which the fully substantiated application (in accordance to the cycle indicated at 1.5 above) for contract price adjustment is submitted or, by agreement between the Tenderer/Supplier and the CCT, a subsequent date on which the price adjustment will become effective.
- 1.7 In instances where the Supplier's price adjustment claimed is less than entitled, the lesser price will be accepted.
- 1.8 Only the difference in source supplier / manufacturer pricelist (actual cost, not percentage) may be adjusted and under no circumstances may the Tenderer/Supplier increase their profit margin.
- 1.9 The Tenderer/Supplier shall, when submitting claims for contract price adjustment, submit all of the documentation indicated below a minimum of two weeks prior to the effective date of the contract price adjustment:

- a) Copies of price lists upon which original tender prices were based (refer to Clause 1.2, Table F.1 (G).1 above) clearly indicating the item(s) according to C.4 Price Schedule.
  - b) The new price list (*from the same Supplier / Manufacturer as originally tendered*) on the relevant manufacturer/suppliers letterhead (with pamphlets, brochures and e-mail communication) clearly indicating the item(s) according to C.4 Price Schedule.
  - c) Submit detailed calculations indicating how the “new” price is calculated. The calculations must be submitted in Excel, together with a signed, “PDF” version of the Excel spreadsheet. The example below – Table F.1(G).2, is what is required.
  - d) A covering letter on the Supplier’s letterhead requesting the CPA with the effective date of the claim.
- 1.10 The CCT will consider the request and either refer the request back for correction or additional information or approve the request.
- 1.11 The CCT will assess such pricelist based CPA claims and will only approve such claims that are confirmed to be reasonable and market related with reference to the source pricing information provided with the tender and with the CPA application
- 1.12 Approval of the CPA request including confirmation of the effective date, will be communicated to the Supplier in writing. The effective date will be as per clause 1.6 above.
- 1.13 The successful Tenderer/Supplier shall immediately upon notification of the commencement date of contract submit written application for approval of any adjusted unit prices for the Goods that may have been notified by the Supplier / Manufacturer of the Goods, together with the required supporting documentation. This application will be assessed in accordance with the process laid out above in order to determine approved contract prices at the commencement of the contract.
- 1.14 Failure to submit such application within two working weeks of commencement of contract shall result in the tendered unit prices being applied for initial orders placed following commencement of the contract.
- 1.15 In the event of a Supplier changing their Supplier / Manufacturer during the tenure of the contract, no request for price variations will be considered unless the Supplier has obtained prior approval from the City for the change of Supplier / Manufacturer. Such approval shall include technical approval by the Engineer of the goods supplied by the replacement Supplier / Manufacturer. Technical approval by the Engineer shall be a prerequisite for any change of Supplier / Manufacturer.

**Table F.1(G).2 – Pro Forma Table for Adjustments in price for Imported Goods or Components - Manufacturers/Suppliers Price List(s)/Quotation**

| C.4 Price<br>Schedule<br>Item No. | Original<br>Tender<br>Price | Previous and New Price List Information |              |                                                                                                                                                    |                                                                                                             |                                                                      |                                                                                                                                    |                                                   |                                                                   |                                                                                                         | New Contract<br>Price<br>(Excl. VAT) |
|-----------------------------------|-----------------------------|-----------------------------------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|--------------------------------------|
|                                   |                             | Manufacturer/<br>Supplier               | Material no. | Price Manufacturer/<br>Supplier Price List at<br>the time tender in<br>foreign currency<br>(Excl. Vat)<br><br>Price List<br>Date: _____<br><br>(B) | Exchange Rate on which<br>quote is based – 7/14 days<br>prior tender closes – BSC to<br>decide -<br><br>(C) | Old Supplier/<br>Manufacturer<br>Price in ZAR<br><br>D<br><br>=(BxC) | Price as per new<br>Supplier/<br>Manufacturer Price<br>List in foreign currency<br>(Excl. Vat)<br><br>Price List<br>Date: _____(E) | Exchange Rate on which<br>quote is based<br><br>F | New Supplier/<br>Manufacturer Price in ZAR<br><br>G<br><br>=(ExF) | Difference between the<br>previous and new<br>manufacturer Price list<br>(C)-(B)<br><br>H<br><br>=(G-D) |                                      |
| 1                                 |                             |                                         |              |                                                                                                                                                    | _____1 : Rand _____                                                                                         |                                                                      |                                                                                                                                    | _____1 : Rand _____                               |                                                                   |                                                                                                         |                                      |
|                                   |                             |                                         |              |                                                                                                                                                    | _____1 : Rand _____                                                                                         |                                                                      |                                                                                                                                    | _____1 : Rand _____                               |                                                                   |                                                                                                         |                                      |
|                                   |                             |                                         |              |                                                                                                                                                    | _____1 : Rand _____                                                                                         |                                                                      |                                                                                                                                    | _____1 : Rand _____                               |                                                                   |                                                                                                         |                                      |
|                                   |                             |                                         |              |                                                                                                                                                    | _____1 : Rand _____                                                                                         |                                                                      |                                                                                                                                    | _____1 : Rand _____                               |                                                                   |                                                                                                         |                                      |

OR

**2. Supplier Price List Variations for Suppliers Supplying Goods Imported by Another Party**

- 2.1 The Tenderers (now Supplier) that are not the director importer of the manufactured goods/components, and intend to purchase the goods from another supplier who in turn is importing the goods, may apply for Supplier / Manufacturer Pricelist / Quotation based CPA imported by a another Party.
- 2.2 In such cases the Tenderer is required to submit with his tender a copy of the original Supplier / Manufacturer Pricelist / Quotation upon which his tender prices are based. Such pricelist / Quotation is required to be on the Letterhead of the Supplier / Manufacture, is to be dated, referenced and signed, and is to provide clear reference to the tender number, exchange rate on which the quote is based and is required to clearly reference each item quoted to the respective Tender Item Number indicated in C.4 Price Schedule.
- 2.3 The tenderer shall further confirm the Manufacturer / supplier, Quotation date, exchange rate at date of quote and reference number and applicable tender Items by completing Table F.1(G).3 below.

**Table F.1 (G).3: Price Schedule information for Imported Goods or Components, imported by Another Party Manufacturers/Suppliers Price List(s)/Quotation**

| C.4 Price Schedule Item No. | Original Tender Price | Previous and New Price List Information |              |                                                                                                                                     |                                                                                                    |                                                                |                                                                                                                     |                                                |                                                                |                                                                                                | New Contract Price (Excl. VAT) |
|-----------------------------|-----------------------|-----------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------|----------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------|
|                             |                       | Manufacturer/ Supplier                  | Material no. | Price Manufacturer/ Supplier Price List at the time tender in foreign currency (Excl. Vat)<br><br>Price List Date: _____<br><br>(B) | Exchange Rate on which quote is based – 7/14 days prior tender closes – BSC to decide -<br><br>(C) | Old Supplier/ Manufacturer Price in ZAR<br><br>D<br><br>=(BxC) | Price as per new Supplier/ Manufacturer Price List in foreign currency (Excl. Vat)<br><br>Price List Date: _____(E) | Exchange Rate on which quote is based<br><br>F | New Supplier/ Manufacturer Price in ZAR<br><br>G<br><br>=(ExF) | Difference between the previous and new manufacturer Price list (C)-(B)<br><br>H<br><br>=(G-D) |                                |
|                             | (A)                   |                                         |              |                                                                                                                                     |                                                                                                    |                                                                |                                                                                                                     |                                                |                                                                |                                                                                                | I<br><br>=(A)+(H)              |
|                             |                       |                                         |              |                                                                                                                                     | ____ 1 : Rand ____                                                                                 |                                                                |                                                                                                                     | ____ 1 : Rand ____                             |                                                                |                                                                                                |                                |
|                             |                       |                                         |              |                                                                                                                                     | ____ 1 : Rand ____                                                                                 |                                                                |                                                                                                                     | ____ 1 : Rand ____                             |                                                                |                                                                                                |                                |
|                             |                       |                                         |              |                                                                                                                                     | ____ 1 : Rand ____                                                                                 |                                                                |                                                                                                                     | ____ 1 : Rand ____                             |                                                                |                                                                                                |                                |
|                             |                       |                                         |              |                                                                                                                                     |                                                                                                    |                                                                |                                                                                                                     |                                                |                                                                |                                                                                                |                                |

- 2.4 During the contract period, the Tenderer (now Supplier) must submit the request for price adjustment based on increases in pricelists of manufacturers/suppliers prior to the effective date of the increase in the pricelist.
- 2.5 The effective date of any price adjustment granted will be the first day of the month following the month during which the fully substantiated application for contract price adjustment is submitted or, by agreement between the Tenderer/Supplier and the CCT, a subsequent date on which the price adjustment will become effective.
- 2.6 In instances where the Supplier's price adjustment claimed is less than entitled, the lesser price will be accepted.
- 2.7 Only the difference in source supplier / manufacturer pricelist (actual cost, not percentage) may be adjusted and under no circumstances may the Tenderer/Supplier increase their profit margin.
- 2.8 The Tenderer/Supplier shall, when submitting claims for contract price adjustment, submit all of the documentation indicated below a minimum of two weeks prior to the effective date of the contract price adjustment:
- 2.9 Copies of price lists upon which original tender prices were based (refer to Clause 1.2, Table F.1 (G).1 above) clearly indicating the item(s) according to C.4 Price Schedule.
- 2.10 The new price list (*from the same Supplier / Manufacturer as originally tendered*) on the relevant manufacturer/suppliers letterhead (with pamphlets, brochures and e-mail communication) clearly indicating the item(s) according to C.4 Price Schedule.
- 2.11 Submit detailed calculations indicating how the "new" price is calculated. The calculations must be submitted in Excel, together with a signed, "PDF" version of the Excel spreadsheet. The example above – Table F.1(G).3, is what is required.
- 2.12 A covering letter on the Supplier's letterhead requesting the CPA with the effective date of the claim.
- 2.13 The CCT will consider the request and either refer the request back for correction or additional information or approve the request.
- 2.14 The CCT will assess such pricelist based CPA claims and will only approve such claims that are confirmed to be reasonable and market related with reference to the source pricing information provided with the tender and with the CPA application.
- 2.15 Approval of the CPA request including confirmation of the effective date, will be communicated to the Supplier in writing. The effective date will be as per clause 2.5 above.
- 2.16 The successful Tenderer/Supplier shall immediately upon notification of the commencement date of contract submit written application for approval of any adjusted unit prices for the Goods that may have been notified by the Supplier / Manufacturer of the Goods, together with the required supporting documentation. This application will be assessed in accordance with the process laid out above in order to determine approved contract prices at the commencement of the contract.
- 2.17 Failure to submit such application within two working weeks of commencement of contract shall result in the tendered unit prices being applied for initial orders placed following commencement of the contract.
- 2.18 In the event of a Supplier changing their Supplier / Manufacturer during the tenure of the contract, no request for price variations will be considered unless the Supplier has obtained prior approval from the CCT for the change of Supplier / Manufacturer. Such approval shall include technical approval by the Engineer of the goods supplied by the replacement Supplier / Manufacturer. Technical approval by the Engineer shall be a prerequisite for any change of Supplier / Manufacturer.

**F.1. (H) GOODS AND/OR COMPONENTS IMPORTED FROM OUTSIDE OF SOUTH AFRICA - BASED ON FOREIGN INDICES**

1. Adjustment for variation in labour and material Costs based on Indices in the country of manufacture, similar to that of the STATS SA: Consumer Price Index (P0141–Table B2 – CPI headline year-on-year rates).
  - 1.1 If the prices for imported Goods and/or components are not fixed, the Supplier shall in their Tender specify the formula for calculating Contract Price Adjustments normally used in the country of manufacture and the indices and relative proportions of labour and material on which his Tender rates are based. The imported goods and or components shall be adjusted annually in accordance with clause 1.2 below.
  - 1.2 The FOB adjustment in this CPA must be read with the values stipulated in the F.1 (H1) (Column A) Schedule for Rate of Exchange.
2. Formula(e) for FOB price adjustment on goods and/or components ex-import:

Cost of goods and or components manufactured outside of South Africa and any foreign installation labour (FOB values in Table F.1 (H1) (Column A) titled **"Price Basis for Imported Resources"** will be fixed and firm except for variations in the foreign indices provided unless the following information is provided:

$$P = Po(0,1 + 0,9Nn/No)$$

Where

P = Adjusted Price

Po = Original Price

10% = Fixed

And:

No = Base Foreign Published Index (similar to SEIFSA CPI/PPI) in country of Origin

Nn = Current Foreign Published Index (similar to SEIFSA CPI/PPI) in country of Origin

3. The FOB values in F.1 (H1) (Column A) titled **"Price Basis for Imported Resources"** shall remain fixed and firm for the first 12 calendar months from date of Commencement Date of Contract and Suppliers are not permitted to requests CPA during this period.
- 4.
5. A minimum of 10% of the values in F.1 (H1) (Column A) titled **"Price Basis for Imported Resources"** shall be fixed and free of variation for the first cycle adjustment 1. Thereafter, a minimum of 10% of the approved adjusted rate for each of the subsequent years shall be fixed and free from variation as per the following sequence:
 

Adjustment 1 = 10% of tendered rates  
 Adjustment 2 = 10% of Adjusted 1 tendered rates  
 Adjustment 3 = 10% of Adjusted 2 tendered rates  
 Adjustment 4 = 10% of Adjusted 3 tendered rates  
 Adjustment 5 = 10% of Adjusted 4 tendered rates  
 Adjustment 6 = 10% of Adjusted 5 tendered rates  
 Adjustment 7 = 10% of Adjusted 6 tendered rates  
 Adjustment 8 = 10% of Adjusted 7 tendered rates  
 Adjustment 9 = 10% of Adjusted 8 tendered rates
6. A total of 90% of the values in F.1 (H1) (Column A) titled **"Price Basis for Imported Resources"** shall be adjusted annually in accordance with **clause 6** below for the first cycle adjustment 1. Thereafter, a total of 90% of the approved adjusted rate for the subsequent years shall be adjusted annually in accordance with **clause 6** below, as per the following sequence:

Adjustment 1 = 90% of tendered rates

Adjustment 2 = 90% of Adjusted 1 tendered rates  
 Adjustment 3 = 90% of Adjusted 2 tendered rates  
 Adjustment 4 = 90% of Adjusted 3 tendered rates  
 Adjustment 5 = 90% of Adjusted 4 tendered rates  
 Adjustment 6 = 90% of Adjusted 5 tendered rates  
 Adjustment 7 = 90% of Adjusted 6 tendered rates  
 Adjustment 8 = 90% of Adjusted 7 tendered rates  
 Adjustment 9 = 90% of Adjusted 8 tendered rates

7. The FOB values will thereafter be subject to adjustment annually based on the average percentage of 12 months as published in the Foreign Published Index as follows:

No adjustment applicable for 12 months from Date of contract commencement

#### 6.1 ADJUSTMENT 1

From the start of the 13<sup>th</sup> month to the end of the 24<sup>th</sup> month calculated as follows:

- a) The base month for the price adjustment being three (3) calendar months prior to Commencement Date of Contract; and
- b) The end month shall be three (3) calendar months prior to the 12<sup>th</sup> month

#### 6.2 ADJUSTMENT 2

From the start of the 25<sup>th</sup> month to end of the 36<sup>th</sup> month calculated as follows:

- a) The base month for the price adjustment shall be three (3) calendar months prior to the 13<sup>th</sup> month; and
- b) The end month shall be three (3) calendar months prior to 24<sup>th</sup> month.

#### 6.3 ADJUSTMENT 3

From the start of the 37<sup>th</sup> month to end of the 48<sup>th</sup> month calculated as follows:

- a) The base month for the price adjustment shall be three (3) calendar months prior to the 25<sup>th</sup> month; and
- b) The end month shall be three (3) calendar months prior to the 36<sup>th</sup> month.

#### 6.4 ADJUSTMENT 4

From the start of the 49<sup>th</sup> month to end of the 60<sup>th</sup> month calculated as follows:

- a) The base month for the price adjustment shall be three (3) calendar months prior to the 37<sup>th</sup> month; and
- b) The end month shall be three (3) calendar months prior to the 48<sup>th</sup> month.

#### 6.5 ADJUSTMENT

From the start of the 61<sup>st</sup> month to end of the 72<sup>nd</sup> month calculated as follows:

- a) The base month for the price adjustment shall be three (3) calendar months prior to the 49<sup>th</sup> month; and
- b) The end month shall be three (3) calendar months prior to the 60<sup>th</sup> month.

#### 6.6 ADJUSTMENT 6

From the start of the 73<sup>rd</sup> month to end of the 84<sup>th</sup> month calculated as follows:

- a) The base month for the price adjustment shall be three (3) calendar months prior to the 61<sup>st</sup> month; and
- b) The end month shall be three (3) calendar months prior to the 72<sup>nd</sup> month

#### 6.7 ADJUSTMENT 7

From the start of the 85<sup>th</sup> month to end of the 96<sup>th</sup> month calculated as follows:

- a) The base month for the price adjustment shall be three (3) calendar months prior to the 73<sup>rd</sup> month; and
- b) The end month shall be three (3) calendar months prior to the 84<sup>th</sup> month.

#### 6.8 ADJUSTMENT 8

From the start of the 97<sup>th</sup> month to end of the 108<sup>th</sup> month calculated as follows:

- a) The base month for the price adjustment shall be three (3) calendar months prior to the 85<sup>th</sup> month; and
- b) The end month shall be three (3) calendar months prior to the 96<sup>th</sup> month.

## 6.9 ADJUSTMENT 9

From the start of the 109th month to end of the 120th month calculated as follows:

- a) The base month for the price adjustment shall be three (3) calendar months prior to the 97th month; and
- b) The end month shall be three (3) calendar months prior to the 108th month

8. The average percentage increase in the published index will be calculated using the base month to the end month (both included) divided by the number of months. (12 months totalled/12 to achieve the average for the Foreign Published Index)
9. Subject to prior approval by the CCT delegated authority, in the event of any extension of the contract period, the CPA applicable beyond month 120<sup>th</sup> of the contract will follow the same principle in determining the base month and end month as outlined above.

TABLE F.1 (H).1: Price Basis for Imported Resources

| C.4 Price Schedule Detail   |                          | Rand Value Calculation for Foreign Content (FOB) |                                   |                                                      |
|-----------------------------|--------------------------|--------------------------------------------------|-----------------------------------|------------------------------------------------------|
| C.4 Price Schedule Item No. | Description of Resources | Value in Foreign Currency denomination           | Rate of Exchange as at Base Date* | Value in Rand for Foreign currency content (A) x (B) |
|                             |                          | (A)                                              | (B)                               | (C)                                                  |
|                             |                          |                                                  |                                   |                                                      |
|                             |                          |                                                  |                                   |                                                      |
|                             |                          |                                                  |                                   |                                                      |
|                             |                          |                                                  |                                   |                                                      |
|                             |                          |                                                  |                                   |                                                      |
|                             |                          |                                                  |                                   |                                                      |

\* Base Date: 7 (seven) calendar days before tender closing.

## Schedule F.2: Certificate of Authority for Partnerships/ Joint Ventures/ Consortiums

**This schedule is to be completed if the tender is submitted by a partnership/joint venture/ consortium.**

3. We, the undersigned, are submitting this tender offer as a partnership/ joint venture/ consortium and hereby authorize Mr/Ms \_\_\_\_\_, of the authorised entity \_\_\_\_\_, acting in the capacity of Lead Partner, to sign all documents in connection with the tender offer and any contract resulting from it on the partnership/joint venture/ consortium's behalf.
4. By signing this schedule the partners to the partnership/joint venture/ consortium:
  - 2.1 warrant that the tender submitted is in accordance with the main business and objectives of the partnership/joint venture/ consortium;
  - 2.2 agree that the CCT shall make all payments in terms of this Contract into the following bank account of the Lead Partner:  
 Account Holder: \_\_\_\_\_  
 Financial Institution: \_\_\_\_\_  
 Branch Code: \_\_\_\_\_  
 Account No.: \_\_\_\_\_
  - 2.3 agree that in the event that there is a change in the partnership/ joint venture/ consortium and/or should a dispute arise between the partnership/joint venture/ consortium partners, that the CCT shall continue to make any/all payments due and payable in terms of the Contract into the aforesaid bank account until such time as the CCT is presented with a Court Order or an original agreement (signed by each and every partner of the partnership/joint venture/ consortium) notifying the CCT of the details of the new bank account into which it is required to make payment.
  - 2.4 agree that they shall be jointly and severally liable to the CCT for the due and proper fulfilment by the successful tenderer/supplier of its obligations in terms of the Contract as well as any damages suffered by the CCT as a result of breach by the successful tenderer/supplier. The partnership/joint venture/ consortium partners hereby renounce the benefits of excussion and division.

| SIGNED BY THE PARTNERS OF THE PARTNERSHIP/ JOINT VENTURE/ CONSORTIUM |         |                                                 |
|----------------------------------------------------------------------|---------|-------------------------------------------------|
| NAME OF FIRM                                                         | ADDRESS | DULY AUTHORISED SIGNATORY                       |
| Lead partner                                                         |         | Signature.....<br>Name.....<br>Designation..... |
|                                                                      |         | Signature.....<br>Name.....<br>Designation..... |
|                                                                      |         | Signature.....<br>Name.....<br>Designation..... |
|                                                                      |         | Signature.....<br>Name.....<br>Designation..... |

**Note: A copy of the Joint Venture Agreement shall be appended to *List of Other Documents Attached by Tenderer Schedule*.**

### Schedule F.3: Declaration for Procurement above R10 million

If the value of the transaction is expected to exceed R10 million (VAT included) the tenderer shall complete the following questionnaire, attach the necessary documents and sign this schedule:

1. Are you by law required to prepare annual financial statements for auditing? **(Please mark with X)**

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

If YES, submit audited annual financial statements:

(i) For the past three years, or

(ii) Since the date of establishment of the tenderer (if established during the past three years)

By attaching such audited financial statements to **List of Other Documents Attached by Tenderer Schedule**.

2. Do you have any outstanding undisputed commitments for municipal services towards the CCT or other municipality in respect of which payment is overdue for more than 30 (thirty) days? **(Please mark with X)**

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

2.1 If NO, this serves to certify that the tenderer has no undisputed commitments for municipal services towards any municipality for more than three (3) (three) months in respect of which payment is overdue for more than 30 (thirty) days.

2.2 If YES, provide particulars:

|  |
|--|
|  |
|  |
|  |

3. Has any contract been awarded to you by an organ of state during the past five (5) years? **(Please mark with X)**

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

If YES, insert particulars in the table below including particulars of any material non-compliance or dispute concerning the execution of such contract. Alternatively attach the particulars to **List of Other Documents Attached by Tenderer** schedule in the same format as the table below:

| Organ of State | Contract Description | Contract Period | Non-compliance/dispute (if any) |
|----------------|----------------------|-----------------|---------------------------------|
|                |                      |                 |                                 |
|                |                      |                 |                                 |
|                |                      |                 |                                 |

4. Will any portion of the goods or services be sourced from outside the Republic, and if so, what portion and whether any portion of payment from the CCT is expected to be transferred out of the Republic? **(Please mark with X)**

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

If YES, furnish particulars below

|  |
|--|
|  |
|  |
|  |

The tenderer hereby certifies that the information set out in this schedule and/or attached hereto is true and correct, and acknowledges that failure to properly and truthfully complete this schedule may result in steps being taken against the tenderer, the tender being disqualified, and/or (in the event that the tenderer is successful) the cancellation of the contract, restriction of the tenderer or the exercise by the CCT of any other remedies available to it.

\_\_\_\_\_  
Signature  
Print name:  
On behalf of the tenderer (duly authorised)

\_\_\_\_\_  
Date

## Schedule F.4: Preference Points Claim Form In Terms Of the Preferential Procurement Regulations 2022

### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

- 1.2 **To be completed by the organ of state**  
*[Delete whichever is not applicable for this tender]*

The applicable preference point system for this tender is the 90/10 preference point system.

- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
- (c) Price; and
  - (d) Specific Goals.

- 1.4 **To be completed by the organ of state:**  
 The maximum points for this tender are allocated as follows:

|                                                  | POINTS     |
|--------------------------------------------------|------------|
| <b>PRICE</b>                                     |            |
| <b>SPECIFIC GOALS</b>                            |            |
| <b>Total points for Price and SPECIFIC GOALS</b> | <b>100</b> |

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

### 2. DEFINITIONS

The following definitions shall apply to this schedule:

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "The Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

**3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES****POINTS AWARDED FOR PRICE****THE 90/10 PREFERENCE POINT SYSTEMS**

A maximum of 90 points is allocated for price on the following basis:

90/10

Or

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

**4. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT****POINTS AWARDED FOR PRICE**

A maximum of 90 points is allocated for price on the following basis:

90/10

Or

Where:

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

**5. POINTS AWARDED FOR SPECIFIC GOALS**

5.1 In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/documentation stated in the conditions of this tender:

5.2 In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

- (a) an invitation for tender for income-generating contracts, that the 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
  - (b) any other invitation for tender, that the 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,
- then the organ of state must indicate the points allocated for specific goals the 90/10 preference point system.

**Table 1: Specific Goals (SG) – Points Allocated and Claimed**

Tenderers must indicate the preference points claimed for each specific goal applicable to them, for the purposes of this tender.

(Note to organs of state: Where the 90/10 preference point system is applicable, corresponding points must also be indicated as such.

| The specific goals allocated points in terms of this tender    | To be Completed by the Organ of State     | To be Completed by the Tenderer         |
|----------------------------------------------------------------|-------------------------------------------|-----------------------------------------|
|                                                                | Number of points Allocated (90/10 system) | Number of points claimed (90/10 system) |
| Promotion of Micro and Small Enterprises                       | 4                                         |                                         |
| Enterprise Supplier Development and Socio-Economic Development | 3                                         |                                         |
| Skills Development <u>OR</u> Employee Share Scheme             | 3                                         |                                         |

## DECLARATION WITH REGARD TO COMPANY/FIRM

5.3 Name of company/firm.....

5.4 Company registration number: .....

## 5.5 TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium  
☐ One-person business/sole propriety  
☐ Close corporation  
☐ Public Company  
☐ Personal Liability Company  
☐ (Pty) Limited  
☐ Non-Profit Company  
☐ State Owned Company

[Tick applicable box]

5.6 I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- v) The information furnished is true and correct;  
 vi) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;  
 vii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 4.1 and 4.2, the Supplier may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;  
 viii) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
- (f) disqualify the person from the tendering process;
  - (g) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (h) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (i) recommend that the tenderer or Supplier, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
  - (j) forward the matter for criminal prosecution, if deemed necessary.

|                              |             |                         |                |
|------------------------------|-------------|-------------------------|----------------|
|                              |             |                         |                |
| <i>Signature of Tenderer</i> | <i>Date</i> | <i>Name and Surname</i> | <i>Address</i> |

For official use.

**SIGNATURE OF CCT OFFICIALS AT  
TENDER OPENING**

|    |    |    |
|----|----|----|
| 1. | 2. | 3. |
|----|----|----|

**Table 2: Specific Goals – Declaration by the Tenderer**

Tenderers must complete this table to declare the amounts and percentages applicable to the specific goals they are claiming.

NB: In completing Table 2 below, please consult **Notes for Verification** below

| The specific goals allocated points in terms of this tender                         | To be Completed by the Tenderer                        |                                 |
|-------------------------------------------------------------------------------------|--------------------------------------------------------|---------------------------------|
|                                                                                     | Refer to “Notes for verification”                      | Amount Declared (excluding VAT) |
| <b><u>SG1</u></b><br>Promotion of Micro and Small Enterprises                       | (i) Total Turnover                                     |                                 |
| <b><u>SG2</u></b><br>Enterprise Supplier Development and Socio Economic Development | (ii) Total Enterprise Supplier Development Expenditure |                                 |
|                                                                                     | (iii) Total Socio Economic Development Expenditure     |                                 |
|                                                                                     | (iv) Total Expenditure                                 |                                 |
| <b><u>SG3.1</u></b><br>Skills Development                                           | (v) Total Skills Development Expenditure               |                                 |
|                                                                                     | (vi) Total Profit                                      |                                 |
| OR<br><b><u>SG3.2</u></b><br>Employee Share Scheme                                  | (vii) Employee Share Scheme Ownership %                |                                 |

**Tenderer Confirmation:**

I confirm that the amounts declared in Table 2 above are accurate and in accordance with the *‘The Broad-Based Black Economic Empowerment (B-BBEE) Act 53 of 2003, as amended.* .

|                                                                         |             |                         |                |
|-------------------------------------------------------------------------|-------------|-------------------------|----------------|
|                                                                         |             |                         |                |
| <b>Signature of Tenderer<br/>(Authorised to represent the tenderer)</b> | <b>Date</b> | <b>Name and Surname</b> | <b>Address</b> |

**Notes for Verification:**

All amounts disclosed should be as per the most recent Annual Financial Statements (not older than 12 months) and defined as per the B-BBEE Act

- SG1 – Specific Goal 1  
**Promotion of Micro and Small Enterprises**  
 (i) Total Turnover  
 Micro enterprises with a turnover of up to R20million and Small enterprises with a turnover up to R80 million, as per National Small Enterprise Act, 1996 (Act No.102 of 1996)
- SG2 – Specific Goal 2  
**Enterprise Supplier Development and Socio-Economic Development**  
 (ii) Total Enterprise Supplier Development Expenditure  
 Qualifying expenditure as defined in the B-BBEE Act: Statement 400 "THE GENERAL PRINCIPLES FOR MEASURING ENTERPRISE AND SUPPLIER DEVELOPMENT"  
  
 (iii) Total Enterprise Socio Economic Development Expenditure  
 Qualifying expenditure as defined in the B-BBEE Act: Statement 500 "THE GENERAL PRINCIPLES FOR MEASURING THE SOCIO - ECONOMIC DEVELOPMENT ELEMENT"  
  
 (iv) Total Expenditure  
 Total Expenditure as per the most recent Annual Financial Statements (not older than 12 months)
- SG3.1 – Specific Goal 3  
**Skills Development**  
 (v) Total Skills Development Expenditure  
 Qualifying expenditure as defined in the B-BBEE Act: Statement 300 "THE GENERAL PRINCIPLES FOR MEASURING SKILLS DEVELOPMENT"  
  
 (vi) Total Profit  
 Total Profit as per the most recent Annual Financial Statements (not older than 12 months)
- SG3.2 – Specific Goal 3  
**Employee Share Scheme**  
 (vii) Employee Share Scheme Ownership %  
 Total employee ownership as per employee share certificate at the date of tender closing.

The below table (Table 3) must be completed by a B-BBEE Verification Agency (\*Note 1) **OR** Commissioner of Oaths

(Refer to \*Note 3.2 for the detailed declaration):

**Table 3:**

|                            |             |                         |                |
|----------------------------|-------------|-------------------------|----------------|
|                            |             |                         |                |
| <b>Signature and Stamp</b> | <b>Date</b> | <b>Name and Surname</b> | <b>Address</b> |

**\*Note 1****1.1 Tendering entity that undergoes B-BBEE verification**

- Where a tendering entity undergoes B-BBEE verification, a B-BBEE certificate valid as at the date of tender closing, must be attached to the bid submission or must be made available upon request within the specified period.
- All amounts disclosed in Table 2, should be amounts used in the B-BBEE verification process undergone by the tendering entity
- The B-BBEE verification agency must complete Table 3 above, to confirm the following amounts disclosed by the bidder in Table 2:
  - (ii) Total Enterprise Supplier Development Expenditure;
  - (iii) Total Socio Economic Development Expenditure;
  - (v) Total Skills Development Expenditure
- Where the tendering entity is a Joint Venture/ Consortium, the amounts in Table 2 must be consolidated, with an accompanying consolidated B-BBEE certificate valid as at the date of tender closing must be attached to the bid submission or must be made available upon request within the specified period.

**1.2 If the tendering entity does not undergo B-BBEE verification and qualifies as a B-BBEE Qualifying Small Enterprise (QSE) and Exempted Micro-Enterprises (EME)**

- Table 3 must be completed by a Commissioner of Oaths to confirm the following amounts disclosed by the bidder in Table 2:
  - (ii) Total Enterprise Supplier Development Expenditure;
  - (iii) Total Socio Economic Development Expenditure;
  - (v) Total Skills Development Expenditure

**\*Note 2****2.1 The tendering entity must attach with the bid submission or must be made available upon request within the specified period; the most recent (where applicable) audited financial statements to enable validation of the following amounts disclosed by the bidder in Table 2:**

- (i) Total Turnover
- (iv) Total Expenditure
- (vi) Total Profit

**2.2 Companies who are required to be audited by legislation, must submit audited financial statements, not older than 12 months with the bid submission or must be made available upon request within the specified period.**

**\*Note 3**

Sworn affidavit to be deposed by the Commissioner of Oaths to the QSE or EME.

I, the undersigned,

|                                                                        |  |
|------------------------------------------------------------------------|--|
| <b>Full Name and Surname</b><br>(Authorised to represent the tenderer) |  |
| <b>Identity Number</b>                                                 |  |

Hereby declare under oath as follows

3.1 The contents of this statement are to the best of my knowledge a true reflection of facts.

3.2 I am a Member/ Director/ Owner of the following enterprise and am duly authorised to act on its behalf.

|                                                       |  |
|-------------------------------------------------------|--|
| <b>Enterprise Name:</b>                               |  |
| <b>Trading Name (If Applicable):</b>                  |  |
| <b>Registration Number:</b>                           |  |
| <b>Enterprise Physical Address:</b>                   |  |
| <b>Type of Entity (CC, Pty (Ltd), Sole Prop etc):</b> |  |
| <b>Nature of Business:</b>                            |  |

3.3 I hereby declare under oath that based on the Financial Statements / Management Accounts and information available on the latest financial year end \_\_\_\_\_

3.3.1 The annual Total Revenue was less than R50 000 000.00 (Fifty Million Rand);

3.3.2 The following amounts disclosed in Table 2 are accurate, complete, consistent with the BBBEE Act (see Notes for Verification) and based on the Financial Statements / Management Accounts and information available on the latest financial year end \_\_\_\_\_

| As per Table 2                                         | Amount Declared<br>(excluding VAT) |
|--------------------------------------------------------|------------------------------------|
| (ii) Total Enterprise Supplier Development Expenditure |                                    |
| (iii) Total Socio Economic Development Expenditure     |                                    |
| (iv) Total Expenditure                                 |                                    |
| (v) Total Skills Development Expenditure               |                                    |

| As per Table 2                          | Amount Declared<br>(excluding VAT) |
|-----------------------------------------|------------------------------------|
| (vi) Total Profit                       |                                    |
| (vii) Employee Share Scheme Ownership % |                                    |

3.4 I know and understand the contents of this affidavit and I have no objection to take the prescribed oath and consider the oath binding on my conscience and on the owners of the enterprise which I represent I this matter.

3.5 The sworn affidavit will be valid for a period of 12 months from the date signed by the commissioner.

Commissioner of Oaths  
Signature, Date and Stamp

Deponent Signature and Date

### 3.6 KEY NOTES OF DETERMINING VALIDITY OF SWORN AFFIDAVITS

|                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BBBEE<br/>Certificates/<br/>Sworn Affidavits</b> | <p>Returnable for declaration requirement must be attached with the bid submission or must be made available upon request within the specified period</p> <ul style="list-style-type: none"> <li>- Certified and Valid copy of BBBEE Certificate issued by a SANAS Accredited Verification Agent, or</li> <li>- Certified and Valid copy of Sworn Affidavit for either EME or QSE (see key notes below to determine Validity of a Sworn Affidavit); or</li> <li>- Valid copy of BBBEE Certificate issued by CIPC for EME's only</li> </ul> <p><b>KEY NOTES OF DETERMINING VALIDITY OF SWORN AFFIDAVITS</b></p> <p><b>Tenderers submitting Sworn Affidavits must ensure that the affidavits meet the following key pointers to ensure their validity:</b></p> <p>(a) Name/s of deponent as they appear in the identity document and the identity number.</p> <p>(b) Designation of the deponent as the Director/ Member must be indicated in order to know that person is duly authorised to depose of an affidavit <b>(mark the applicable</b></p> |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p><b>option).</b></p> <p>(c) Name of enterprise as per enterprise registration documents issued by CIPC, where applicable, and enterprise business address.</p> <p>(d) Amounts as per Table 2 must be inserted <b>(No blank spaces to be left).</b></p> <p>(e) Indicate total revenue for the year under review and whether it is based on audited financial statements or management accounts <b>(mark the applicable option).</b></p> <p>(f) Financial year end as per the enterprise's registration documents, which was used to determine the total revenue (financial year end to be stipulated by day/ month/ year).</p> <p>(g) Date deponent signed and date of Commissioner of Oath must be the same.<br/>(The sworn affidavit must be signed in the presence of the Commissioner of Oath. Furthermore the Commissioner must also sign ad stamp).</p> <p>(h) Commissioner of Oath cannot be an employee or ex officio of the enterprise because, a person cannot by law, commission a sworn affidavit in which they have an interest.</p> <p>If the relevant documentation/ information as stipulated in the enquiry is not submitted and/or does not meet the above requirements; tenderers will be disqualified.</p> |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Schedule F.5: Declaration of Interest – State Employees (MBD 4 amended)**

2. No bid will be accepted from:
- 2.1 persons in the service of the state<sup>1</sup>, or
  - 2.2 if the person is not a natural person, of which any director, manager or principal shareholder or stakeholder is in the service of the state, or
  - 2.3 from persons, or entities of which any director, manager or principal shareholder or stakeholder, has been in the service of the City of Cape Town (CCT) during the previous twelve (12) months, or
  - 2.4 from an entity who has employed a former CCT employee who was at a level of T14 or higher at the time of leaving the CCT's employ and involved in any of the CCT's bid committees for the bid submitted, if:
    - 2.4.1 the CCT employee left the CCT's employment voluntarily, during the previous twelve (12) months;
  - 2.5 a person who was a CCT employee, or an entity that employs a CCT employee, if
    - 2.5.1 the CCT employee left the CCT's employment whilst under investigation for alleged misconduct, or
    - 2.5.2 was facing disciplinary action or potential disciplinary action by the CCT, or
    - 2.5.3 was involved in a dispute against the CCT during the previous thirty-six (36) months.
3. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the tenderer or their authorised representative declare their position in relation to the evaluating/adjudicating authority.
3. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.
- 3.1 Full Name of tenderer or his or her representative: \_\_\_\_\_
  - 3.2 Identity Number: \_\_\_\_\_
  - 3.3 Position occupied in the Company (director, trustee, shareholder<sup>2</sup>): \_\_\_\_\_
  - 3.4 Company or Close Corporation Registration Number: \_\_\_\_\_
  - 3.5 Tax Reference Number: \_\_\_\_\_
  - 3.6 VAT Registration Number: \_\_\_\_\_
  - 3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.
  - 3.8 Are you presently in the service of the state? **YES / NO**
    - 3.8.1 If yes, furnish particulars: \_\_\_\_\_
  - 3.9 Have you been in the service of the state for the past twelve months? **YES / NO**
    - 3.9.1 If yes, furnish particulars: \_\_\_\_\_
  - 3.10 Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? **YES / NO**
    - 3.10.1 If yes, furnish particulars: \_\_\_\_\_
  - 3.11 Are you, aware of any relationship (family, friend, other) between any other tenderer and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? **YES / NO**
    - 3.11.1 If yes, furnish particulars: \_\_\_\_\_
  - 3.12 Are any of the company's directors, trustees, managers, principal shareholders or stakeholders in service of the state? **YES / NO**
    - 3.12.1 If yes, furnish particulars: \_\_\_\_\_

- 3.13 Are any spouse, child or parent of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**  
 3.13.1 If yes, furnish particulars: \_\_\_\_\_
- 3.14 Do you or any of the directors, trustees, managers, principal shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract? **YES / NO**  
 3.14.1 If yes, furnish particulars: \_\_\_\_\_
- 3.15 Have you, or any of the directors, trustees, managers, principal shareholders, or stakeholders of this company been in the service of the CCT in the past twelve months? **YES / NO**  
 3.15.1 If yes, furnish particulars: \_\_\_\_\_
- 3.16 Do you have any employees who was in the service of the CCT at a level of T14 or higher at the time they left the employ of the CCT, and who was involved in any of the CCT's bid committees for this bid? **YES / NO**  
 3.16.1 If yes, furnish particulars: \_\_\_\_\_

4. Full details of directors / trustees / members / shareholders

| Full Name | Identity Number | State Employee Number |
|-----------|-----------------|-----------------------|
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |

If the above table does not sufficient to provide the details of all directors / trustees / shareholders, please append full details to the tender submission.

The tenderer hereby certifies that the information set out in this schedule and/or attached hereto is true and correct, and acknowledges that failure to properly and truthfully complete this schedule may result in steps being taken against the tenderer, the tender being disqualified, and/or (in the event that the tenderer is successful) the cancellation of the contract, restriction of the tenderer or the exercise by the CCT of any other remedies available to it.

Signature \_\_\_\_\_

Print name: \_\_\_\_\_

Date \_\_\_\_\_

On behalf of the tenderer (duly authorised)

**'MSCM Regulations: "in the service of the state" means to be –**

**(g) a member of –**

- (i) any municipal council;**
- (ii) any provincial legislature; or**
- (iii) the national Assembly or the national Council of provinces;**

**(h) a member of the board of directors of any municipal entity;**

**(i) an official of any municipality or municipal entity;**

**(j) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);**

**(k) an executive member of the accounting authority of any national or provincial public entity; or**

**(l) an employee of Parliament or provincial legislature.**

<sup>2</sup> **Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.**

|                                                       |
|-------------------------------------------------------|
| <b>Schedule F.6: Conflict of Interest Declaration</b> |
|-------------------------------------------------------|

2. The tenderer shall declare whether it has any conflict of interest in the transaction for which the tender is submitted. **(Please mark with X)**

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

- 1.1 If yes, the tenderer is required to set out the particulars in the table below:

|  |
|--|
|  |
|  |
|  |
|  |
|  |

2. The tenderer shall declare whether it has directly or through a representative or intermediary promised, offered or granted:

- 2.1 Any inducement or reward to the CCT for or in connection with the award of this contract; or

- 2.2 Any reward, gift, favour or hospitality to any official or any other role player involved in the implementation of the supply chain management policy. **(Please mark with X)**

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

- If yes, the tenderer is required to set out the particulars in the table below:

|  |
|--|
|  |
|  |
|  |
|  |
|  |

***Should the tenderer be aware of any corrupt or fraudulent transactions relating to the procurement process of the CCT, please contact the following:***

***The CCT's anti-corruption hotline at 0800 32 31 30 (toll free)***

The tenderer hereby certifies that the information set out in this schedule and/or attached hereto is true and correct, and acknowledges that failure to properly and truthfully complete this schedule may result in steps being taken against the tenderer, the tender being disqualified, and/or (in the event that the tenderer is successful) the cancellation of the contract, restriction of the tenderer or the exercise by the CCT of any other remedies available to it.

\_\_\_\_\_  
Signature  
Print name:  
On behalf of the tenderer (duly authorised)

\_\_\_\_\_  
Date

## Schedule F.7: Declaration of Tenderer's Past Supply Chain Management Practices (MBD 8)

Where the entity tendering is a partnership/joint venture/consortium, each party to the partnership/joint venture/consortium must sign a declaration in terms of the Municipal Finance Management Act, Act 56 of 2003, and attach it to this schedule.

- 3 The tender offer of any tenderer may be rejected if that tenderer or any of its directors/members have:
- a) abused the municipality's / municipal entity's supply chain management system or committed any fraudulent conduct in relation to such system;
  - b) been convicted for fraud or corruption during the past five years;
  - c) willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
  - d) been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004) or Database of Restricted Suppliers.
- 4 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

| Item  | Question                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Yes                                 | No                                 |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|------------------------------------|
| 2.1   | <p><b>Is the tenderer or any of its directors/members listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?</b></p> <p>(Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied).</p> <p><b>The Database of Restricted Suppliers now resides on the National Treasury's website (<a href="http://www.treasury.gov.za">www.treasury.gov.za</a>) and can be accessed by clicking on its link at the bottom of the home page.</b></p> | <p>Yes</p> <input type="checkbox"/> | <p>No</p> <input type="checkbox"/> |
| 2.1.1 | If so, furnish particulars:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     |                                    |
| 2.2   | <p><b>Is the tenderer or any of its directors/members listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004) or Database of Restricted Suppliers?</b></p> <p><b>The Register for Tender Defaulters can be accessed on the National Treasury's website (<a href="http://www.treasury.gov.za">www.treasury.gov.za</a>) by clicking on its link at the bottom of the home page.</b></p>                                                                                                                                                                                                                                        | <p>Yes</p> <input type="checkbox"/> | <p>No</p> <input type="checkbox"/> |
| 2.2.1 | If so, furnish particulars:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     |                                    |
| 2.3   | <p><b>Was the tenderer or any of its directors/members convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <p>Yes</p> <input type="checkbox"/> | <p>No</p> <input type="checkbox"/> |
| 2.3.1 | If so, furnish particulars:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     |                                    |
| Item  | Question                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Yes                                 | No                                 |

|       |                                                                                                                                                                                                                                          |                                 |                                |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------------------------------|
| 2.4   | Does the tenderer or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months? | Yes<br><input type="checkbox"/> | No<br><input type="checkbox"/> |
| 2.4.1 | If so, furnish particulars:                                                                                                                                                                                                              |                                 |                                |
| 2.5   | Was any contract between the tenderer and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?                         | Yes<br><input type="checkbox"/> | No<br><input type="checkbox"/> |
| 2.5.1 | If so, furnish particulars:                                                                                                                                                                                                              |                                 |                                |

The tenderer hereby certifies that the information set out in this schedule and/or attached hereto is true and correct, and acknowledges that failure to properly and truthfully complete this schedule may result in steps being taken against the tenderer, the tender being disqualified, and/or (in the event that the tenderer is successful) the cancellation of the contract,, restriction of the tenderer or the exercise by the CCT of any other remedies available to it.

\_\_\_\_\_  
 Signature  
 Print name:  
 On behalf of the tenderer (duly authorised)

\_\_\_\_\_  
 Date

## Schedule F.8: Authorisation for the Deduction of Outstanding Amounts Owed to the CCT

To: THE CITY MANAGER, City of Cape Town

From: \_\_\_\_\_  
(Name of tenderer)

### RE: AUTHORISATION FOR THE DEDUCTION OF OUTSTANDING AMOUNTS OWED TO THE CCT

The tenderer:

- e) hereby acknowledges that according to SCM Regulation 38(1)(d)(i) the City Manager may reject the tender of the tenderer if any municipal rates and taxes or municipal service charges owed by the tenderer (or any of its directors/members/partners) to the CCT, or to any other municipality or municipal entity, are in arrears for more than 3 (three) months; and
- f) therefore hereby agrees and authorises the CCT to deduct the full amount outstanding by the Tenderer or any of its directors/members/partners from any payment due to the tenderer; and
- g) confirms the information as set out in the tables below for the purpose of giving effect to b) above;

| Physical Business address(es) of the tenderer | Municipal Account number(s) | Inside the CCT municipal boundary (Yes/No) |
|-----------------------------------------------|-----------------------------|--------------------------------------------|
|                                               |                             |                                            |
|                                               |                             |                                            |

If there is not enough space for all the names, please attach the information to **List of other documents attached by tenderer** schedule in the same format:

| Name of Director / Member / Partner | Identity Number | Physical residential address of Director / Member / Partner | Municipal Account number(s) | Inside the CCT municipal boundary (Yes/No) |
|-------------------------------------|-----------------|-------------------------------------------------------------|-----------------------------|--------------------------------------------|
|                                     |                 |                                                             |                             |                                            |
|                                     |                 |                                                             |                             |                                            |
|                                     |                 |                                                             |                             |                                            |
|                                     |                 |                                                             |                             |                                            |
|                                     |                 |                                                             |                             |                                            |
|                                     |                 |                                                             |                             |                                            |
|                                     |                 |                                                             |                             |                                            |

The tenderer hereby certifies that the information set out in this schedule and/or attached hereto is true and correct, and acknowledges that failure to properly and truthfully complete this schedule may result in steps being taken against the tenderer, the tender being disqualified, and/or (in the event that the tenderer is successful) the cancellation of the contract, restriction of the tenderer or the exercise by the CCT of any other remedies available to it.

\_\_\_\_\_  
Signature  
Print name:  
On behalf of the tenderer (duly authorised)

\_\_\_\_\_  
Date

## Schedule F.9: Certificate of Independent Tender Determination

I, the undersigned, in submitting this tender number **DP8754G/2023/24** and tender description: **VALVES: SUPPLY, INSTALLATION, SERVICING, REPAIRING, AND RECONDITIONING OF VALVES AND ASSOCIATED PIPEWORK FOR WATER AND SANITATION FOR THE CITY OF CAPE TOWN**

in response to the tender invitation made by THE CCT, do hereby make the following statements, which I certify to be true and complete in every respect:

I certify, on behalf of: \_\_\_\_\_ (Name of tenderer) that:

1. I have read and I understand the contents of this Certificate.
2. I understand that this tender will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorised by the tenderer to sign this Certificate, and to submit this tender, on behalf of the tenderer;
4. Each person whose signature appears on this tender has been authorised by the tenderer to determine the terms of, and to sign, the tender on behalf of the tenderer;
5. For the purposes of this Certificate and this tender, I understand that the word 'competitor' shall include any individual or organisation other than the tenderer, whether or not affiliated with the tenderer, who:
  - (a) has been requested to submit a tender in response to this tender invitation;
  - (b) could potentially submit a tender in response to this tender invitation, based on their qualifications, abilities or experience; and
  - (c) provides the same goods and services as the tenderer and/or is in the same line of business as the tenderer.
6. The tenderer has arrived at this tender independently from and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>1</sup> will not be construed as collusive price quoting.
7. In particular, without limiting the generality of paragraphs 5 and 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - (a) prices;
  - (b) geographical area where product or service will be rendered (market allocation);
  - (c) methods, factors or formulas used to calculate prices;
  - (d) the intention or decision to submit or not to submit a tender;
  - (e) the submission of a tender which does not meet the specifications and conditions of the tender; or
  - (f) tendering with the intention not to win the contract.
8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this tender invitation relates.
9. The terms of this tender have not been and will not be disclosed by the tenderer, directly or indirectly, to any competitor, prior to the date and time of the official tender opening or of the awarding of the contract.
10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to tenders and contracts, tenders that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act, Act 89 of 1998, and/o/r may be reported to the National Prosecuting Authority (NPA) for criminal investigation, and/or may be restricted from conducting business with the public sector for a period not exceeding 10 (ten) years in terms of the Prevention and Combating of Corrupt Activities Act, Act 12 of 2004, or any other applicable legislation.

Signature

Print name:

On behalf of the tenderer (duly authorised)

Date

<sup>(1)</sup> **Consortium: Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the**

execution of a contract.)

### Schedule F.10: Proposed Deviations and Qualifications By Tenderer

The Tenderer should record any **proposed** deviations or qualifications they may wish to make to the tender documents in this Returnable Schedule. Alternatively, a tenderer may state such proposed deviations and qualifications in a covering letter attached to his tender and reference such letter in this schedule. Any proposed deviations or qualifications contained in a covering letter which is not referenced in this schedule will not be considered.

The Tenderer's attention is drawn to clause 2.3.7.2 of the Standard Conditions of Tender referenced in the Tender Data regarding the CCT's handling of material deviations and qualifications.

If no deviations or qualifications are proposed, the schedule hereunder is to be marked NIL and signed by the Tenderer.

| PAGE | CLAUSE OR ITEM | PROPOSED DEVIATION OR QUALIFICATION |
|------|----------------|-------------------------------------|
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |
|      |                |                                     |

List relevant documentation attached in Schedule F.10 below.

\_\_\_\_\_  
 Signature  
 Print name:  
 On behalf of the tenderer (duly authorised)

\_\_\_\_\_  
 Date

## Schedule F.11: List of Other Documents Attached By Tenderer

The tenderer has attached to this schedule, the following additional documentation:

|     | <b>Date of Document</b> | <b>Title of Document or Description<br/>(refer to clauses / schedules of this tender document where applicable)</b> |
|-----|-------------------------|---------------------------------------------------------------------------------------------------------------------|
| 1.  |                         |                                                                                                                     |
| 2.  |                         |                                                                                                                     |
| 3.  |                         |                                                                                                                     |
| 4.  |                         |                                                                                                                     |
| 5.  |                         |                                                                                                                     |
| 6.  |                         |                                                                                                                     |
| 7.  |                         |                                                                                                                     |
| 8.  |                         |                                                                                                                     |
| 9.  |                         |                                                                                                                     |
| 10. |                         |                                                                                                                     |
| 11. |                         |                                                                                                                     |
| 12. |                         |                                                                                                                     |
| 13. |                         |                                                                                                                     |
| 14. |                         |                                                                                                                     |
| 15. |                         |                                                                                                                     |
| 16. |                         |                                                                                                                     |
| 17. |                         |                                                                                                                     |

Attach additional pages if more space is required.

\_\_\_\_\_  
 Signature  
 Print name:  
 On behalf of the tenderer (duly authorised)

\_\_\_\_\_  
 Date

|                                                             |
|-------------------------------------------------------------|
| <b>Schedule F.12: Record of Addenda to Tender Documents</b> |
|-------------------------------------------------------------|

We confirm that the following communications received from the CCT before the submission of this tender offer, amending the tender documents, have been taken into account in this tender offer:

|     | Date | Title or Details |
|-----|------|------------------|
| 1.  |      |                  |
| 2.  |      |                  |
| 3.  |      |                  |
| 4.  |      |                  |
| 5.  |      |                  |
| 6.  |      |                  |
| 7.  |      |                  |
| 8.  |      |                  |
| 9.  |      |                  |
| 10. |      |                  |

Attach additional pages if more space is required.

\_\_\_\_\_  
 Signature  
 Print name:  
 On behalf of the tenderer (duly authorised)

\_\_\_\_\_  
 Date

**Schedule F.13: Information to Be Provided with the Tender**

The following information shall be provided with the Tender:

1. The various technical details and data required by the Technical Data Sheets and information required in the Returnable Schedules. (Data sheets are mandatory/compulsory)

---

Signature

Print name:

On behalf of the tenderer (duly authorised)

---

Date

|                                          |
|------------------------------------------|
| <b>Schedule F.14: Appeal Application</b> |
|------------------------------------------|

OFFICIAL RECEIPT  
(Valid only if printed  
by official cash  
receipting machine)

IRISITI ESESIKWENI  
(Isemthethweni kuphela  
xa ishicilelwe  
ngumatshini wokukhupa  
irisiti osesikweni.)

AMPTELIKE KWITANSIE  
(Geldig alleenlik indien deur  
amptelike kontantvangs  
masjien gedruk.)

GL DATA CAPTURE RECEIPT  
(CASHIER TO RETAIN A COPY)

RECEIPT NO: \_\_\_\_\_

DATE: \_\_\_\_\_

SAP GL:

|   |   |   |   |   |   |
|---|---|---|---|---|---|
| 8 | 1 | 0 | 1 | 0 | 0 |
|---|---|---|---|---|---|

PROFIT CENTRE:

|   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|
| 1 | 3 | 0 | 5 | 0 | 0 | 0 | 1 |
|---|---|---|---|---|---|---|---|

NAME/COMPANY NAME:

AMOUNT:

|  |  |  |  |  |  |   |   |   |   |   |   |   |
|--|--|--|--|--|--|---|---|---|---|---|---|---|
|  |  |  |  |  |  | R | 3 | 0 | 0 | - | 0 | 0 |
|--|--|--|--|--|--|---|---|---|---|---|---|---|

SERVICE DEPARTMENT DETAILS-

DEPARTMENT: LEGAL SERVICES: APPEALS UNIT

EMAIL; [MSA.Appeals@capetown.gov.za](mailto:MSA.Appeals@capetown.gov.za)

CIVIC CENTRE      IZIKO LOLUNGU      BURGERSENTRUM

12 HERTZOG BOULEVARD CAPE TOWN 8001 P O BOX 298 CAPE TOWN 8000  
[www.capetown.gov.za](http://www.capetown.gov.za)

**Making progress possible. Together.**