GAUTENG PROVINCE PROVINCIAL TREASURY REPUBLIC OF SOUTH AFRICA	**PROVINCIAL SUPPLY CHAIN MANAGEMENT**	
	PRICING SCHEDULE – NON - FIRM PRICES (PURCHASES)	**Page: 1 of 4**

NOTE: PRICE ADJUSTMENTS WILL BE ALLOWED AT THE PERIODS AND TIMES SPECIFIED IN THE BIDDING DOCUMENTS.

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

NAME OF THE BIDDER		**BID NUMBER**	GT/GDE/047/2026

CLOSING TIME	11H00	**CLOSING DATE**	15/01/2027

OFFER TO BE VALID FOR	180	**DAYS FROM THE CLOSING DATE OF BID**

ITEM NO	**QUANTITY**	**DESCRIPTION**	**BID PRICE IN RSA CURRENCY **(ALL APPLICABLE TAXES INCLUDED)**
NA	NA	NA	SEE ATTACHED PRICE SCHEDULE

REQUIRED BY:	NA
AT:	NA
BRAND MODEL:	NA
COUNTRY OF ORIGIN:	NA

GAUTENG PROVINCE PROVINCIAL TREASURY REPUBLIC OF SOUTH AFRICA	**PROVINCIAL SUPPLY CHAIN MANAGEMENT**	
	PRICING SCHEDULE – NON - FIRM PRICES (PURCHASES)	**Page: 2 of 4**

Does the offer comply with the specification(s)?	**YES**	✔	**NO**	

If not to specification, indicate deviation(s)

PERIOD REQUIRED FOR DELIVERY	NA

DELIVERY	**FIRM**		**NOT FIRM**	✔

"All applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

GAUTENG PROVINCE PROVINCIAL TREASURY REPUBLIC OF SOUTH AFRICA	**PROVINCIAL SUPPLY CHAIN MANAGEMENT**	
	PRICING SCHEDULE – NON - FIRM PRICES (PURCHASES)	**Page: 3 of 4**

PRICE ADJUSTMENTS

A NON-FIRM PRICES SUBJECT TO ESCALATION

1. IN CASES OF PERIOD CONTRACTS, NON-FIRM PRICES WILL BE ADJUSTED (LOADED) WITH THE ASSESSED CONTRACT PRICE ADJUSTMENTS IMPLICIT IN NON-FIRM PRICES WHEN CALCULATING THE COMPARATIVE PRICES

2. IN THIS CATEGORY PRICE ESCALATIONS WILL ONLY BE CONSIDERED IN TERMS OF THE FOLLOWING FORMULA:

$$Pa = (1-V)Pt\left(D1\frac{R1t}{R1o} + D2\frac{R2t}{R2o} + D3\frac{R3t}{R3o} + D4\frac{R4t}{R4o} \right) + VPt$$

Where:

Pa	=	The new escalated price to be calculated.
(1-V) Pt	=	85% of the original bid price. **Note that Pt must always be the original bid price and not an escalated price.**
D1, D2..	=	Each factor of the bid price eg. labour, transport, clothing, footwear, etc. The total of the various factors D1, D2...etc. must add up to 100%.
R1t, R2t.....	=	Index figure obtained from new index (depends on the number of factors used).
R1o, R2o	=	Index figure at time of bidding.
VPt	=	15% of the original bid price. This portion of the bid price remains firm i.e. it is not subject to any price escalations.

3. THE FOLLOWING INDEX/INDICES MUST BE USED TO CALCULATE YOUR BID PRICE:

INDEX	DATED	INDEX	DATED	INDEX	DATE

GAUTENG PROVINCE PROVINCIAL TREASURY REPUBLIC OF SOUTH AFRICA	**PROVINCIAL SUPPLY CHAIN MANAGEMENT**	
	PRICING SCHEDULE – NON - FIRM PRICES (PURCHASES)	**Page: 4 of 4**

4. FURNISH A BREAKDOWN OF YOUR PRICE IN TERMS OF ABOVE-MENTIONED FORMULA. THE TOTAL OF THE VARIOUS FACTORS MUST ADD UP TO 100%.

FACTOR (DA, D2, etc. eg. Labour, Transport etc.)	PERCENTAGE OF BID PRICE

B. PRICES SUBJECT TO RATE OF EXCHANGE VARIATIONS

1. Please furnish full particulars of your financial institution, state the currencies used in the conversion of the prices of the items to South African currency, which portion of the price is subject to rate of exchange variations and the amounts remitted abroad.

PARTICULARS OF FINANCIAL INSTITUTION	ITEM NO	PRICE	CURRENCY	RATE	PORTION OF PRICE SUBJECT TO ROE	AMOUNT IN FOREIGN CURRENCY REMITTED ABROAD
				ZAR=		
				ZAR=		
				ZAR=		

2. Adjustments for rate of exchange variations during the contract period will be calculated by using the average monthly exchange rates as issued by your commercial bank for the periods indicated hereunder: (Proof from bank required)

AVERAGE MONTHLY EXCHANGE RATES FOR THE PERIOD	DATE DOCUMENTATION MUST BE SUBMITTED TO THIS OFFICE	DATE FROM WHICH NEW CALCULATED PRICES WILL BECOME EFFECTIVE	DATE UNTIL WHICH NEW CALCULATED PRICE WILL BE EFFECTIVE

Appointment of Service Provider(s) for the Supply and Delivery of Learner and Educator Furniture to Gauteng Department of Education (GDE) Institutions for a Fixed Period of Three (03) Years

PRICING SCHEDULE

Bidders must submit pricing in compliance with the SANS requirements for the items indicated in table 1 below:

Table 1: List of Learner and Educator Furniture Items

NO	Item Description	Specification	Refer to Figure	Unit Price Incl. VAT (ZAR)
1	**Lower Primary Chair - Polypropylene**	• Seat: injection moulded virgin polypropylene copolymer (colour: - blue). • Stackable steel frame: Ø19.05mm tubing (SANS 657-4) with baked grey epoxy/ polyester powder coating (SANS 1274) finish. • Durable ferrules fitted to all leg ends • Fit seat to steel frame with approved screws • Chair must comply with SANS 660:2020 (edition 4) • Quality verification: SANS 660:2020	**(FIG B.2)**	
2	**Higher Primary Chair - Polypropylene**	• Seat: injection moulded virgin polypropylene copolymer (colour: - red). • Stackable steel frame: Ø19.05mm tubing (SANS 657-4) with baked grey epoxy/ polyester powder coating (SANS 1274) finish. • Durable ferrules fitted to all leg ends • Fit seat to steel frame with approved screws • Chair must comply with SANS 660:2020 (edition 4)3 • Quality verification: SANS 660:2020	**(FIG B.3)**	
3	**Secondary Chair - Polypropylene**	• Seat: injection moulded virgin polypropylene copolymer (colour: - orange). • Stackable steel frame: Ø19.05mm tubing (SANS 657-4) with baked grey epoxy/ polyester powder coating (SANS 1274) finish. • Durable ferrules fitted to all leg ends • Fit seat to steel frame with approved screws • Chair must comply with SANS 660:2020 (edition 4) • Quality verification: SANS 660:2020	**(FIG B.4)**	
4	**Lower Primary Double Table – Saligna**	• Table top – 21mm solid saligna hardwood (eucalyptus grandis) – (SANS 1460) Timber to comply with forestry stewardship council certification. • Ø25mm tubing (SANS 657-4) stackable steel frame with baked grey epoxy/ polyester	**(FIG B,10)**	

Appointment of Service Provider(s) for the Supply and Delivery of Learner and Educator Furniture to Gauteng Department of Education (GDE) Institutions for a Fixed Period of Three (03) Years

NO	Item Description	Specification	Refer to Figure	Unit Price Incl. VAT (ZAR)
		powder coating (SANS 1274) finish. • Durable plugs fitted on all open ends • Pencil groove 16 x 3mm • Fit top to steel frame with tamperproof screws • All wooden components to be coated with synthetic resin lacquer • Table must comply with SANS 660:2020 (edition 4) • Quality verification: SANS 660:2020		
5	**Higher Primary Double Combination Desk - Saligna**	• Top, front slat, back slat and seat manufactured from 21mm solid saligna hardwood (eucalyptus grantis) – (SANS 1460) Timber to comply with forestry stewardship council certification. • Main steel frame Ø31.75 tubing (SANS 657-4) • Seat support rail Ø15.88 tubing (SANS 657-4) • Stay rail Ø15.88 tubing (SANS 657-4) complete steel frame baked grey epoxy/ polyester powder coating (SANS 1274) finish. • Durable plugs fitted on all open ends • Pencil groove 16 x 3mm • Fit timber components to steel frame with m8 bolts and suitable lock nuts • All wooden components to be coated with synthetic resin lacquer • Table must comply with SANS 660:2020 (Edition 4) • Quality verification SANS 660:2020	**(FIG B.11)**	
6	**Secondary *Single Table* - Saligna**	• Table top – 21mm solid saligna hardwood (eucalyptus grandis) – (SANS 1460) Timber to comply with forestry stewardship council certification. • Ø25mm tubing (SANS 657-4) stackable steel frame with baked grey epoxy/ polyester powder coating (SANS 1274) finish. • Durable plugs fitted on all open ends • Pencil groove 16 x 3mm • Fit top to steel frame with tamperproof screws • All wooden components to be coated with synthetic resin lacquer	**(FIG B.13)**	

Appointment of Service Provider(s) for the Supply and Delivery of Learner and Educator Furniture to Gauteng Department of Education (GDE) Institutions for a Fixed Period of Three (03) Years

NO	Item Description	Specification	Refer to Figure	Unit Price Incl. VAT (ZAR)
		• Table must comply with SANS 660:2020 (edition 4) • Quality verification: SANS 660:2020		
7	**Lower Primary Double Combination Desk Saligna**	• Table top – 21mm solid saligna hardwood (eucalyptus grandis) – (SANS 1460) Timber to comply with forestry stewardship council certification. • Ø25mm tubing (SANS 657-4) stackable steel frame with baked grey epoxy/ polyester powder coating (SANS 1274) finish. • Durable plugs fitted on all open ends • Pencil groove 16 x 3mm • Fit top to steel frame with tamperproof screws • All wooden components to be coated with synthetic resin lacquer • Table must comply with SANS 660:2020 (edition 4) • Quality verification: SANS 660:2020	**(FIG B.15)**	
8	**Higher Primary Double Combination Desk - Saligna**	• Top, front slat, back slat and seat manufactured from 21mm solid saligna hardwood (eucalyptus grantis) – (SANS 1460) Timber to comply with forestry stewardship council certification. • Main steel frame Ø31.75 tubing (SANS 657-4) • Seat support rail Ø15.88 tubing (SANS 657-4) • Stay rail Ø15.88 tubing (SANS 657-4) complete steel frame baked grey epoxy/ polyester powder coating (SANS 1274) finish. • Durable plugs fitted on all open ends • Pencil groove 16 x 3mm • Fit timber components to steel frame with m8 bolts and suitable lock nuts • All wooden components to be coated with synthetic resin lacquer • Table must comply with SANS 660:2020 (Edition 4) • Quality verification SANS 660:2020	**(FIG B.16)**	
9	**Secondary Double Combination Desk - Saligna**	• Top, front slat, back slat and seat manufactured from 21mm solid saligna hardwood (eucalyptus grantis) – (SANS 1460) Timber to comply with forestry stewardship council certification.	**FIG B.17)**	

Appointment of Service Provider(s) for the Supply and Delivery of Learner and Educator Furniture to Gauteng Department of Education (GDE) Institutions for a Fixed Period of Three (03) Years

NO	Item Description	Specification	Refer to Figure	Unit Price Incl. VAT (ZAR)
		• Main steel frame Ø31.75 tubing (SANS 657-4) • Seat support rail Ø15.88 tubing (SANS 657-4) • Stay rail Ø15.88 tubing (SANS 657-4) complete steel frame baked grey epoxy/ polyester powder coating (SANS 1274) finish. • Durable plugs fitted on all open ends • Pencil groove 16 x 3mm • Fit timber components to steel frame with m8 bolts and suitable lock nuts • All wooden components to be coated with synthetic resin lacquer • Table must comply with SANS 660:2020 (Edition 4) • Quality verification SANS 660:2020		
10	**Secondary Single Combination Desk - Saligna**	• Top, front slat, back slat and seat manufactured from 21mm solid saligna hardwood (eucalyptus grantis) – (SANS 1460) Timber to comply with forestry stewardship council certification. • Main steel frame Ø31.75 tubing (SANS 657-4) • Seat support rail Ø15.88 tubing (SANS 657-4) • Stay rail Ø15.88 tubing (SANS 657-4) complete steel frame baked grey epoxy/ polyester powder coating (SANS 1274) finish. • Durable plugs fitted on all open ends • Pencil groove 16 x 3mm • Fit timber components to steel frame with m8 bolts and suitable lock nuts • All wooden components to be coated with synthetic resin lacquer • Table must comply with SANS 660:2020 (Edition 4) • Quality verification SANS 660:2020	**(FIG B.18)**	
11	**Laboratory Stool – 690mm High**	• Seat Ø300 injection moulded polypropylene copolymer. • Ø25mm tubing (SANS 657-4) frame with baked grey epoxy/ polyester powder coating (SANS 1274) finish. • Foot rail Ø10mm mild steel rod • Durable plugs fitted on all leg ends	**(FIG B.24)**	

Appointment of Service Provider(s) for the Supply and Delivery of Learner and Educator Furniture to Gauteng Department of Education (GDE) Institutions for a Fixed Period of Three (03) Years

NO	Item Description	Specification	Refer to Figure	Unit Price Incl. VAT (ZAR)
		• Seat to be secured to steel frame with 4.8 x 12mm standard flange pop rivets • Stool must comply with SANS 660:2020 (edition 4) • Quality verification: SANS 660:2020		
12	**Laboratory Stool – 460mm High**	• Seat Ø300 injection moulded polypropylene copolymer. • Ø25mm tubing (SANS 657-4) frame with baked grey epoxy/ polyester powder coating (SANS 1274) finish. • Foot rail Ø10mm mild steel rod • Durable plugs fitted on all leg ends • Seat to be secured to steel frame with 4.8 x 12mm standard flange pop rivets • Stool must comply with SANS 660:2020 (edition 4) • Quality verification: SANS 660:2020	**(FIG B.23)**	
13	**Upholstered Teacher's Chair without arms**	• Seat and back approved foam (SANS 640) (seat minimum 23kg/m3; back minimum 16kg/m3) and upholstery (SANS 1324) – (100% polypropylene – contract quality) foam to be glued onto 16mm particle board (SANS 50312) • Stackable steel frame assembly: 22mm square tubing (SANS 657-4) with baked brown epoxy/ polyester powder coating (SANS 1274) finish. • Durable plugs fitted to all open steel ends • Seat fitted to steel frame with approved screws • Back fitted with bolts and T-nuts to steel frame • Chair to comply with SANS 1528-1:2013 • Quality verification SANS 1528-1:2013	**(FIG C.1)**	
14	**Low Back Swivel and Tilt Chair**	• Seat and back approved foam (SANS 640) [seat (50mm thick) minimum 23kg/m3; back (40mm thick) minimum 16kg/m3] and upholstery (SANS 1324) – (100% polypropylene – contract quality) foam to be glued onto +/- 11mm ergonomically shaped plywood (SANS 929) seat and back. • Steel frame: Ø25.4mm tubing (SANS 657-4) with baked brown epoxy/ polyester powder coating (SANS 1274) finish.	**(FIG C.7)**	

Appointment of Service Provider(s) for the Supply and Delivery of Learner and Educator Furniture to Gauteng Department of Education (GDE) Institutions for a Fixed Period of Three (03) Years

NO	Item Description	Specification	Refer to Figure	Unit Price Incl. VAT (ZAR)
		• Durable plugs fitted to all open steel ends • Approved arm rests to be fitted to steel frame • Seat fitted with bolts and T-nuts to steel frame • Back fitted with bolts and T-nuts to steel frame • Swivel and tilt mechanism • Gas height adjustable spindle • Five (5) star reinforce nylon base with durable castors (SANS 1292) • Chair to comply with SANS 1528-1:2013 • Quality verification SANS 1528-1:2013		
15	**High Back Swivel and Tilt Chair**	• Seat and back approved foam (SANS 640) [seat (50mm thick) minimum 23kg/m3; back (40mm thick) minimum 16kg/m3] and upholstery (SANS 1324) – (100% polypropylene – contract quality) foam to be glued onto +/- 11mm ergonomically shaped plywood (SANS 929) seat and back. • Steel frame: Ø25.4mm tubing (SANS 657-4) with baked brown epoxy/ polyester powder coating (SANS 1274) finish. • Durable plugs fitted to all open steel ends • Approved arm rests to be fitted to steel frame • Seat fitted with bolts and T-nuts to steel frame • Back fitted with bolts and T-nuts to steel frame • Swivel and tilt mechanism • Gas height adjustable spindle • Five (5) star reinforce nylon base with durable castors (SANS 129 • Chair to comply with SANS 1528-1:2013 • Quality verification SANS 1528-1:2013	**(FIG C.8)**	
16	**Staffroom Table - Saligna**	• Tabletop – 21mm solid saligna hardwood (eucalyptus grandis) – (SANS 1460) Timber to comply with forestry stewardship council certification • Steel frame assembly: 25.4mm square tubing (SANS 657-4) with baked brown epoxy/ polyester powder coating (SANS 1274) finish. • Durable plugs fitted to leg ends • All wooden components to be coated with synthetic resin lacquer • Fit top to steel frame with tamperproof screws	**(FIG B.1)**	

Appointment of Service Provider(s) for the Supply and Delivery of Learner and Educator Furniture to Gauteng Department of Education (GDE) Institutions for a Fixed Period of Three (03) Years

NO	Item Description	Specification	Refer to Figure	Unit Price Incl. VAT (ZAR)
		• Table must comply with SANS 1528-2:2013 • Quality verification SANS 1528-2:2013		
17	**Teacher's Desk with Two (2) Drawers Lockable 750mm High - Saligna**	• Table top – 21mm solid saligna hardwood (eucalyptus grandis) – (SANS 1460) Timber to comply with forestry stewardship council certification. • Modesty panel and drawer box carcass manufactured from matching 16mm substrate veneer board (SANS 929). All edges sealed with matching veneer. • 5.4mm square tubing (SANS 657-4) frame with baked brown epoxy/ polyester powder coating (SANS 1274) finish. • Durable plugs fitted to leg stands • 21mm solid saligna hardwood (SANS 1460) drawer fronts. Top drawer lockable with approved lock • Approved handle and drawer slides • Knock down "prisma" fitting • Modesty panel to be secured to steel frame with 4.8 x 27mm large flange pop rivets • All wooden components to be coated with synthetic resin lacquer • Fit top to steel frame with approved screws • Desk must comply with SANS 1528-2:2013 • Quality verification SANS 1528-2:2013	**(FIG B.3)**	
18	**Desk with Three (3) Drawers Right Hand Side 750mm High – Natural Oak Melamine**	• Top and legs: melamine faced (natural oak) 32mm substrate particle board (SANS 929) • Drawer box with 3 drawers: top drawer lockable with pencil tray approved lock, metal drawer runners and matching handles. • Approved height adjustable feet • Modesty panel: double sided melamine faced (natural oak) 16mm particle board (SANS 929). • All edges sealed with matching PVC edging. Top edges edging at least 2mm thick • Desk must comply with SANS 1528-2:2013 • Quality verification SANS 1528-2:2013	**(FIG B.10)**	

Appointment of Service Provider(s) for the Supply and Delivery of Learner and Educator Furniture to Gauteng Department of Education (GDE) Institutions for a Fixed Period of Three (03) Years

NO	Item Description	Specification	Refer to Figure	Unit Price Incl. VAT (ZAR)
19	**Coat and Hat Steel Stand**	• Ø32mm tubing (SANS 657-4) with baked brown epoxy/ polyester powder coating (SANS 1274) finish • Ø25mm tubing (SANS 657-4) with baked brown epoxy/ polyester powder coating (SANS 1274) finish • Approved steel coat/ hat hooks (Ø12mm rod) welded to steel frame • Durable plugs fitted to all open ends • Quality verification SANS 1528-2:2013	**(FIG B.8)**	
20	**Correspondence Rack - Saligna**	• Back, sides and divisions manufacture from 21mm solid saligna hardwood (eucalyptus grandis) – (SANS 1460) Timber to comply with forestry Stewardship Council Certification. • 6.4mm hardboard (SANS 540-1) bottom. • All wooden components to be coated with synthetic resin lacquer. • Correspondence rack must comply with SANS 1528-3:2013 • Quality verification SANS 1528-3: 2013	**(FIG C.2)**	
21	**Pigeonhole - Okoume Veneer**	• Carcass (Top, sides, divisions, bottom and kickplate) manufactured from 16mm substrate veneer board (SANS 929). All edges sealed with matching veneer. • Back 3.2mm hardboard (SANS 540-1). • Shelves 6.4mm hardboard (SANS 540-1). • Fit glide with nail. • All wooden components to be coated with synthetic resin lacquer. • Pigeonhole must comply with SANS 1528-3:2013 • Quality verification SANS 1528-3:2013	**(FIG C.3)**	
22	**Glazed Door Bookcase**	• Carcass (Top, bottom, sides, doors and fixed shelves) manufactured from 16mm substrate veneer board (SANS 929) all edges sealed with matching veneer. • Back 3.2mm hardboard (SANS 540 -1). • Fit glide with nail. • Durable lock and handle fitted. • Fit 3mm clear float glass to door frames • Durable adjustable concealed hinge and base plate.	**(FIG C.4)**	

Appointment of Service Provider(s) for the Supply and Delivery of Learner and Educator Furniture to Gauteng Department of Education (GDE) Institutions for a Fixed Period of Three (03) Years

NO	Item Description	Specification	Refer to Figure	Unit Price Incl. VAT (ZAR)
		• All wooden components to be coated with synthetic resin lacquer. • Bookcase must comply with SANS 1528-3:2013 • Quality verification SANS 1528-3:2013		
23	**Filling Cabinet - Steel**	• Central locking device – cylinder type. • Acceptable cradles for suspension of pocket- type folders. • Sheet metal construction with baked ivory/ karoo epoxy/ polyester powder Coating (SANS 1274) finish. • Durable handles fitted. • Full extension metal drawer runners. Each pair of drawer runners must have a carrying capacity of 50kg/ pair. • Cabinet to comply with SANS 1528-3:2013 • Quality verification SANS 1528-3:2013	**(FIG C.5)**	
		TOTAL PRICE FOR ALL ITEMS		

NOTE:

The prices must take provision for and shall be inclusive of all costs relating to labour, materials, delivery and any additional costs such as preliminaries, price fluctuation, overheads, profit and anything else required for the proper and timeous delivery of goods.

Bidders must provide pricing for all items inclusive of VAT and any other costs. Failure to provide pricing for all items will result in immediate disqualification from any further evaluation.

COMPANY NAME: ----------

NAME AND SURNAME: ----------

SIGNATURE: ----------

DATE: ----------

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

---

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **To be completed by the organ of state**

[TICK APPLICABLE BOX]

☑	The applicable preference point system for this tender is the 90/10 preference point system.
☐	The applicable preference point system for this tender is the 80/20 preference point system.
☐	Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

(a) Price; and

(b) Specific Goals.

1.4 **To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	90
SPECIFIC GOALS	10
Total points for Price and SPECIFIC GOALS	**100**

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

(a) **"tender"** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;

(b) **"price"** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;

(c) **"rand value"** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

(d) **"tender for income-generating contracts"** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and

(e) **"the Act"** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 **or** **90/10**

$$Ps = 80\left(1 - \frac{Pt - P\,min}{P\,min}\right) \text{ or } \quad Ps = 90\left(1 - \frac{Pt - P\,min}{P\,min}\right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 **or** **90/10**

$$Ps = 80\left(1 + \frac{Pt - P\,max}{P\,max}\right) \text{ or } \quad Ps = 90\left(1 + \frac{Pt - P\,max}{Pmax}\right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

(a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

GAUTENG PROVINCE
TREASURY
REPUBLIC OF SOUTH AFRICA

Provincial Supply Chain Management

PREFERENCE POINTS CLAIM FORM

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

***Note to tenderers: The tenderer must indicate how they claim points for each preference point system.*)**

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Enterprises that are owned by black people.	3			
Enterprises that are owned by women.	4			
Enterprises that are owned by youth.	2			
Enterprises that are owned by people with disability.	1			

GAUTENG PROVINCE
TREASURY
REPUBLIC OF SOUTH AFRICA

Provincial Supply Chain Management

PREFERENCE POINTS CLAIM FORM

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm

4.4. Company registration number

4.5. TYPE OF COMPANY/ FIRM

[TICK APPLICABLE BOX]

☐	Partnership/Joint Venture / Consortium
☐	One-person business/sole propriety
☐	Close corporation
☐	Public Company
☐	Personal Liability Company
☐	(Pty) Limited
☐	Non-Profit Company
☐	State Owned Company

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

i) The information furnished is true and correct;

ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;

iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;

iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –

(a) disqualify the person from the tendering process;

(b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;

(c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;

(d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and

(e) forward the matter for criminal prosecution, if deemed necessary.

SIGNATURE(S) OF TENDERER(S)	
SURNAME AND NAME	
DATE	
ADDRESS	