Province of the
EASTERN CAPE
PUBLIC WORKS & INFRASTRUCTURE

TENDER

CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO

SCMU5-26/27-0013 CHR

NAME OF COMPANY: _____

CSD Nr: _____

CRS Nr (CIDB): _____

CLOSING DATE: 14 DECEMBER 2026 **TIME: 11H00**

ISSUED BY:
SUPPLY CHAIN MANAGEMENT
EASTERN CAPE DEPARTMENT OF PUBLIC WORKS & INFRASTRUCTURE
NO.1 CREAMERY ROAD
OLD CPA BUILDING
KINGS PARK
KOMANI
5320



Fraud, Complaints & Tender Abuse Hotline
0800 701 701 (toll free number)

TABLE OF CONTENTS:

THE TENDER	
PART T1 – TENDERING PROCEDURES	**3**
T1.1 TENDER NOTICE AND INVITATION TO TENDER	4-5
T1.2 TENDER DATA	6-16
PART T2 RETURNABLE DOCUMENTS	**17**
T2.1 LIST OF RETURNABLE DOCUMENTS	18
SBD 1 – PART A INVITATION TO BID	19
SBD 1 – PART B TERMS AND CONDITIONS FOR BIDDING	20
COMPULSORY ENTERPRISE QUESTIONNAIRE (A)	21
SBD 4 – DECLARATION OF INTEREST	22-24
SBD 6.1 – PREFERENCE POINT CLAIM	25-29
VALID CIDB CERTIFICATE OF A TENDERER OR CRS NUMBER	30
PROTECTION OF PERSONAL INFORMATION: CONSENT (POPIA)	31-32
THE CONTRACT	**33**
PART C1 – AGREEMENTS AND CONTRACT DATA	**34**
PART C1.1 – FORM OF OFFER AND ACCEPTANCE	35-37
PART C1.1 A – J	38-48
PROJECT REFERENCE FORMS:(K)	49-54
PART C1.1 L – M	55-56
PART C1.1 N	57
PART C1.2 CONTRACT DATA	58-72
OCCUPATIONAL HEALTHY & SAFETY SPECIFICATION	73-115
PART C1.3 DISPUTE RESOLUTION MECHANISM	116
PART C1.3 CIDB ADJUDICATOR'S AGREEMENT	117-118
PART C2 – PRICING DATA	**119**
PART C2.1 – PRICING INSTRUCTIONS	120-121
EPWP REQUIREMENTS AND SPECIFICATION	122-128
PART C3 – SCOPE OF WORKS	**224**
C3 – SCOPE OF WORKS	225-226
PART C4 – SITE INFORMATION	**227**
C4.1 – SITE INFORMATION	228
ANNEXURES	**229**
A1: TENDER DRAWINGS	
A2: PART C2.3 – BILLS OF QUANTITIES	230

PART T1: TENDER PROCEDURES

T1.1 TENDER NOTICE AND INVITATION TO TENDER

T1.2 TENDER DATA

T1.1 TENDER NOTICE AND INVITATION TO TENDER

The Eastern Cape Department of Public Works and Infrastructure invites contractors with a CIDB Grading of **4GB OR HIGHER** to tender for the **"CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN LADY ENGCOBO", for a 6 months period.**

The contract will be based on the **JBCC Principal Building Agreement (PBA) Edition 6.2 of June 2024,** and the Eastern Cape Public Works and Infrastructure will enter into a contract with the successful tenderer.

Only tenderers who have suitable experience and suitably qualified personnel in providing similar services to those that are required are eligible to submit tenders.

Bidders are here invited to submit bids for the above indicated service. Tender documents are downloadable free of charge from the Department of Public Works and Infrastructure website (www.ecdpw.gov.za/tenders) or from the National Treasury's tender portal (http://www.etender.gov.za/content/advertised-tenders) from **20 NOVEMBER 2026.** No tender documents will be available in the departmental offices.

Queries relating to the issue of these documents **may be addressed in writing** to Ms. B. Mshede - Babalwa.mshede@ecdpw.gov.za. Technical enquiries may be addressed in writing to Ms. S. Gade – Siviwe.gade@ecdpw.gov.za.

NOTE: BIDDERS INTENDING TO RENDER SERVICES WITH THE DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE WILL BE SUBJECTED TO THE SECURITY SCREENING AND VETTING PRIOR TO THE AWARD OF THE TENDER.

The closing time and date is **11:00am** on **14 DECEMBER 2026.** Telegraphic, telephonic, telex, facsimile, e-mail and late tenders will not be accepted. Bids must be submitted in sealed envelopes clearly marked tenders: **SCMU5–26/27-0013 CHR. CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO.**

It is the responsibility of the tenderer/s including those utilizing courier service to ensure that bid documents are submitted on or before closing time and the correct location as the department will not take responsibility of wrong delivery. The Department will not accept responsibility if bids are received by officials or are not timely deposited in the Bid Box.

Tenders may only be submitted on the Bid documentation that is issued. Tenderers must be registered on the National Treasury Central Supplier Data Base on (https://secure.csd.gov.za) prior award.

Requirements for sealing, addressing, delivery, opening and assessment of tenders are stated in the Tender Data.

B. BID EVALUATION:

This tender will be evaluated in two (2) phases as follows:
Phase ONE: Compliance, responsiveness to the bid rules and conditions.
Phase TWO: Bidders passing the stage above will be evaluated on PPPFA and PPR 2022.

PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT (PPPFA) AND PREFERENTIAL PROCUREMENT REGULATIONS FOR 2022 WILL APPLY AND POINTS WILL BE AWARDED AS FOLLOWS:

Maximum points on price	-	**80 points**
Maximum points for Specific Goals	-	**20 points**
Maximum points	-	**100 points**

C. BID SPECIFICATIONS, CONDITIONS AND RULES
The minimum specifications, other bid conditions and rules are detailed in the bid document under Tender Data SCMU5–26/27-0013 CHR

The Department of Public Works and Infrastructure SCM policy applies.
Tender validity period is **90 days.**

D. ENQUIRIES WITH REGARD TO THIS ADVERT MAY BE DIRECTED TO:

- **SCM RELATED ENQUIRIES**
  Ms. Babalwa Mshede
  Tel No: 083 281 1298
  Email Address: Babalwa.mshede@ecdpw.gov.za

- **TECHNICAL ENQURIES**
  Mrs. Siviwe Gade
  Tel No.: 083 281 0977
  Email Address: Siviwe.gade@ecdpw.gov.za

T1.2 TENDER DATA

The conditions of tender are the latest edition of SANS 10845-3, *Standard conditions of tender*.
SANS 10845-3 makes several references to the Tender Data for details that apply specifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the provisions of SANS 10845-3 *and* as contained in **Annexure C** of **Standard for Uniformity in Construction Procurement (Board Notice 423 of 2009 Government Gazette No 42622 of August 2019)**, Each item of data given below is cross-referenced to the clause in SANS 10845-3 to which it mainly applies.

Clause number	Tender Data
3.1	The Employer is Eastern Cape Department of Public works and Infrastructure
3.2	The tender documents issued by the employer comprise the following documents: **THE TENDER** **Part T1: Tendering procedures** T1.1 - Tender notice and invitation to tender T1.2 - Tender data **Part T2 : Returnable documents** T2.1 - List of returnable documents T2.2 - Returnable schedules **THE CONTRACT** **Part C1: Agreements and Contract data** C1.1 - Form of offer and acceptance C1.2 - Contract data C1.3 - CIDB Adjudicator's Agreement **Part C2: Pricing data** C2.1 - Pricing instructions **Part C3: Scope of work** C3 - Scope of work **Part C4: Site information** C4 - Site information **Annexures** A1 – Tender Drawings A2 - C2.2 - Pricing schedule (BoQ)
3.3	The tender documents issued by the employer comprise the documents listed on the contents page
3.4	The employer's agent is: **Name: Ms. Siviwe Gade** **Address: No. 1 Creamery Road, Old CPA Building, Kings Park, Komani, 5320** **Tel No.: 083 281 0977** **Email Address: Siviwe.gade@ecdpw.gov.za**
3.5	The language for communications is English
3.6	The competitive negotiation procedure shall be applied.
3.7	Method 2: two stage procurement procedure shall be applied.
4	**Tender's obligations**
4.1	The following tenderers who are registered with the CIDB, or are capable of being so registered prior to the evaluation of submissions, are eligible to have their tenders evaluated: a) contractors who have a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) of 25(7A) of the Construction Industry Development Regulations, for a CIDB **Grade 3GB or Higher** class of construction work; and Joint ventures are eligible to submit tenders provided that:

	1. every member of the joint venture is registered with the CIDB; 2. the lead partner has a contractor grading designation **not lower than one level below** the required grading designation in the class of works under consideration; and 3. the combined contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to a contractor grading designation determined in accordance with the sum tendered for a CIDB **Grade 4GB or Higher** class of construction work or a value determined in accordance with Regulation 25 (1B) of 25(7A) of the Construction Industry Development Regulations. 4.Joint Venture Agreement.
4.2	The employer will compensate the tender as follows **JBCC Principal Building Agreement (PBA) Edition 6.2 of June 2024** The employer **will not** compensate the tenderer for any costs incurred in attending interviews or making any submissions in the office of the employer.
4.3	It is the responsibility of the tenderer to check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission.
4.4	**Confidentiality and copyright of documents** Treat as confidential all matters arising in connection with the tender. Use and copy the documents issued by the employer only for the purpose of preparing and submitting a tender offer in response to the invitation.
4.5	Obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, conditions of contract and other publications, which are incorporated into the tender documents by reference.
4.6	Acknowledge receipt of addenda to the tender documents, which the employer may issue, and, if necessary, apply for an extension to the closing time stated in the tender data, to take the addenda into account.
4.7	The arrangements for a compulsory clarification meeting are as stated in the Tender Notice and Invitation to Tender. Tenderers must sign the attendance list in the name of the tendering entity. Addenda will be issued to, and tenders will be received only from those tendering entities appearing on the attendance list. **Tender documents will not be made available at the clarification meeting**
4.8	**Seek clarification** *Request clarification of the tender documents, if necessary, by notifying the employer at least **five (5) working days** **before the closing time stated in the tender data.***
4.9	Tenderers are required to state the rates and currencies in Rands. Include in the rates, prices, and the tendered total of the prices (if any), all duties, taxes which the law requires to be paid [except value added tax (VAT)], and other levies payable by the successful tenderer, that are applicable 14 days before the closing time stated in the tender data. Show the VAT payable by the employer separately as an addition to the tendered total of the prices. Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data. State the rates and prices in monetary value of the contract unless otherwise instructed in the tender data.
4.10	Do not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer or to correct errors made by the tenderer and ensure that all signatories to the tender offer initial all such alterations. Do not make erasures using masking fluid.
4.11	Main tender offers are not required to be submitted together with alternative tenders.
4.12	No alternative tender offers will be considered
4.13.1	Parts of each tender offer communicated on paper shall be submitted as an original.

	Submit a) the parts of the tender offer communicated on paper as an original plus the number of copies stated in the tender data, with a translation of any documentation in a language other than the language of communication established in 3.4, and b) the parts communicated electronically by the employer of its agents on paper format with the tender.
4.13.2	Sign the original and all copies of the tender offer where required in terms of the tender data. State in the case of a joint venture which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the tender offer. NOTE The employer holds all authorized signatories liable on behalf of the tenderer.
4.13.3	The employer's details and address for delivery of tender offers and identification details that are to be shown on each tender offer package are: Location of tender box: **DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE, GROUND FLOOR OLD CPA BUILDING – RECEPTION AREA, KOMANI** Physical address: **GROUND FLOOR, NO.1 CREAMERY ROAD, OLD CPA BUILDING– RECEPTION AREA, KOMANI, 5320.** Identification details: **SCMU5–26/27-0013 CHR: CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO** Closing date: **14 DECEMBER 2026** Time: **11:00 am**.
4.13.4	A two-envelope procedure will not be required.
4.13.5	Telephonic, telegraphic, telex, facsimile or e-mailed tender offers will not be accepted. The tenderer accepts that the employer does not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.
4.14	The closing time for submission of tender offers is as stated in the Tender Notice and Invitation to Tender. Ensure that the employer receives the tender offer at the address specified in the tender data not later than the closing time stated in the tender data. Proof of posting shall not be accepted as proof of delivery. Accept that, if the employer extends the closing time stated in the tender data for any reason, the requirements of the standard conditions of tender in this part of SANS 10845 apply equally to the extended deadline.
4.15.1	The tender offer validity period is **90 days**. Hold the tender offer(s) valid for acceptance by the employer at any time during the validity period stated in the tender data after the closing time stated in the tender data. If requested by the employer, consider extending the validity period stated in the tender data for an agreed additional period, with or without any conditions attached to such extension. Extend the period of the tender security, if any, to cover any agreed extension requested by the employer.
4.15.2	**Placing of contractors under restrictions / withdrawal of tenders** If any tenderer who has submitted a tender offer or a contractor who has concluded a contract has, as relevant: withdrawn such tender or quotation after the advertised closing date and time for the receipt of submissions; after having been notified of the acceptance of his tender, failed or refused to commence the contract; had their contract terminated for reasons within their control without reasonable cause; offered, promised or given a bribe in relation to the obtaining or the execution of such contract; acted in a fraudulent, collusive or anti-competitive or improper manner or in bad faith towards the Provincial Government; or, made any incorrect statement in any affidavit or declaration with regard to a preference claimed and is unable to prove to the satisfaction of the Provincial Government that the statement was made in good faith or reasonable steps were taken to confirm the correctness of the statements, such tenderer/s may be placed under restriction from tendering with the state. Procedures are outlined in the EC SCM Policy for Infrastructure procurement and Delivery Management and also on **cidb** Inform Practice Note #30. Excerpts of the policy can be availed on request of any interested tenderer.

4.16	Access shall be provided for the following inspections, tests and analysis: **N/A**
4.17	The preferred tenderer will be required to submit an approved insurer undertaking to provide the Performance Bond / Guarantee / Surety / Security to the format and/or standard as per DPW&I policy
5	**Employer's undertakings**
5.1	The Employer will respond to requests for clarification received up to **five (5)** working days before the tender closing time. If, as a result of the issuing of addenda, it is necessary to extend the closing time stated in the tender data, grant such extension and notify all respondents accordingly.
5.2	The employer shall issue addenda until **five (5)** working days before tender closing time.
5.3	Tenders will be opened immediately after the closing time for tenders at **11:00am hours.**
5.4	Do not disclose to tenderers, or to any person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.
5.5	Determine, after opening and before detailed evaluation, whether each tender offer that was properly received a) complies with the requirements of the standard conditions of tender in this part of SANS 10845, b) has been properly and fully completed and signed, and c) is responsive to the other requirements of the tender documents. A responsive tender is one that conforms to all the terms, conditions, and scope of work of the tender documents, without material deviation or qualification. A material deviation or qualification is one which, in the employer's opinion, would d) detrimentally affect the scope, quality, or performance of the works, services or supply identified in the scope of work, e) significantly change the employer's or the tenderer's risks and responsibilities under the contract, or f) affect the competitive position of other tenderers presenting responsive tenders, if it were to be rectified. Reject a non-responsive tender offer, and do not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.
5.6	**Arithmetical errors, omission and discrepancies** Check responsive tenders for discrepancies between amounts in words and amounts in figures. Where there is a discrepancy between the amounts in figures and the amount in words, the amount in words shall govern. For Vat related discrepancies, National and Provincial Treasury prescripts in relation to VAT procedures apply.
5.7.1	The financial offer will be reduced to a comparative basis using the Tender Assessment Schedule. **Table F.1 Formulae for calculating points for 80/20 preference point system is as follows**

Table F.1: Formulae for calculating the value of A

Formula	Comparison aimed at achieving	Option 1[a]	Option 2[a]
1	Highest price or discount	$A = \left(1 + \frac{(P - P_m)}{P_m}\right)$	$A = P/P_m$
2	Lowest price or percentage commission / fee	$A = \left(1 - \frac{(P - P_m)}{P_m}\right)$	$A = P_m/P$
a	P_m is the comparative offer of the most favourable comparative offer. P is the comparative offer of the tender offer under consideration.		

5.7.2	The procedure for the evaluation of responsive bids is **Method 2: Price and Preference:**

This tender will be evaluated in two (2) phases as follows:

Phase ONE: Compliance, responsiveness to the bid rules and conditions.
Phase TWO: Bidders passing the stage above will be evaluated on PPPFA and PPR 2022.

PHASE ONE: COMPLIANCE, RESPONSIVENESS TO THE BID RULES AND CONDITIONS

Bidders' proposals must meet the following minimum requirements and supporting documents must be submitted with the completed document in a sealed envelope in the bid box at the closing date and time. Failure to comply will automatically eliminate the bid for further consideration:

1. This bid document must be submitted in its original format.
2. Bids which are late, incomplete, unsigned or submitted by facsimile or electronically, will not be accepted.
3. Bidders must be registered with CIDB as per the bid notice and requirements. It is the responsibility of the bidder to keep the status on CIDB active throughout the bidding process (advert till award stage).
4. Declare as non-responsive all tenders received from:
   (a) unregistered contractors who are not considered as being capable of being registered in the required contractor grading designation prior to the evaluation of tenders;
   (b) registered contractors who tender above their designated tender value range except where the margin by which the tender value range exceeded is reasonable.
5. Bidders must be a legal entity or partnership or joint venture or consortia.
6. Form of offer and Acceptance must be fully completed and signed.
7. If the Bid Sum (amount in words) differ from the Bid Sum (amount in figures), the Bid Sum (amount in words) will govern. Failure to complete the Bid Sum (amount in words) will automatically invalidate the offer submitted.
8. The amount reflected on the Form of offer takes precedence over any other total amount indicated elsewhere in bidder's tender submission. If the form of offer has no value or figure, the bidder will be regarded as having made no offer and will be regarded as non-responsive.
9. SBD 4- Bidder's Disclosure must be fully completed and signed. In the event that the bidder or any its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract, such interest must be disclosed on question **2.3.1.** Incomplete or unsigned or poorly completed forms SBD 4 will lead to a bidder being declared non-responsive.
10. Compulsory Enterprise Questionnaire (Completed and signed) (JV partners must complete separate Questionnaire forms and submit).
11. Resolution to Sign where applicable must be completed and signed.
12. Only one offer per item per bidder is allowed and alternative offers will not be considered. If more than one offer per item is received, none of the offers will be considered. Bidders are also not allowed to submit a bid/ quotation whilst they are in agreements with other bidders in the form of joint ventures or consortiums.
13. The amount reflected on the Form of Offer and Acceptance takes precedence over any other total amount indicated elsewhere in bidder's tender submission. If the Form of Offer and Acceptance has no value or figure, the bidder will be regarded as having made no offer and will be regarded as non-responsive.

Other Conditions of bid - non-eliminating:

1. The bidder must be registered on the Central Supplier Database (CSD) prior the award.
2. All bidders' tax matters must be in order prior to award. Bidders' tax matters will be verified through CSD and status compliance PIN. In cases where the bidder's status is found non-compliant, the bidder will be granted 7 days to correct the status. A bidder that fails to rectify its tax matters with SARS will be declared non-responsive.

3. Bidders must note that in addition to being tax complaint at the time of award of the contract, which will be verified with SARS or the CSD, it is incumbent upon the successful bidder/s to ensure that they are at all times tax compliant over the entire duration of the contract. Failure to ensure tax compliance may prevent the Department from issuing orders when goods/services are required. In such instances, the Department reserves the right to procure outside of the contract. Furthermore, if the Department is prevented from obtaining the relevant goods/services on the contract, such constitutes a breach of contract and will be dealt with accordingly, including the recovery of damages/adverse costs where applicable. In instances whereby the bidder is found non-compliant during the time of payment for goods/services rendered, the bidder will be afforded 7 days to rectify their tax matters.
4. Invoices must be submitted to the department, office number G07, at No. 1 Creamery Road, Kings Park, Queenstown, 5320 OR sent through email to Invoices.chrishani@ecdpw.gov.za.
5. A risk assessment shall be performed on the tender submission of the highest ranked tender who scored the highest number of tender evaluation points to ascertain if any of the following, present an unacceptable commercial risk.
   (a) unduly high or unduly low tendered rates or amounts in the tender offer;
   (b) capacity and capabilities of the bidder;
   (c) arithmetic errors.
6. The department may approach the tenderer if in the opinion of the department it presents an unacceptable commercial risk, provided that such negotiations will not affect the competitive position of the tenderer.
7. As part of the risk assessment methods, bidders are requested to submit with their bids the following information:
   (a) a minimum of one (1) written contactable references for projects successfully completed in the past (clearly indicating client name, contract value, contract term, and contact person, contact details). This is not an elimination factor, but important for the department to make a decision;
   (b) a list of projects where he or she has submitted tender offers, but tender results have not been confirmed by the client. This is not an elimination factor, but important for the department to make a decision;
   (c) a company profiles with list of available resources, plant and machinery, and any other additional capacity with the bid. This is not an elimination factor, but important for the department to make a decision;
   (d) a list all projects where there are pending litigations or litigations that have been concluded.
8. the tenderer has offered a market related offer. If the offer is believed not to be market related, the department through its Supply Chain Management processes will attempt to negotiate the offer with identified bidder/s to a reasonable amount. Bidders are not allowed to increase their tender offers during this process
9. Bidders need to complete and sign SBD 6.1 to claim points for specific goals. Failure will lead to the non-awarding of points for specific goals.
10. If the offer is "Vat Inclusive", the VAT registration number of service provider must be indicated and if a service provider is not a VAT Vendor but include VAT in its prices, the successful service provider will be given 14 days to register as a VAT Vendor with SARS, after the issuing of an appointment letter. If a bidder is a VAT vendor/registered, the bidder is required to explicitly state the VAT amount. VAT vendors must include VAT at 15% in the bid offer(s).
11. The Department will contract with the successful bidder by signing a formal contract.
12. This tender will be awarded as a whole. All trades listed in the Bills of Quantities or Pricing schedule must be priced for (except provisional sums and allowances which also need to be added to the total), failure to do so will increase the commercial risk of the bid and may lead to elimination or passing over of the bidder.
13. Wherever a brand name is specified in this document (i.e. specifications, pricing schedule, bill of quantities or anywhere), the department requires an item similar/equivalent or better.
14. DPWI applicable policies apply i.e. SCM Policy etc.
15. Protection of personal information: Consent (POPIA).

16. The successful tenderer (after being informed) will be required to bring along an unsigned copy of the form of contract to be signed by parties (e.g. JBCC Principal Building Agreement (PBA) Edition 6.2 of 2018).
17. **NOTE:** BIDDERS INTENDING TO RENDER SERVICES WITH THE DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE WILL BE SUBJECTED TO THE SECURITY SCREENING AND VETTING PRIOR TO THE AWARD OF THE TENDER.

PHASE TWO: EVALUATION ON PPPFA AND PPR 2022

The **80/20 preference point system** shall be applied for the purposes of this bid as per the requirements of the *Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000)* and PPPFA Regulations *of 2022*

Criteria	Points
POINTS ON PRICE	80
POINTS FOR SPECIFIC GOALS	20
TOTAL	100

The 80/20 preference point system for acquisition of services, works or goods up to Rand value of R50 million:

(a) The following formula must be used to calculate the points out of 80 for price in respect of an invitation for a tender with a rand value equal to or below R50 million, inclusive of all applicable taxes included:

$$Ps = 80\left(1 - \frac{Pt - P\min}{P\min}\right)$$

Where

Ps = Points scored for price of tender under consideration
Pt = Rand value of tender under consideration
Pmin = Rand value of the lowest acceptable tender

PLEASE NOTE:

1. The bidder has duly completed and signed SBD 6.1. Bidders need to complete and sign SBD 6.1 to claim points for specific goals. Failure will lead to the non-awarding of points for specific goals.
2. Preference points for joint ventures / consortia will be allocated proportionately in terms of the attributes or qualification for the relevant specific goals.
3. The Department intends to award this to the highest point scorer as whole, unless circumstances justifies otherwise.
4. All information will be verified through CSD.

5.7.3	The procedure for the evaluation of responsive tenders is **Method 2** (price and preference)
5.7.4	The quality criteria and maximum score in respect of each of the criteria are as follows: **N/A**
5.7.5	Each evaluation criteria will be assessed in terms of five indicators – **N/A**
5.7.6	The prompts for judgment and the associated scores used in the evaluation of quality shall be as follows: **N/A**
5.8	**Additional conditions (non-eliminating unless expressly mentioned in the document):** a) the tenderer is registered on the Central Supplier Database (CSD) for the South African government (see https://secure.csd.gov.za/) prior award, unless it is a foreign supplier with no local registered entity. b) the tenderer is in good standing with SARS according to the Central Supplier Database. Bidders must submit a CSD no. or tax status compliance pin.

	c) the preferred tenderer will be required to submit an approved insurer undertaking to provide the Performance Bond / Guarantee / Surety / Security to the format and/or standard within 21 days after the appointment. d) the tenderer is registered with the Construction Industry Development Board in an appropriate contractor grading designation; e) the tenderer or any of its directors/shareholders is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector. f) the tenderer has not: i) abused the Employer's Supply Chain Management System; or ii) failed to perform on any previous contract and has been given a written notice to this effect. g) the tenderer has completed the Compulsory Declaration and there are no conflicts of interest which may impact on the tenderer's ability to perform the contract in the best interests of the employer or potentially compromise the tender process. h) the tenderer is registered and in good standing with the compensation fund or with a licensed compensation insurer. *i)* The tenderer undertakes to maximize the sourcing of building material or infrastructure input material from Eastern Cape based suppliers or manufacturers. j) the employer is reasonably satisfied that the tenderer has in terms of the Construction Regulations, 2014, issued in terms of the Occupational Health and Safety Act, 1993, the necessary competencies and resources to carry out the work safely. k) the tender has offered a market related offer. If the offer is believed not to be market related, the department through its Supply Chain Management processes will attempt to negotiate the offer with identified bidder/s to a reasonable amount. Bidders are not allowed to increase their tender offers during this process. l) **NOTE:** The amount reflected on the Form of Offer and Acceptance takes precedence over any other total amount indicated elsewhere in bidder's tender submission. If the Form of Offer and Acceptance has no value or figure, the bidder will be regarded as having made no offer. m) The department reserves the right not to award the bid to the most favorable tenderer, if any of the situations occur: if it is not assisting in the advancement of designated groups; risk profile of the favorable firm is too high; the bidder has been awarded a considerable number of projects by the department; has performed unsatisfactorily in the past.
5.9	The number of paper copies of the signed contract to be provided by the employer is 1.
	The additional conditions of tender are: • Wherever a brand name is specified in this document (i.e., specifications, pricing schedule, bill of quantities or anywhere), the department requires an item similar/equivalent or better.
T.2.1	***A. List of returnable documents***
1	**Documentation to demonstrate eligibility to have tenders evaluated i.e.** *List all documentation to demonstrate eligibility to have a submission evaluated.* • Appropriate CIDB grading suitable for the works (as stated under T1.1)
2	**Returnable Schedules required for tender evaluation purposes** The tenderer shall fully and appropriately complete and sign the following returnable schedules as relevant:

	• Record of Addenda to Tender Documents (where applicable) • Proposed amendments and qualifications • Compulsory Enterprise Questionnaire (In the case of a joint venture, separate enterprise questionnaires in respect of each partner must be completed and submitted). • SBD 1, 4, 6.1, • Protection of personal content: Consent • Form of Offer and Acceptance • Complete priced Bills of Quantities, including Final Summary • Certificate of Authority for Joint Ventures
3	**Other documents required for tender evaluation purposes** The tenderer shall provide the following returnable documents: • A letter if good standing from the Compensation Fund or a licensed insurer as contemplated in the Compensation for Occupational Injuries and Diseases Act 1993 (Act No. 130 of 1993)
4	**Returnable Schedules that will be used for tender evaluation purposes and be incorporated into the contract** The tenderer must complete the following returnable documents: • A fully completed form of Offer and Acceptance (and any revision of prices if there are any).
5	Only authorized signatories may sign the original and all copies of the tender offer where required. In the case of a Bid being submitted on behalf of a **company, close corporation or partnership**, evidence must be submitted to the Department at the time of submission of the Bid that the Bid has been signed by persons properly authorised thereto by resolution of the directors or under the articles of the entity. Furthermore, In the case of a **joint venture or consortium,** at least one director / members of each party to the joint venture or consortium must give consent to give authorisation for signatory to this bid. In the event that a resolution to sign **is not completed by all directors/ members of the enterprise,** the signature of any one of the directors or members to this bid will bind all the directors/ members of the enterprise and will therefore render the bid valid. No authority to sign is required from a company or close corporation or partnership which has **only one director or member.** In the event that a **non-member/ non-director to the enterprise** sign this declaration, and no authority is granted, it will automatically invalidate the bid. **Accept that failure to submit proof of authorization to sign (where applicable), will result in the tender offer being regarded as non-responsive.**
6	**Information and data to be completed in all respects** Accept that tender offers, which do not provide all the data or information requested completely and, in the form, required, may be regarded by the employer as nonresponsive.
7	**Canvassing and obtaining of additional information by tenderers** The Tenderer shall not make any attempt either directly or indirectly to canvass any of the Employer's officials or the Employer's agent in respect of his tender, after the opening of the tenders but prior to the Employer arriving at a decision thereon. The Tenderer shall not make any attempt to obtain particulars of any relevant information, other than that disclosed at the opening of tenders.

8	**Prohibitions on awards to persons in service of the state** The Employer is prohibited to award a tender to a person - a) who is in the service of the state; or *b)* if that person is not a natural person, of which any director, manager, principal shareholder or stakeholder is a person in the service of the state; or *c)* a person who is an advisor or consultant contracted with the Department or municipal entity. **In the service of the state** means to be - a) a member of: - *a* any municipal council. *b* any provincial legislature; or *c* the National Assembly or the National Council of Provinces. *d)* a member of the board of directors of any municipal entity. *e)* an official of any Department or municipal entity. *f)* an employee of any national or provincial department. *g)* provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999); *h)* a member of the accounting authority of any national or provincial public entity; or *i)* an employee of Parliament or a provincial legislature. In order to give effect to the above, the questionnaire for the declaration of interests in the tender of persons in service of state in part T2 of this procurement document must be completed.
9	**Awards to close family members of persons in the service of the state** Accept that the notes to the Employer's annual financial statements must disclose particulars of any award of more than R2000 to a person who is a spouse, child or parent of a person in the service of the state (defined in clause 8 above) or has been in the service of the state in the previous twelve months, including - a) the name of that person. *b)* the capacity in which that person is in the service of the state; and *c)* the amount of the award. In order to give effect to the above, the questionnaire for the declaration of interests in the tender of persons in service of state in part T2 of this procurement document must be completed.
10	**Respond to requests from the tenderer** The employer will respond to requests for clarification up to **five (5) working days** before the tender closing time.
11	**Opening of tender submissions** Tenders will be opened immediately after the closing time for tenders.
12	**Scoring quality / functionality** N/A
13	**Cancellation and re-invitation of tenders** An organ of state may, prior to the award of the tender, cancel the tender if- (a) due to changed circumstances, there is no longer a need for the services, works or goods requested; or (b) funds are no longer available to cover the total envisaged expenditure; or (c) no acceptable tenders are received.

	(d) Tender validity period has expired. (e) Gross irregularities in the tender processes or documents. (f) No market related offer received (after attempts of negotiation processes) Where applicable, the decision to cancel the tender will be published in the CIDB website and in the Tender Bulletin or the media in which the original tender invitation as advertised.
14	Dispute resolution mechanism will be done through the **Adjudication** route.
15	The department must when be acting against the tenderer or person awarded the contract on a fraudulent basis, considers the provisions of Regulation 14: The remedies provided for in Preferential Procurement Regulations 2022 do not prevent an institution from instituting remedies arising from any other prescripts or contract.
16	Where the employer terminates the contract due to default of the contractor in whole or in part, the employer may decide to: a) Refer the breach in contract to the **cidb** for investigation as a breach of the **cidb Code of Conduct** in terms of the **cidb Regulations**; or b) may impose a restriction penalty on the contractor in terms of Section 14 of the Preferential Procurement Regulations. The outcomes of such investigations in terms of both the cidb Regulations and the Preferential Procurement Regulations may prohibit the contractor from doing business with the public sector for a period not exceeding 10 years.

PART T2
RETURNABLE DOCUMENTS

T2.1 List of Returnable Documents

The tenderer should complete the following returnable documents:

1 Returnable Schedules required for bid evaluation purposes

- Compulsory enterprise questionnaire (In the case of a joint venture, separate enterprise questionnaires in respect of each partner must be completed and submitted).
- Record of addenda issued (Only if addenda are issued)
- Certificate of authority for joint ventures (Only where the tender/ quotation is submitted by a joint venture)

2 Other documents required for bid evaluation purposes

- Form of Offer and Acceptance
- Complete Priced Bills of Quantities & Final Summary

3 Returnable Schedules that will be incorporated into the contract

- Details of the Project Team and CV with Qualifications & Proof of Registration completed for everyone of proposed
- Schedule of Plant and Equipment
- Record of projects: current, past and on tender.
- Project References – at least 3
- SBD 1, 4, 6.1
- Protection of personal content: Consent

PART A - INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE					
BID NUMBER:	SCMU5-26/27-0013 CHR	CLOSING DATE:	14 DECEMBER 2025	CLOSING TIME:	11:00
DESCRIPTION	CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO				
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT *(STREET ADDRESS)*					
DEPARTMENT OF PUBLIC WORKS & INFRASTRUCTURE, GROUND FLOOR OLD CPA BUILDING – RECEPTION AREA, No. 1 CREAMERY ROAD, OLD CPA BUILDING, KOMANI, 5320					

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO		TECHNICAL ENQUIRIES MAY BE DIRECTED TO:	
CONTACT PERSON	Ms. B. Mshede	CONTACT PERSON	Mrs. S. Gade
TELEPHONE NUMBER	083 281 1298	TELEPHONE NUMBER	083 281 0977
FACSIMILE NUMBER	None	FACSIMILE NUMBER	None
E-MAIL ADDRESS	Babalwa.mshede@ecdpw.gov.za	E-MAIL ADDRESS	Siviwe.gade@ecdpw.gov.za

SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
SUPPLIER COMPLIANCE STATUS / TAX COMPLIANCE SYSTEM PIN:		**OR**	CENTRAL SUPPLIER DATABASE No:	MAAA	
a) ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	☐Yes ☐No [IF YES ENCLOSE PROOF]	a) ARE YOU A FOREIGN BASED SUPPLIER FOR **THE GOODS /SERVICES /WORKS OFFERED?**		☐Yes ☐No [IF YES, ANSWER THE QUESTIONNAIRE BELOW]	

QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS	
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?	☐ YES ☐ NO
DOES THE ENTITY HAVE A BRANCH IN THE RSA?	☐ YES ☐ NO
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?	☐ YES ☐ NO
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?	☐ YES ☐ NO
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?	☐ YES ☐ NO

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.

PART B - TERMS AND CONDITIONS FOR BIDDING

1.	**BID SUBMISSION:**
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2.	**ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED– (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.**
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, JBCC PRINCIPAL BUILDING AGREEMENT (PBA) EDITION 6.2 OF 2018 AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
1.4.	**THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (JBCC).**
2.	**TAX COMPLIANCE REQUIREMENTS**
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
2.3	APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
2.4	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
2.5	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
2.6	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
2.7	NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER: .....

CAPACITY UNDER WHICH THIS BID IS SIGNED: .....
(Authority to sign where applicable must be submitted e.g. company resolution)

DATE: .....

Compulsory Enterprise Questionaire

A

Compulsory Enterprise questionnaire

The following particulars must be furnished. In the case of a joint venture, separate enterprise questionnaires in respect of each partner must be completed and submitted.

Section 1: Name of enterprise: . . . . . .

Section 2: VAT registration number, if any: . . . .

Section 3: CIDB registration number, if any: . . . .

Section 4: Particulars of sole proprietors and partners in partnerships

Name*	Identity number*	Personal income tax number*

** Complete only if sole proprietor or partnership and attach separate page if more than 3 partners*

Section 5: Particulars of companies and close corporations

Company registration number . . . .

Close corporation number . . . .

Tax reference number . . . .

Section 6: The attached SBD 4 must be completed for each tender and be attached as a tender requirement.

Section 7: The attached SBD 6.1 shall be completed for each tender and be attached as a requirement.

The undersigned, who warrants that he / she is duly authorized to do so on behalf of the enterprise:

authorizes the Employer to obtain a tax clearance certificate from the South African Revenue Services that my / our tax matters are in order;

confirms that the neither the name of the enterprise or the name of any partner, manager, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears on the Register of Tender Defaulters established in terms of the Prevention and Combating of Corrupt Activities Act of 2004; iii) confirms that no partner, member, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears, has within the last five years been convicted of fraud or corruption;

iv) confirms that I / we are not associated, linked or involved with any other tendering entities submitting tender offers and have no other relationship with any of the tenderers or those responsible for compiling the scope of work that could cause or be interpreted as a conflict of interest; and

iv) confirms that the contents of this questionnaire are within my personal knowledge and are to the best of my belief both true and correct.

Signed _____ Date _____

Name _____ Position _____

SBD 4

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest[1] in the enterprise,
employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

.....

.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

---

[1] ***the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.***

2.3.1 If so, furnish particulars:

.....

.....

3 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

3.1 I have read, and I understand the contents of this disclosure.

3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect.

3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium[2] will not be construed as collusive bidding.

3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.

3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

3.7 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

---

[2] ***Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.***

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.
I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....	.....
Signature	Date
.....	.....
Position	Name of bidder

SBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

---

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

a) The applicable preference point system for this tender is the 80/20 preference point system.

b) The lowest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

(a) Price; and

(b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

(a) **"tender"** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation.

(b) **"price"** means an amount of money tendered for goods or services and includes all applicable taxes less all unconditional discounts.

(c) **"rand value"** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

(d) **"tender for income-generating contracts"** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and

(e) **"the Act"** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 **or** **90/10**

$$Ps = 80\left(1 - \frac{Pt - P\,min}{P\,min}\right) \quad \text{or} \quad Ps = 90\left(1 - \frac{Pt - P\,min}{P\,min}\right)$$

Where

Ps = Points scored for price of tender under consideration
Pt = Price of tender under consideration
Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 **or** **90/10**

$$Ps = 80\left(1 + \frac{Pt - P\,max}{P\,max}\right) \text{ or } \quad Ps = 90\left(1 + \frac{Pt - P\,max}{Pmax}\right)$$

Where

Ps	=	Points scored for price of tender under consideration
Pt	=	Price of tender under consideration
Pmax	=	Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

(a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system: or

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.
(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.
Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Historically Disadvantaged Individual: -		
(a) 100% black ownership	**10**	
(b) 51% to 99% black ownership	**4**	
(c) Less than 51% black ownership	**0**	
Black women ownership: -		
(a) 100% black women ownership	**4**	
(b) 30% to 99% black women ownership	**2**	
(c) Less than 30% black women ownership	**0**	
Black youth ownership: -		
(a) 100% black youth ownership	**4**	
(b) 30% to 99% black youth ownership	**2**	
(c) Less than 30% black youth ownership	**0**	
People with disability: -		
(a) 20% or more disabled people	**2**	

	ownership		
	(b) Less than 20% disabled people ownership	**0**	

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number: .....

4.5. TYPE OF COMPANY/ FIRM

Partnership/Joint Venture / Consortium
One-person business/sole propriety
Close corporation
Public Company
Personal Liability Company
(Pty) Limited
Non-Profit Company
State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

i) The information furnished is true and correct.

ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form.

iii) In the event of a contract being awarded because of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct.

iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –

(a) disqualify the person from the tendering process.

(b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct.

(c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation.

(d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule

has been applied; and

(e) forward the matter for criminal prosecution, if deemed necessary.

.....
SIGNATURE(S) OF TENDERER(S)

SURNAME AND NAME: .....
DATE: .....

ADDRESS: .....

.....

.....

.....

VALID CIDB CERTIFICATE OF A BIDDER

(ATTACH HERE)

OR

INDICATE CRS NUMBER ON THE FIRST PAGE

PROTECTION OF PERSONAL INFORMATION: CONSENT (POPIA)

The introduction of The Protection of Personal Information Act (POPIA) ensures the regulation of personal information through its entire life cycle of collection, transfer, storing and deletion.
As part of its business activities, the Department of Public Works and Infrastructure obtains and requires access to personal data from a wide range of internal and external parties, including without limitation bidders who respond to requests for proposals that are published by the Department of Public Works and Infrastructure from time to time. The Department of Public Works and Infrastructure confirms that it shall process the information disclosed by Bidders for the purpose of evaluating and subsequently awarding/appointing a successful Bidder.

The Department of Public Works and Infrastructure hereby states that it does not and will never modify, amend, or alter any personal information submitted to it by a Bidder. Not unless directed to do so by an order of court, the Department of Public Works and Infrastructure does not disclose or permit the disclosure of any personal information to any Third Party without the prior written consent of the owner of the information.

Similarly, Bidders will from time-to-time access and be seized with information of a personal nature pertaining to the Department of Public Works and Infrastructure. Some of the information may because of legislative compliances be available in the public domain, whilst some is uniquely provided to bidders in pursuit of procurement or other business-related activities. In this regard, the Department of Public Works and Infrastructure requires that Bidders which receive or have access to its personal information, process any such information in a manner compliant with the requirements of the POPIA.

AGREEMENT

1. The Department of Public Works and Infrastructure and the Bidder (the Parties) agree and undertake that upon obtaining and
   having access to personal information relating to either of them, they shall always ensure that:
   a) They process the information only for the express purpose for which it was obtained.
   b) Information is provided only to designated and authorized personnel who require the personal information to carry out the Parties' respective obligations in terms of the Procurement processes.
   c) They will introduce, and implement all reasonable measures ensure the protection of all personal information from unauthorized access and/or use.
   d) They have taken appropriate measures to safeguard the security, integrity, and authenticity of all personal information in its possession or under its control.
   e) The Parties agree that if personal information will be processed for any other purpose other than the one for which the accessing of the information was intended, explicit written consent will be obtained prior to the execution of such reason.
   f) The Parties shall carry out regular assessments to identify all reasonably foreseeable internal and external risks to the interception of personal information in its possession or under its control and shall implement and maintain appropriate controls in mitigation of such risks.
2. The Parties agree that they will promptly return or destroy any personal data in their possession or control which belongs to the other Party once it no longer serves the purpose for which it was collected, subject to any legal retention requirements. The information will be destroyed in such a manner that it cannot be reconstructed to its original form, linking it to any individual or organization.
3. Bidder's Obligations

a) The Bidder is required to notify the Information Officer of Department of Public Works and Infrastructure, in writing as soon as possible after it becomes aware of or suspects any loss, unauthorized access or unlawful use of any of the Department of Public Works and Infrastructure's personal information.
b) The Bidder shall, at its own cost, promptly and without delay take all necessary steps to mitigate the extent of the loss or compromise of personal data.
c) The Bidder shall be required to provide the Department of Public Works and Infrastructure with details of the persons affected by the compromise and the nature and extent of the compromise, including details of the identity (if known) of the unauthorized person who may have accessed or acquired the personal data.
d) The Bidder undertakes to co-operate with any investigation relating to security breach which is carried out by or on behalf of Department of Public Works and Infrastructure.

On behalf of the Bidder:

.....	.....
Signature	Date
.....	.....
Position	Name of the Bidder

On behalf of the Client:

.....	.....
Signature	Date
.....	.....
Position	Name of Client Representative

THE CONTRACT

PART C1 AGREEMENTS AND CONTRACT DATA

C1.1 Form of Offer and Acceptance
C1.2 JBCC Principal Building Agreement (PBA) Edition 6.2 of 2018
C1.3 CIDB Adjudicator's Agreement

Annex C
(normative)
FORM OF OFFER AND ACCEPTANCE

Project title	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
SCMU number	**SCMU5–26/27-0013 CHR**

OFFER
The employer, identified in the acceptance signature block, has solicited offers to enter into a contract for the procurement of: **CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKANA CLINICS IN ENGCOBO**

.....

The tenderer, identified in the offer signature block, has examined the documents listed in the tender data and addenda thereto as listed in the returnable schedules, and by submitting this offer has accepted the conditions of tender.

By the representative of the tenderer, deemed to be duly authorized, signing this part of this form of offer and acceptance, the tenderer offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

THE OFFERED TOTAL OF THE PRICES + DISRBUSEMENTS + INCLUSIVE OF VALUE ADDED TAX AND MINUS ALL DISCOUNTS IS:

.....Rand **(in words) ;**

R .....**(in figures)** (or other suitable wording)

This offer may be accepted by the employer by signing the acceptance part of this form of offer and acceptance and returning one copy of this document to the tenderer before the end of the period of validity stated in the tender data, whereupon the tenderer becomes the party named as the contractor in the conditions of contract identified in the contract data.

Signature(s): _____

Tender's Name(s): _____

Authorized Person: _____
(Names) _____
_____

Address of the Tenderer:

_____

_____

Witnesses (Signatures):

1. _____ Date: _____

2. _____ Date: _____

ACCEPTANCE

By signing this part of this form of offer and acceptance, the employer identified below accepts the tenderer's offer. In consideration thereof, the employer shall pay the contractor the amount due in accordance with the conditions of contract identified in the contract data. Acceptance of the tenderer's offer shall form an agreement between the employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.
The terms of the contract, are contained in:

Part C1 Agreements and contract data, (which includes this agreement)
Part C2 Pricing data
Part C3 Scope of work.
Part C4 Site information and drawings and documents or parts thereof, which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the tender data and any addenda thereto as listed in the returnable schedules as well as any changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance, are contained in the schedule of deviations attached to and forming part of this form of offer and acceptance. No amendments to or deviations from said documents are valid unless contained in this schedule.
The tenderer shall within 3 weeks after receiving a completed copy of this agreement, including the schedule of deviations (if any), contact the employer's agent (whose details are given in the contract data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the contract data. Failure to fulfill any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.
Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the schedule of deviations (if any). Unless the tenderer (now contractor) within five working days of the date of such receipt notifies the employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the parties.[1]

Signature .....
Name .....
Capacity .....
for the Employer .....
(Name and address of organization)
Name and signature
of witness ..... Date .....

Schedule of Deviations

1 Subject _____
Details
_____

2 Subject _____
Details

_____

3 Subject _____
Details
_____

4 Subject _____
Details
_____

By the duly authorized representatives signing this agreement, the employer and the tenderer agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the tender data and addenda thereto as listed in the tender schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender/ quotation documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

A

RECORD OF ADDENDA TO BID DOCUMENT

PROJECT TITLE	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
SCMU NUMBER	**SCMU5–26/27-0013 CHR**

I / We confirm that the following communications received from the Department of Public Works & Infrastructure before the submission of this tender offer, amending the tender documents, have been taken into account in this bid offer: (Attach additional pages if more space is required)

Item	Date	Title or Details	No. of Pages
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			

Attach additional pages if more space is required.

Signed _____ Date _____

Name _____ Position _____

Tenderer _____

B

PROPOSED AMENDMENTS AND QUALIFICATIONS

The Tenderer should record any deviations or qualifications he may wish to make to the tender documents in this Returnable Schedule. Alternatively, a tenderer may state such deviations and qualifications in a covering letter to his tender and reference such letter in this schedule.

The Tenderer's attention is drawn to clause 5.8 of SANS 10845-3 regarding the employer's handling of material deviations and qualifications.

PROJECT TITLE	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
SCMU NUMBER	**SCMU5–26/27-0013 CHR**

Page	Clause /Item	Proposal

The undersigned, who warrants that she/ he is duly authorised to do so on behalf of the enterprise, confirms that the content of this schedule that presented by the tenderer are within my personal knowledge and are to the best of my knowledge both true and correct

Signed

Date

Name

Position

Enterprise name

C

RESOLUTION FOR SIGNATORY

A: CERTIFICATE OF AUTHORITY FOR SIGNATORY

Signatory for companies shall confirm their authority hereto by attaching a duly signed and dated copy of the relevant resolution of the board of directors to this form or on company letter head.

An example is given below:

"By resolution of the board of directors passed at a meeting held on _____

Mr./Ms_____, whose signature appears below, has been duly authorised to

sign all documents in connection with the tender for Contract No. _____

and any Contract which may arise there from on behalf of (Block Capitals) _____

_____

_____

SIGNED ON BEHALF OF THE COMPANY: _____

IN HIS/HER CAPACITY AS: _____

DATE:_____

SIGNATURE OF SIGNATORY: _____

WITNESSES:

DIRECTOR (NAMES)		SIGNATURE	
DIRECTOR (NAMES)		SIGNATURE	
DIRECTOR (NAMES)		SIGNATURE	
DIRECTOR (NAMES)		SIGNATURE	
DIRECTOR (NAMES)		SIGNATURE	
DIRECTOR (NAMES)		SIGNATURE	

If you cannot complete this form, attach a separate sheet (in a company letter head, project specific and signed by all directors):

D

CERTIFICATE OF AUTHORITY FOR JOINT VENTURES

This Returnable Schedule is to be completed by joint ventures.

We, the undersigned, are submitting this tender offer in Joint Venture and hereby authorised Mr./Ms ....., authorised signatory of the company ....., acting in the capacity of lead partner, to sign all documents in connection with the tender offer and any contract resulting from it on our behalf.

PROJECT TITLE	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
SCMU NUMBER	**SCMU5–26/27-0013 CHR**

NAME OF FIRM	ADDRESS	DULY AUTHORISED SIGNATORY
Lead partner:		Signature. . ..... Name ..... Designation.....
.....		Signature. . ..... Name ..... Designation.....
.....		Signature. . ..... Name ..... Designation.....
.....		Signature. . ..... Name ..... Designation.....

E

SCHEDULE OF PROPOSED SUB COTRACTORS

PROJECT TITLE	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
SCMU NUMBER	**SCMU5–26/27-0013 CHR**

We notify you that it is our intention to employ the following Sub-consultant for work in this contract. The Subcontractors will all be CIDB registered and their CIDB Registration number shall be submitted below. This should also be declared on **SBD 6.1 form.**

If we are awarded a contract, we agree that this notification does not change the requirement for us to submit the names of proposed subcontractors in accordance with requirements in the contract for such appointments. If there are no such requirements in the contract, then your written acceptance of this list shall be binding between us.

We confirm that all subcontractors who are or to be contracted are registered on Central Supplier Database (CSD).

No.	Name and address of proposed Sub-consultant	Nature and extent of work	Year completed	Value	Contact details
1					
2					

3					
4					
5					

The undersigned, who warrants that she/ he is duly authorised to do so on behalf of the enterprise, confirms that the content of this schedule that presented by the tenderer are within my personal knowledge and are to the best of my knowledge both true and correct

Signed ---------- Date ----------

Name ---------- Position ----------

Enterprise name ----------

F

CAPACITY OF THE BIDDER

PROJECT TITLE	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
SCMU NUMBER	**SCMU5–26/27-0013 CHR**

WORK CAPACITY: (The Bidder is requested to furnish the following capacity particulars and to attach additional pages if more space is required. Failure to furnish the particulars may result in the Bid being disregarded.)

Employees: (Employees to be ,or are ,employed for this project

Quantity / No. of Resources	Categories of Employee - Key Personnel (part of Business Enterprise)	Professional Registration No.	Date of Employment
	Team Leader / Key Personal		
	Project Manager		
	Senior Technologists		
	Technologists		
	Technicians		
	Candidates		
	Others		

The undersigned, who warrants that she/ he is duly authorised to do so on behalf of the enterprise, confirms that the content of this schedule that presented by the tenderer are within my personal knowledge and are to the best of my knowledge both true and correct.

Signed:	.....	**Date**	.....
Name:	.....	**Position**	.....

Enterprise Name: .....

G

RELEVANT PROJECT EXPERIENCE – COMPLETED PROJECTS

The description of each project must include the following information:

1. Essential introductory information:
   1.1. Name of project.
   1.2. Name of client.
   1.3. Contact details of client.
   1.4. Contact details (including telephone numbers and email addresses) of currently contactable references.
   1.5. The period during which the project was performed, and also, if this is different, the period during which the tenderer's team members were contracted.
   1.6. Cost of works and/or contract value (making it clear in broad terms what this cost/value purchased, and to what extent (if any) this cost/value was part of a larger project budget or programme budget).

NO.	NAME OF PROJECT.	NAME OF CLIENT.	CONTACT DETAILS OF CLIENT.	PROJECT VALUE	DATE COMPLETED
1					
2					
3					

Attach a separate page to address this issue if there are more projects (the above table is just for reference purposes).

The undersigned, who warrants that she/ he is duly authorised to do so on behalf of the enterprise, confirms that the content of this schedule that presented by the tenderer are within my personal knowledge and are to the best of my knowledge both true and correct.

Signed ---------- Date ----------

Name ---------- Position ----------

Enterprise name ----------

I

OTHER OFFERS SUBMITTED AT TIME OF THIS TENDER FOR WHICH RESULTS ARE PENDING

(Any other client's tender must also be included)

1					
2					
3					
4					
5					

Signed ---------- Date ----------

Name ---------- Position ----------

Enterprise name ----------

Attach a separate page to address this issue if there are more projects (the above table is just for reference purposes).

J

SCHEDULE OF TENDERER'S LITIGATION HISTORY

The tenderer shall list below details of any litigation with which the tenderer (including its directors, shareholders or other senior members in previous companies) has been involved with any organ of state or state department within the last ten years. The details must include the year, the litigating parties, the subject matter of the dispute, the value of any award or estimated award if the litigation is current and in whose favour the award, if any, was made.

NO.	NAME OF CLIENT.	OTHER LITIGATING PARTY	BRIEF DETAILS OF DISPUTE	PROJECT VALUE	DATE RESOLVED OR STATUS OF LITIGATION
1					
2					
3					

Signed ---------- Date ----------

Name ---------- Position ----------

Tenderer name

Attach a separate page to address this issue if there are more projects (the above table is just for reference purposes).

K

Evaluation Schedule 1 – Project Reference Forms – 1

Project title:	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
Project Number:	**SCMU5–26/27-0013 CHR**

NOTE: This returnable document must be completed by the person who was the Project Manager on a project of similar value and complexity that was completed successfully by the tenderer.

I, _____ (name and surname) of _____ (company name) declare that I was the Project Manager on the following building construction project successfully executed by _____ (name of tenderer):

Project name: _____

Project location: _____

Construction period: _____ Completion date: _____

Contract value: _____

A. Please evaluate the performance of the Tenderer on the abovementioned project, on which you were the principal agent,

B. by inserting "Yes" in the relevant box below:

Key Performance Indicators	Very Poor 1	Poor 2	Fair 3	Good 4	Excellent 5	Total
1. Project performance						
2. Quality of Services						
3. Resources: Personnel						
4. Time management / programming						
5. Financial management / Project budget management/ cash flow, etc.						
TOTAL						

B. Would you consider / recommend this tenderer again:

YES	NO

C. Any other comments: _____

_____

D. My contact details are:

Telephone: _____ Cellphone: _____ Fax: _____

E-mail: _____

Thus, signed at _____ on this _____ day of _____ 2026

_____

Signature of principal agent

COMPANY STAMP

NOTE:
If reference cannot be verified due to the inability to get hold of the referee or failure on his/her part to respond to a written request to do so, that reference will not score any points. It is the responsibility of the tenderer to put referees who are reachable.

_____

Name of Tenderer

_____

Signature of Tenderer

Project title:	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
Project Number:	**SCMU5–26/27-0013 CHR**

NOTE: This returnable document must be completed by the person who was the Project Manager on a project of similar value and complexity that was completed successfully by the tenderer.

I, _____ (name and surname) of _____ (company name) declare that I was the Project Manager on the following building construction project successfully executed by _____ (name of tenderer):

Project name: _____

Project location: _____

Construction period: _____ Completion date: _____

Contract value: _____

A. Please evaluate the performance of the Tenderer on the abovementioned project, on which you were the principal agent,

B. by inserting "Yes" in the relevant box below:

Key Performance Indicators	Very Poor 1	Poor 2	Fair 3	Good 4	Excellent 5	Total
1. Project performance						
2. Quality of Services						
3. Resources: Personnel						
4. Time management / programming						
5. Financial management / Project budget management/ cash flow, etc.						
TOTAL						

B. Would you consider / recommend this tenderer again:

YES	NO

C. Any other comments: _____

_____

D. My contact details are:

Telephone: _____ Cellphone: _____ Fax: _____

E-mail: _____

Thus, signed at _____ on this _____ day of _____ 2026

_____
Signature of principal agent

COMPANY STAMP

NOTE:
If reference cannot be verified due to the inability to get hold of the referee or failure on his/her part to respond to a written request to do so, that reference will not score any points. It is the responsibility of the tenderer to put referees who are reachable.

_____
Name of Tenderer

_____
Signature of Tenderer

Attach a separate page to address this issue if there are more projects (the above table is just for reference purposes).

BASELINE RISK ASSESSMENT

PROJECT TITLE	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
SCMU NUMBER	**SCMU5–26/27-0013 CHR**

PLEASE NOTE THAT THIS IS A BASELINE RISK ASSESSMENT AND NOT A DETAILED RISK ASSESSMENT OF ALL ANTICIPATED ACTIVITIES ON SITE

Activity	Risk to Safety	Risk to Health	Risk to Environmental	Risk to Public Safety	Control Measures
Brickwork	Physical injury, Fatality				PPE, Use of Scaffolding
Roofing	Physical injury, Fatality				PPE, Use of Scaffolding
Plastering	Skin irritation, temporary blindness	Long term breathing problems	Ground contamination	Dust inhalation	Use of PPE, guarding off site on work areas
Paintwork	Skin irritation, temporary blindness	Long term breathing problems	Ground contamination	Air pollution	Use of PPE, guarding off site on work areas
Construction activities / demolition	Temporary deafness	Permanent deafness	Noise pollution	Noise pollution	Guarding / barricading of site
Moving machines	Driven over by machines	Injury to workers	Fuel spillage	Driven over by machines	Signage and slow driving

You can list all activities on a separate page to address this issue (the above table is just for reference purposes).

M

A. EASTERN CAPE INFRASTRUCTURE INPUT MATERIAL

PROJECT NAME	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
SCMU NUMBER	**SCMU5–26/27-0013 CHR**
CONTRACTOR NAME:	

1. Below is the list of building material which must be sourced from Eastern Cape based suppliers, manufacturers or accredited agents.
2. On monthly basis, the contractor will report the purchasing of any of this material.
3. The report will then be communicated to Provincial Treasury & office of the premier on quarterly basis or in whichever intervals, as prescribed by Provincial Treasury & Office of the Premier.

B. MATERIAL LISTS

ITEM	MATERIAL (TYPE)	QUANTITY	ESTIMATE AMOUNT (Rands)
A	Wooden doors		
B	Bricks		
C	Cement		
D	Paving blocks and bricks		
E	Lintels		
F	Precast concrete kerbs		
G	Stone		
H	Sand		
I	PVC Tanks		
J	Painting		
K	Plumbing		
L	Ironmongery		
M	Screws		
TOTAL			

C. CONFIRMATION

1. I..... (***Contractor name***) acknowledge and confirm the above-mentioned material will be sourced in the Eastern Cape Province, from Eastern Cape based material suppliers and manufacturers.
2. I confirm that on monthly basis I will produce a proof of purchase of this material used or to be used, either in the form of delivery notes, tax invoices or any formal document which verifies that the material or goods were sourced from an Eastern Cape based supplier or manufacturer.

----------	----------	----------
Representative of the Contractor (Name)	***Signature***	***Date***

N

DECLARATION (VALIDITY OF INFORMATION PROVIDED)

I..... declare that the information provided is true and correct, the signature to the bid document is duly authorised and documentary proof regarding any bidding issue will, when required, be submitted to the satisfaction of the EASTERN CAPE DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE.

....
SIGNATURE OF DECLARER **DATE**

....
POSITION OF DECLARER **NAME OF COMPANY OF BIDDER**

Should the bidder have, in the opinion of the DPWI, acted fraudulently illegally, in bad faith or in any improper manner, misrepresented itself regarding the bid, then the DPWI may, in its sole discretion:

* Ignore any bids without advising the bidder thereof
* Cancel the contract without prejudice to any legal rights the DPWI may have

Should the bidder disregard this or conduct affairs in a way that transgresses from good business practices, this could seriously impair future business relations between the DPW&I and such bidder.

PART C1.2 CONTRACT DATA

The Joint Building Contracts Committee® - NPC
CONTRACT DATA
For use by ORGANS OF STATE and other PUBLIC SECTOR BODIES
Principal Building Agreement
Edition 6.2 - May 2018

A PROJECT INFORMATION

A1.0 Works [1.1]

Project name	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
Reference number	**SCMU5–26/27-0013 CHR**
Works description	Refer to document C3 – Scope of Work

A2.0 Site [1.1]

Erf / stand number	Refer to document C4 – Site Information
Township / Suburb	Lady Frere
Site address	Refer to document C4 – Site Information
Local authority	AB Xuma Local Municipality

A3.0 Employer [1.1]

Official Name of Organ of State / Public Sector Body	Eastern Cape Department of Public Works and Infrastructure			
Business registration number	N/A			
VAT/GST number	N/A			
Country	South Africa			
Employer's representative: Name	Siviwe Gade			
E-mail	Siviwe.gade@ecdpw.gov.za			
Mobile number	083 281 0977	Telephone number		
Postal address	No. 1 Creamery Road, Old CPA Building, Kings Park, Komani		Postal Code	5320
Physical address	No. 1 Creamery Road, Old CPA Building, Kings Park, Komani		Postal Code	5320

A4.0 Principal Agent [1.1]

Name	Siviwe Gade			
Legal entity of above	DPW&I	Contact person	Siviwe Gade	
Practice number	N/A	Telephone number	N/A	
		Mobile number	083 281 0977	
Country	South Africa	E-mail	Siviwe.gade@ecdpw.gov.za	
Postal address	No. 1 Creamery Road, Old CPA Building, Kings Park, Komani		Postal Code	5320
Physical address	No. 1 Creamery Road, Old CPA Building, Kings Park, Komani		Postal Code	5320

A5.0 Agent [1.1]

Discipline	**Quantity Surveyor**			
Name	Abongile Nxala			
Legal entity of above	DPW&I	Contact person	Abongile Nxala	
Practice number	N/A	Telephone number	N/A	
		Mobile number	063 988 6821	
Country	South Africa	E-mail	Abongile.nxala@ecdpw.gov.za	
Postal address	No. 1 Creamery Road, Old CPA Building, Kings Park, Komani		Postal Code	5320
Physical address	No. 1 Creamery Road, Old CPA Building, Kings Park, Komani		Postal Code	5320

A6.0 Agent [1.1]

Discipline	**Architects**			
Name	Vuyo Manyela			
Legal entity of above	DPW&I	Contact person	Vuyo Manyela	
Practice number	N/A	Telephone number	N/A	
		Mobile number	072 314 4460	
Country	South Africa	E-mail	N/A	
Postal address	No. 1 Creamery Road, Old CPA Building, Kings Park, Komani		Postal Code	5320
Physical address	No. 1 Creamery Road, Old CPA Building, Kings Park, Komani		Postal Code	5320

A7.0 Agent [1.1]

Discipline	**Structural Engineers**			
Name				
Legal entity of above		Contact person		
Practice number	N/A	Telephone number		
		Mobile number		
Country	South Africa	E-mail		
Postal address			Postal Code	
Physical address			Postal Code	

A8.0 Agent [1.1]

Discipline	**Electrical Engineers**			
Name	Phathilizwe Ndamase			
Legal entity of above	DPW&I	Contact person	Phathilizwe Ndamase	
Practice number	N/A	Telephone number		
		Mobile number	071 689 2658	
Country	South Africa	E-mail	Phathilizwe.ndamase@ecdpw.gov.za	
Postal address	No. 1 Creamery Road, Old CPA Building, Kings Park, Komani, 5320		Postal Code	5320
Physical address	No. 1 Creamery Road, Old CPA Building, Kings Park, Komani, 5320		Postal Code	5320

A9.0 Agent [1.1]

Discipline	**OHS Consultant**			
Name	N/A			
Legal entity of above	DPW&I	Contact person	Zanele Nomqonde	
Practice number	N/A	Telephone number	N/A	
		Mobile number	078 704 0968	
Country	South Africa	E-mail	Zanele.nomqonde@ecdpw.gov.za	
Postal address	No. 1 Creamery Road, Old CPA Building, Kings Park, Komani, 5320		Postal Code	5320
Physical address	No. 1 Creamery Road, Old CPA Building, Kings Park, Komani, 5320		Postal Code	5320

A10.0 Agent [1.1]

Discipline	**Mechanical Engineer**			
Name	Luyanda Sodinga			
Legal entity of above	DPW&I	Contact person	Luyanda Sodinga	
Practice number	N/A	Telephone number	N/A	
		Mobile number	083 627 1654	
Country	South Africa	E-mail	Luyanda.Sodinga@ecdpw.gov.za	
Postal address	Qhasana Building, Independence Avenue, Bhisho		Postal Code	5605
Physical address	Qhasana Building, Independence Avenue, Bhisho		Postal Code	5605

A11.0 Agent [1.1]

Discipline	**Civil Engineer**			
Name				
Legal entity of above		Contact person		
Practice number	N/A	Telephone number		
		Mobile number		
Country	South Africa	E-mail		
Postal address			Postal Code	
Physical address			Postal Code	

B CONTRACT INFORMATION

B 1.0 Definitions [1.1]

Bills of quantities: System/Method of measurement	**Standard System of Measuring Building Work (Sixth Edition) as amended**

B 2.0 Law, regulations and notices [2.0]

Law applicable to the **works**, state country [2.1]	**Republic of South Africa**

B 3.0 Offer and acceptance [3.0]

Currency applicable to this **agreement** [3.2]	**South African Rand**

B 4.0 Documents [5.0]

The original signed **agreement** is to be held by the **principal agent** [5.2], if not, indicate by whom	**Employer**
Number of copies of **construction information** issued to the **contractor** at no cost [5.6]	**Three (3)**

Documents comprising the **agreement**	Page numbers
The **JBCC®** Principal Building Agreement, Edition 6.2 May 2018	1 to 30
The JBCC® Minor Works Agreement - Contract Data for Organs of State and other Public Sector Bodies, Edition 6.2 May 2018	1 to 18
The JBCC® General Preliminaries for use with the JBCC® Principal Building Agreement, Edition 6.2 May 2018	1 to 30

B 5.0 Employer's Agents [6.0]

Authority is delegated to the following **agents** to issue **contract instructions** and perform duties for specific aspects of the **works** [6.2]
Principal Agent

Principal agent's and **agents'** interest or involvement in the **works** other than a professional interest [6.3]
None

B 6.0 Insurances [10.0]

Insurances by **employer**		Amount including tax	Deductible amount including tax
Yes / No:	**No**		
Contract works insurance:			
	New **works** [10.1.1] (**contract sum** or amount)		
or	**Works** with **practical completion** in **sections** [10.2] (**contract sum** or amount		
or	**Works** with alterations and additions [10.3] (reinstatement value of existing structures with or including new **works**)		
	Direct contractors [10.1.1; 10.2] where applicable, to be included in the contract works insurance		
	Free issue [10.1.1; 10.2] where applicable, to be included in the contract works insurance		
	Escalation, professional fees and reinstatement costs if not included above		

Total of the above contract works insurance amount				
Supplementary insurance [10.1.2; 10.2]				
Public liability insurance [10.1.3; 10.2]				
Removal of lateral support insurance [10.1.4; 10.2]				
Other insurances [10.1.5]				
Yes/ No?	No	If yes, description 1		
Yes/ No?	No	If yes, description 2		

and/or

Insurances by **Contractor**		Amount including tax	Deductible amount including tax
Yes / No:	**Yes**		
	New **works** [10.1.1] (**contract sum** or amount)	N/A	N/A
or	**Works** with **practical completion** in **sections** [10.2] (**contract sum** or amount)	N/A	N/A
or	**Works** with alterations and additions [10.3] (reinstatement value of existing structures with or including new **works**)	**To the minimum value of the contract sum + 10%**	**With a deductible not exceeding 5% of each and every claim**
	Direct contractors [10.1.1; 10.2] where applicable, to be included in the contract works insurance	N/A	
	Free issue [10.1.1; 10.2] where applicable, to be included in the contract works insurance	N/A	
	Escalation, professional fees and reinstatement costs if not included above	N/A	
Total of the above contract works insurance amount		To the minimum value of the contract sum + 10%	
Supplementary insurance [10.1.2; 10.2]		R1 million	With a deductible not exceeding 5% of each and every claim
Public liability insurance [10.1.3; 10.2]		R1 million	
Removal of lateral support insurance [10.1.4; 10.2]		No	
Other insurances [10.1.5]			
Yes/ No?	No	If yes, description 1	
Hi Risk Insurance [10.1.5.1]			
Yes/ No?	No	If yes, description 2	

B 7.0 Obligations of the employer [12.1]

Existing premises will be in use and occupied [12.1.2]		**Yes / No?**	**Yes**
If yes, description	Gubenxa and Nkwenkwana Clinics are working clinics, and construction will take place within these premises		
Restriction of working hours [12.1.2]		**Yes / No?**	**Yes**
If yes, description	The completion of the project is urgent, and work shall be executed during normal working hours i.e. 7h00 until 17h00 daily including weekends. Work required to be executed outside of these hours must be arranged with the Principal Agent and the Chief Executive of the clinic, in advance		
Natural features and known services to be preserved by the contractor [12.1.3]		**Yes / No?**	**No**
If yes, description			
Restrictions to the site or areas that the contractor may not occupy [12.1.4]		**Yes / No?**	**Yes**
If yes, description	Work areas and restricted areas shall be defined at Site Handover		
Supply of free issue [12.1.10]		Yes / No?	**No**
If yes, description			

B 8.0 Nominated subcontractors [14.0]

Yes / No?	**No**	**If yes, description of specialisation**
Specialisation 1		
Specialisation 2		
Specialisation 3		
Specialisation 4		

B 9.0 Selected subcontractors [15.0]

Yes / No?	**Yes**	**If yes, description of specialisation**
Specialisation 1		Electrical Installation
Specialisation 2		Mechanical Installation
Specialisation 3		Fire & Safety Installation

B 10.0 Direct contractors [16.0]

Yes / No?	**No**	**If yes, description of extent of work**
Extent of work [12.1.11]		
Extent of work [12.1.11]		
Extent of work [12.1.11]		

B 12.0 Possession of site [12.1.5], practical completion [19.0; 20.0] and penalty [24.0]

Practical completion for the works as a whole	Intended date of possession of the site Refer B17.0 [12.1.5; 12.2.22]	Period for inspection by the principal agent [19.3]	The date for practical completion shall be the period as indicated below from the date of possession of the site by the contractor [12.2.7; 24.1]	Penalty for late completion [24.1]
	X	working days	Period in months	Penalty amount per calendar day (excl. tax)
	X	**10 Working days**	**5 Calendar months**	**1.00c/R100 of Contract amount**

or where sections are applicable

Practical completion of a section of the works	Intended date of possession of the site Refer B17.0 [12.1.5; 12.2.22]	Period for inspection by the principal agent [19.3]	The date for practical completion shall be the period as indicated below from the date of possession of the site by the contractor [12.2.7; 24.1]	Penalty for late completion [24.1]
	X	Working days	Period in months	Penalty amount per calendar day (excl. tax)
Section 1	X	**10 Working days**	**5 Calendar months**	**2.00c/R100 of Contract amount**
Section 2	X			
Section 3	X			
Section 4	X			
Section 5	X			
Section 6	X			
Section 7	X			
Section 8	X			
Remainder of the	X			

Criteria to achieve practical completion not covered in the definition of practical completion
No further Criteria

B 13.0 Defects liability period [21.0]

Extended defects liability period: Refer B17.0 [21.13]		**Yes / No?**	**Yes**
If yes, description of applicable elements	All works		

B 14.0 Payments [25.0]

Date of month for issue of regular payment certificates [25.2]	**15th**		
Contract price adjustment / Cost fluctuations [25.3.4; 26.9.5]	Yes / No?	No	Base date = Tender closing date
If yes, method to calculate	CPAP calculated with Haylett formulae based on indices as provided by Stats SA		
Employer shall pay the contractor within: [25.10]	Thirty (30) calendar days		

B 15.0 Dispute resolution [30.0]

Adjudication [30.6.1; 30.10] Name of nominating body	Refer to Part C1.3 Dispute Resolution Mechanism	
Applicable rules for adjudication [30.6.2]	Adjudication in accordance with the CIDB adjudication process	
Arbitration [30.7.4; 30.10]	Yes / No?	No
If Yes, name of nominating body *If No, then dispute will be referred to litigation		
Applicable rules for arbitration [30.7.5]	N/A	

B 16.0 JBCC® General Preliminaries – selections

Provisional bills of quantities [B2.2]		Yes / No?	No
Availability of construction information – is the construction information complete? [B2.3]		Yes / No?	Yes
Previous work - dimensional accuracy - details of previous contract(s) [B3.1]		N/A	
Previous work - defects - details of previous contract(s) [B3.2]		N/A	
Inspection of adjoining properties - details [B3.3]		N/A	
Handover of site in stages - specific requirements [B4.1]		Refer to B11 (Contract Data)	
Enclosure of the works - specific requirements [B4.2]		Hoarding to working areas.	
Geotechnical and other investigations - specific requirements [B4.3]		N/A	
Existing premises occupied - details [B4.5]		Working Areas will not be occupied	
Services - known - specific requirements [B4.6]		No	
Water [B8.1]	By contractor	Yes / No?	Yes
	By employer	Yes / No?	No
	By employer – metered	Yes / No?	No
Electricity [B8.2]	By contractor	Yes / No?	Yes
	By employer	Yes / No?	No
	By employer – metered	Yes / No?	No
Ablution and welfare facilities [B8.3]	By contractor	Yes / No?	Yes
	By employer	Yes / No?	No
Communication facilities - specific requirements [B8.4]		No specific requirements	
Protection of the works - specific requirements [B11.1]		No specific requirements	
Protection / isolation of existing works and works occupied in sections - specific requirements [B11.2]		No specific requirements	
Disturbance - specific requirements [B11.5]		No specific requirements	
Environmental disturbance - specific requirements [B11.6]		No specific requirements	

B 17.0 Changes made to JBCC® documentation

Reference may be made to other documents forming part of this agreement

1.1 Definitions

AGREEMENT: The completed Form of Offer and Acceptance, the completed JBCC® Principal Building Agreement and JBCC® contract data for organs of state and other public sector bodies, the contract drawings, the priced document and any other documents reduced to writing and signed by the authorised representatives of the parties

CONSTRUCTION PERIOD: The period commencing on the date of possession of the site by the contractor and ending on the date of practical completion

CONTRACT DATA FOR ORGANS OF STATE AND OTHER PUBLIC SECTOR BODIES: The document listing the Organs of State and other Public Sector Bodies' requirements and the project specific information

INTEREST: The interest rates applicable on this contract, whether specifically indicated in the relevant clauses or not, will be the rate as determined by the Minister of Finance from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No 1 of 1999), calculated as simple interest, in respect of debts owing to the State, and will be the rate as determined by the Minister of Justice and Constitutional Development from time to time 80(1)(b) of the Public Finance Management Act, 1999 (Act No 1 of 1999), calculated as simple interest, in respect of debts owing by the State

PRINCIPAL AGENT: The person or entity appointed by the employer and named in the contract data for organs of state and other public sector bodies. In the event of a principal agent not being appointed, then all the duties and obligations of a principal agent as detailed in the agreement shall be fulfilled by the employer's representative as named in the contract data for organs of state and other public sector bodies

3.0 Offer and Acceptance

Amend 3.3 to read as follows:
This agreement shall come into force on the date as stated on the Form of Offer and Acceptance and continue to be of force and effect until the end of the latent defects' liability period [22.0] notwithstanding termination [29.0] or the certification of final completion [21.0] and final payment [25.0]

6.0 Employer's Agents

Add the following as 6.7:

In terms of the clauses listed hereunder, the employer has retained its authority and has not given a mandate to the principal agent. The employer shall sign all documents in relation to clauses 4.2, 14.1.2,14.1.4, 14.4.1, 14.6, 23.1, 23.2, 23.3, 23.7, 23.8, 26.1, 26.7, 26.12 and 28.4

9.0 Indemnities

9.2.7: Add the following to the end of the first sentence: "…. due to no fault of the contractor"

10.0 Insurances

Add the following as 10.1.5.1:

High risk Insurance

In the event of the project being executed in a geological area classified as a "High Risk Area", that is an area which is subject to highly unstable sub-surface conditions that might result in catastrophic ground movement evident by sinkhole or doline formation the following will apply:

10.1.5.1.1 Damage to the works

The contractor shall, from the date of possession of the site until the date of the certificate of practical completion, bear the full risk of and hereby indemnifies and holds harmless the employer against any damage to and/or destruction of the works consequent upon a catastrophic ground movement as mentioned above. The contractor shall take such precautions and security measures and other steps for the protection of the works as he may deem necessary

When so instructed to do so by the principal agent, the contractor shall proceed immediately to remove and/or dispose of any debris arising from damage to or destruction of the works and to rebuild, restore, replace and/or repair the works, at the contractor's own costs

10.1.5.1.2 Injury to persons or loss of or damage to property

The contractor shall be liable for and hereby indemnifies and holds harmless the employer against any liability, loss, claim or proceeding arising at any time during the period of the contract whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever resulting from, arising out of or caused by a catastrophic ground movement as mentioned above

The contractor shall be liable for and hereby indemnifies the employer against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable, or immovable property, or personal property, or property contiguous to the site, whether belonging to or under the control of the employer or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the period of the contract

10.1.5.1.3

It is the responsibility of the contractor to ensure that he has adequate insurance to cover his risk and liability as mentioned in 10.1.5.1.1 and 10.1.5.1.2. Without limiting the contractor's obligations in terms of the contract, the contractor shall, within twenty-one (21) calendar days of the date of possession of the site, but before commencement of the works, submit to the employer proof of such insurance policy, if requested to do so

10.1.5.1.4

The employer shall be entitled to recover all losses and/or damages of whatever nature suffered or incurred consequent upon the contractor's default of his obligations as set out in 10.1.5.1.1; 10.1.5.1.2 and 10.1.5.1.3. Such losses or damages may be recovered from the contractor or by deducting the same from any amounts still due under this contract or under any other contract presently or hereafter existing between the employer and the contractor and for this purpose all these contracts shall be considered one indivisible whole

11.0 Securities

Amend 11.10 to read as follows:

There shall be no lien or right of retention held by any contractor in respect of the works executed on Site

12.0 Obligations of the Parties

Amend 12.1.5 to read as follows:

Give possession of the site to the contractor within ten (10) working days of the contractor complying with the terms of 12.2.22

12.2.2: Not applicable

Add the following as 12.2.22:

Within fifteen (15) working days of the date of the agreement submit to the principal agent an acceptable health and safety plan, required in terms of the Occupational Health and Safety Act, 1993 (Act No 85 of 1993)

19.0 Practical Completion

19.5: Delete the words "subject to the contractor's lien or right of continuing possession of the works where this has not been waived"

21.0 Defects Liability Period and Final Completion

Add the following as 21.13:

The ninety (90) calendar days defects liability period for the works [21.1] is replaced with a period of three hundred and sixty-five (365) calendar days in respect of the listed applicable elements

25.0 Payment

25.7.5: Not applicable

25.10: Delete the words "and/or compensatory interest"

25.14.2: Not applicable

27.0 Recovery of Expense and/or Loss

27.1.5: Not applicable

29.0 Termination

Add the following after 29.1.3: or where …

29.1.4: The contractor's estate has been sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa

29.1.5: The contractor has engaged in corrupt or fraudulent practices in competing for or in executing the contract

C TENDERER'S SELECTIONS

C 1.0 Security [11.0]

Guarantee for construction: Select Option A or B	Option:	
Option A	Payment reduction of 10% of the value certified in the payment certificate	
Option B	Fixed construction guarantee of 5% of the contract sum and a payment reduction of 5% of the value certified in the payment certificate	
Guarantee for payment by employer [11.5.1; 11.10]	Not Applicable	
Advance payment, subject to a guarantee for advance payment [11.2.2; 11.3]	Not Applicable	

C 2.0 Contractor's annual holiday periods during the construction period

Year 1 contractor's annual holiday period	start date		end date	
Year 2 contractor's annual holiday period	start date		end date	
Year 3 contractor's annual holiday period	start date		end date	

C 3.0 Payment of preliminaries [25.0]

Contractor's selection: Select Option A or B	Option:	
Where the contractor does not select an option, Option A shall apply		
Payment methods		
Option A	The preliminaries shall be paid in accordance with an amount prorated to the value of the works executed in the same ratio as the amount of the preliminaries to the contract sum, which contract sum shall exclude the amount of preliminaries. Contingency sum(s) and any provision for cost fluctuations shall be excluded for the calculation of	
Option B	The preliminaries shall be paid in accordance with an amount agreed by the principal agent and the contractor in terms of the priced document to identify an initial establishment charge, a time-related charge and a final dis-establishment charge. Payment of the time-related charge shall be assessed by the principal agent and adjusted from time to time as may be necessary to take into account the rate of	

Lump sum contract

Where the amount of preliminaries is not provided it shall be taken as 7.5% (seven and a half per cent) of the contract sum, excluding contingency sum(s) and any provision for cost fluctuations

OCCUPATIONAL HEALTH AND SAFETY SPECIFICATION

IN

REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO

IMPLEMENTED BY

THE DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE

PREAMBLE

In terms of Construction Regulation 4(1)(*a*) of the Occupational Health and Safety Act, 1993 (Act 85 of 1993), and 5(1) construction regulation of 2014, the Department of Public Works, as the Client and/or its Agent on its behalf, shall be responsible to prepare Health & Safety Specifications for any intended construction project and provide any Principal Contractor who is making a bid or appointed to perform construction work for the Client and/or its Agent on its behalf with the same.

The Client's further duties are as described in The Act and the Regulations made there-under. The Principal Contractor shall be responsible for the Health & Safety Policy for the site in terms of Section 7 of the Act and in line with Construction Regulation 5 as well as the Health and Safety Plan for the **1.** project.

This 'Health and Safety Specifications' document is governed by the "Occupational Health and Safety Act, 1993 (Act No. 85 of 1993), hereinafter referred to as 'The Act'. Notwithstanding this, cognizance should be taken of the fact that no single Act or its set of Regulations can be read in isolation. Furthermore, although the definition of Health and Safety Specifications stipulates 'a documented specification of all health and safety requirements pertaining to associated works on a construction site, so as to ensure the health and safety of persons', it is required that the entire scope of the Labour legislation, including the Basic Conditions of Employment Act be considered as part of the legal compliance system. With reference to this specification document this requirement is limited to all health, safety and environmental issues pertaining to the site of the project as referred to here-in. Despite the foregoing it is reiterated that environmental management shall receive due attention.

Due to the wide scope and definition of construction work, every construction activity and site will be different, and circumstances and conditions may change even on a daily basis. Therefore, due caution is to be taken by the Principal Contractor when drafting the Health and Safety Plan based on these Health and Safety Specifications. Prior to drafting the Health and Safety Plan, and in consideration of the information contained here-in, the contractor shall set up a Risk Assessment Program to identify and determine the scope and details of any risk associated with any hazard at the construction site, in order to identify the steps needed to be taken to remove, reduce or control such hazard. *This Risk Assessment and the steps identified will be the basis or point of departure for the Health and Safety Plan.* The Health and Safety Plan shall include documented 'Methods of Statement' (see definitions under Construction Regulations) detailing the key activities to be performed to reduce as far as practicable, the hazards identified in the Risk Assessment.

In this a high premium is to be placed on the health and safety of the most valuable assets of the Department of Public Works. These are its personnel, the personnel of its clients and the physical assets of which it is the custodian and may also include the public as well. The responsibilities the Department and relevant stakeholders have toward its employees and other people present in the facilities or on the sites are captured further in this specification document. These responsibilities stem from both moral, civil and a variety of legal obligations. The Principal Contractor is to take due cognisance of the above statement.

Every effort has been made to ensure that this specification document is accurate and adequate in all respects. Should it, however, contain any errors or omissions they may not be considered as grounds for claims under the contract for additional reimbursement or extension of time, or relieve the Principal Contractor from his responsibilities and accountability in respect of the project to which this specification document pertains. Any such inaccuracies, inconsistencies and/or inadequacies must immediately be brought to the attention of the Agent and/or Client.

2. SCOPE OF HEALTH AND SAFETY SPECIFICATION DOCUMENT

These Specifications should be read in conjunction with the Act, the Construction Regulations and all other Regulations and Safety Standards which were or will be promulgated under the Act or incorporated into the Act and be in force or come into force during the effective duration of the project. The stipulations in this specification, as well as those contained in all other documentation pertaining to the project, including contract documentation and technical specifications shall not be interpreted, in any way whatsoever, to countermand or nullify any stipulation of the Act, Regulations and Safety Standards which are promulgated under, or incorporated into the Act.

This health and safety specification in respect of a construction work contract:

a) provides the overarching framework within which the contractor is required to demonstrate compliance with certain requirements for occupation health and safety established by the Occupational Health and Safety Act of 1993 during construction.

b) establishes the manner in which the contractor is to manage the risk of health and safety incidents in during the construction; and

c) establishes the manner in which the employer's health and safety agent will interact with the contractor.

Note 1: This specification establishes generic requirements to enable the employer and the contractor to satisfy aspects of the Occupational Health and Safety Act, 1993 (Act No. 85 of 1993) and the Construction Regulations, 2014. The contractor is required to develop, implement and maintain package specific health and safety plans. The employer is required to provide certain package specific information to the contractor or a health and safety specification for the works to enable such plans to be formulated. Accordingly, this generic specification on its own cannot ensure compliance with the requirements of the afore-mentioned Act (See Annexure A).

Note 2: The Construction Regulations, 2014, require an employer to stop any contractor from executing construction work which is not in accordance with the contractor's health and safety plan for the site or which poses to be a threat to the health and safety of persons.

Note 3: This specification establishes generic health and safety requirements. Site specific requirements for health and safety are stated in the scope of work associated with a contract (see Annexure A).

Note 4: The South African Council for the Project and Construction Management Professions has established the following specified categories of registration in terms of the Project and Construction Management Professions Act of 2000 (Act No. 48 of 2000):

a Construction Health and Safety Agent who may be appointed by an employer to act as his agent in terms of the Occupational Health and Safety Act of 1993 and the Construction Regulations issued in terms of that Act;

a) Construction Health and Safety Manager who may be appointed by an employer to complement his professional team or by a contractor to manage company or project health and safety performance and compliance in accordance with the Occupational Health and Safety Act and Regulations; and a Construction Health and Safety Officers who may be appointed by an employer to mitigate the risk on a project or by a contractor to monitor and assist on-site health and safety performance and compliance in accordance with the Occupational Health and Safety Act and Regulations and services.

3. PURPOSE

The Department is obligated to implement measures to ensure the health and safety of all people and properties affected under its custodianship or contractual commitments and is further obligated to monitor that these measures are structured and applied according to the requirements of these Health and Safety Specifications.

The purpose of this specification document is to provide the relevant Principal Contractor (and his /her contractor) with any information other than the standard conditions pertaining to construction sites which might affect the health and safety of persons at work and the health and safety of persons in connection with the use of plant and machinery; and to protect persons other than persons at work against hazards to health and safety arising out of or in connection with the activities of persons at work during the carrying out of construction work for the Department of Public Works. The Principal Contractor (and his /her contractor) is to be briefed on the significant health and safety aspects of the project and to be provided with information and requirements on inter alia:

a) Safety considerations affecting the site of the project and its environment.

b) Health and safety aspects of the associated structures and equipment.

c) submissions on health and safety matters required from the Principal Contractor (and his /her contractor); and

d) the Principal Contractor's (and his /her contractor) health & safety plan.

To serve to ensure that the Principal Contractor (and his /her contractor) is fully aware of what is expected from him/her with regard to the Occupational Health and Safety Act, 1993 (Act No. 85 of 1993) and the Regulations made there-under including the applicable safety standards, and in particular in terms of Section 6, 7 and 8 of the construction regulation (2014).

To inform the Principal Contractor that the Occupational Health and Safety Act, 1993 (Act 85 of 1993) in its entirety shall apply to the contract to which this specification document applies. The Construction Regulations promulgated on 07 February 2014.

CREATING AND MAINTAINING A SAFE AND HEALTHY WORK ENVIRONMENT

General

The contractor shall with respect to the site and the construction work that are contemplated:

1. cause a preliminary hazard identification to be performed by a competent person before commencing any physical construction activity.
2. evaluate the risks associated with the identified hazard to the health and safety of such employees and the steps that need to be taken to comply with the Act; and
3. as far as is reasonably practicable, prevent the exposure of such employees to the hazards concerned or, where prevention is not reasonably practicable, minimize such exposure.

The contractor shall ensure that:

- all reasonably practicable steps are taken to prevent the uncontrolled collapse of any new or existing structure or any part thereof, which may become unstable or is in a temporary state of weakness or instability due to the carrying out of construction work; no structure or part of a structure is loaded in a manner which would render it unsafe; and
- account of information, if any, provided by the designer of the structure is taken into account in the risk assessment.

Note: The information provided by the designer should outline known or anticipated dangers or hazards relating to the work and make available all information required for the safe execution of the work. It should provide, as relevant, geotechnical information (or make reference to reports provided in the site information), the loading the structure is designed to withstand, the methods and sequence of construction.

The contractor shall carry out regular inspections and audits to ensure that the work is being performed in accordance with the requirements of this specification.

4. DEFINITIONS

The most important definitions in the Act and Regulations pertaining to this specification document are hereby extracted.

Act: The Occupational Health and Safety Act, 1993 (Act No. 85 of 1993)

Accident – means unplanned occurrence that happens due to the unsafe condition and may cause injury to a person, damage to the property, material, plant, equipment and the environment.

Agent – means any person who acts as a representative for a client. The word agent, in some instances, may be used interchangeable with the Construction Health and Safety Agent, the distinguishing factor will be on the role expected to be played by the agent mentioned. For example, all H&S related issues (audits, inspections, and/or reports) are done by the Construction Health and Safety Agent, whilst the accountability of overall project success or portions of the work is done by the Agent i.e. Principal Agent or Project Manager or Engineer.

Client means Department of Public Works

Competent person means a person who-

(a) has in respect of the work or task to be performed the required knowledge, training and experience and, where applicable, qualifications, specific for that work or task: Provided that where appropriate qualifications and training are registered in terms of the provisions of the National Qualifications Framework Act, 2000 (Act No.67 of 2000), those qualifications and that training must be regarded as the required qualifications and training; and

(b) Is familiar with the OHS Act, Act 85 of 1993 and with the applicable regulations made under the Act;

Construction Health & Safety Agent (SACPCMP) – The person or entity appointed by the client through the Agent and who has a full authority and obligation to act on the client's behalf in terms of the construction regulations. *Pr.CHSA* means a competent person who acts as a representative for a client in terms of regulation (5)5.

Contract Amount" Financial value of the contract at the time of the award of the contract, exclusive of all allowance and any value added tax or sales tax which the law requires the employer to pay to the contractor.

contractor: person or organization that contracts to provide the work covered by the contract

contract manager: person appointed by the employer to administer the contract on his behalf

competent person: any person who:

a) has in respect of the work or task to be performed the required knowledge, training and experience and, where applicable, qualifications specific to that work or task; and

b) is familiar with the Act and applicable regulations made in terms of the Act

Note: The Regulations stipulate that where appropriate qualifications and training are registered in terms of the provisions of the National Qualification Framework Act of 2000.those qualifications and training must be regarded as the required qualifications and training.

danger: anything which may cause injury or damage to persons or property

employer: person or organisation that enters into a contract with the contractor for the provision of the work covered by the contract

employer's health and safety agent: the person appointed as agent by the employer in terms of Regulation 4(5) of the Construction regulations and named in the contract data as the being the employer's agent responsible for health and safety matters. **This is a Construction Health & Safety Agent (SACPCMP)" –** The person or entity appointed by the client through the Agent and who has a full authority and obligation to act on the client's behalf in terms of the construction regulations.

"Construction Manager (*Site Agent*)" means a competent person responsible for the management of the physical construction processes and the coordination, administration and management of resources on a construction site.

Construction Site means a workplace where construction work is being performed.

Construction Supervisor means a competent person responsible for supervising construction activities on a construction site;

Construction Vehicle means a vehicle used as a means of conveyance for transporting persons or material, or persons and material, on and off the construction site for the purposes of performing construction work.

Construction work means any work in connection with –

a) The construction, erection, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure; or
b) the construction, erection, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system; or the moving of earth, clearing of land, the making of excavation, piling, or any similar civil engineering structure or type of work.

Construction Work Permit means a document issued in terms of regulation 3 of the Construction Regulations 2014.

CR refers to the Construction Regulations 2014.

Demolition Work means a method to dismantle, wreck, break, pull down or knock down of a structure or part thereof by way of manual labour, machinery, or the use of explosives.

ergonomics: the application of scientific information concerning humans to the design of objects, systems and the environment for human use to optimize human well-being and overall system performance.

Fall Protection Plan means a documented plan, which includes and provides for-

- All risks relating to working from a fall risk position, considering the nature of work undertaken.
- The procedures and methods to be applied to eliminate the risk of falling; and
- A rescue plan and procedures.

H&S – health and safety

hazard: a source of or exposure to danger

hazard identification: the identification and documenting of existing or expected hazards to the health and safety of persons, which are normally associated with the type of construction work being executed or to be executed.

Health and Safety File – means a file, or other record in permanent form, containing the information required a contemplated in the regulations.

health and safety plan: a documented plan which addresses hazards identified and includes safe work procedures to mitigate, reduce or control the hazards identified.

health and safety specification: a site, activity or project specific document pertaining to all health and safety requirements related to construction work which is included in the contractor's contract with the employer, or an order issued in terms of framework agreement

healthy: free from illness or injury attributable to occupational causes

incident: an event or occurrence occurring at work or arising out of or in connection with the activities of persons at work, or in connection with the use of plant or machinery, in which, or in consequence of which:

a) any person dies, becomes unconscious, suffers the loss of a limb or part of a limb or is otherwise injured or becomes ill to such a degree that he is likely either to die or to suffer a permanent physical defect or likely to be unable for a period of at least 14 days either to work or to continue with the activity for which he was employed or is usually employed.

b) a major incident occurred; or

c) the health or safety of any person was endangered and where:

i) a dangerous substance was spilled.

ii)the uncontrolled release of any substance under pressure took place.

iii) machinery or any part thereof fractured or failed resulting in flying, falling or uncontrolled moving objects; or machinery ran out of control

inspector: a person designated as such under section 28 the Act

major incident: an occurrence of catastrophic proportions, resulting from the use of plant or machinery, or from activities at a workplace.

Medical Certificate of Fitness means a certificate contemplated in regulation 7(8) of Construction Regulations 2014.

Practical Completion Certificates- A certificates issued in terms of a contract by the employer, signifying that the whole of the construction works has reached a state of readiness for occupation or use for the purposes intended, although some minor work may be outstanding.

"Professional Engineer or Professional Certificated Engineer" means a person holding registration as either a Professional Engineer or Professional Certificated Engineer in terms of the Engineering Profession Act, 2000 (Act No. 46 of 2000);

reasonably practicable: practicable having regard to:

a) the severity and scope of the hazard or risk concerned.

b) the state of knowledge reasonably available concerning that hazard or risk and of any means of removing or mitigating that hazard or risk.

c) the availability and suitability of means to remove or mitigate that hazard or risk; and

d) the cost of removing or mitigating that hazard or risk in relation to the benefits deriving therefrom.

risk – means the likelihood that harm will occur and the subsequent consequences.

"Risk assessment" – means a process to determine any risk associated with any hazard at a construction site to identify the steps needed to be taken to mitigate, reduce or control such hazards.

safe: free from any hazard

Safety Officer – a person deemed competent by SACPCMP under the relevant category of registration.

scaffold: any temporary elevated platform and supporting structure used for providing access to and supporting workmen or materials or both

structure:

a) any building, steel or reinforced concrete structure (not being a building), railway line or siding, bridge, waterworks, reservoir, pipe or pipeline, cable, sewer, sewage works, fixed vessels, road, drainage works, earthworks, dam, wall, mast, tower, tower crane, bulk mixing plant, pylon, surface and underground tanks, earth retaining structure or any structure designed to preserve or alter any natural feature, and any other similar structure;

b) any false work, scaffold or other structure designed or used to provide support or means of access during construction work; or

c) any fixed plant in respect of construction work which includes installation, commissioning, decommissioning or dismantling and where any construction work involves a risk of a person falling

substance: any solid, liquid, vapour, gas or aerosol, or combination thereof

suitable: capable of fulfilling or having fulfilled the intended function or fit for its intended purpose

temporary works: any falsework, formwork, support work, scaffold, shoring or other temporary structure designed to provide support or means of access during construction

workplace: any premises or place where a person performs work in the course of his employment

5. OCCUPATIONAL HEALTH & SAFETY MANAGEMENT

5.1 Structure and Organization of OH&S Responsibilities

5.1.1. *Overall Supervision and Responsibility for OH&S*

a) The Client and/or its Agent on its behalf to ensure that the Principal Contractor, appointed in terms of Construction Regulation 4(1)(c), implements and maintains the agreed and approved H&S Plan. Failure on the part of the Client or Agent to comply with this requirement will not relieve the Principal Contractor from any one or more of his/her duties under the Act and Regulations.

b) The Chief Executive Officer of the Principal Contractor in terms of Section 16 (1) of the Act to ensure that the Employer (as defined in the Act) complies with the Act. The pro forma Legal Compliance Audit may be used for this purpose by the Principal Contractor or his/her appointed contractor.

c) All OH&S Act (85 /1993), Section 16 (2) appointee/s as detailed in his/her/their respective appointment forms to regularly, in writing, report to their principals on matters of health and safety per routine and ad hoc inspections and on any deviations as soon as observed, regardless of whether



the observation was made during any routine or ad hoc inspection and to ensure that the reports are made available to the principal Contractor to become part of site records (Health & Safety File).

d) The Construction Supervisor and Assistant Construction Supervisor/s appointed in terms of Construction Regulation 6 to regularly, in writing, report to their principals on matters of health and safety per routine and ad hoc inspections and on any deviations as soon as observed, regardless of whether the observation was made during any routine or ad hoc inspection and to ensure that the reports are made available to the principal Contractor to become part of site records (Health & Safety File).

e) All Health and Safety Representatives (SHE-Reps) shall act and report as per Section 18 of the Act.

5.12 Required appointments as per the Construction Regulations:

Item	Regulation	Appointment	Responsible Person
1.	3.	Application Construction work permit	Client
2.	5(1)(k)	Principal contractor for each phase or project	Client
3.	5(6)	Construction Health & Safety Agent	Client
4.	7.(1)(c)	Contractor	Principal Contractor
5.	7(3)	Contractor	Contractor
6.	8(1)	Construction manager	Contractor
7.	8(2)	Assistance Construction manager	Contractor
8.	6(1)	Construction supervisor	Contractor
9.	6(2)	Construction supervisor sub-ordinates	Contractor
10.	8(5)	Construction Safety Officer	Contractor
11.	8(8)	Responsible employee	Contractor
12.	9(1)	Person to carry out risk assessment	Contractor
13.	10(1)	Fall protection planner	Contractor
14.	12(1)	Temporal work designer	Contractor
15.	12(2)	Supervisor of temporal work operation	Contractor
16.	13(1)	Excavation supervisor	Contractor
17.	13(2)(k)	Competent person in the use of explosive for excavations	Contractor

18.	14(11)	Explosives expert	Contractor
19.	14(1)	Supervisor demolition work	Contractor
20.	14(2)	Scaffold supervisor	Contractor
21.	16(1)	Suspended platform supervisor	Contractor
22.	18(1)a	Rope access	Contractor
23.	19(8)(a)	Material hoist inspector	Contractor
24.	20(1)	Bulk mixing plant supervisor	Contractor
25.	21(2)	Explosive actuated fastening device inspector	Contractor
26.	21(2)(g)	Explosive actuated fastening device cartridge, nails and studs: issuer & collector	Contractor
27.	23 (1)	Operator: construction vehicle and mobile plant	Contractor
28.	28 (a)	Stacking and storage supervisor	Contractor
29.	29 (h)	Fire equipment inspector	Contractor

5.2 ***Communication, Participation & Consultation***

5.2.1 Occupational Health & Safety matters/issues shall be communicated between the Employer, the Principal Contractor, the other Contractors, the Designer and other concerned parties shall be through the H&S Committee or other means determined by the client.

5.2.2 In addition to the above, communication may be directly to the Client or his appointed Agent, verbally or in writing, as and when the need arises.

5.2.3 Consultation with the workforce on OH&S matters will be through their Supervisors and H&S Representatives ('SHE – Reps')

5.2.4 The Principal Contractor will be responsible for the dissemination of all relevant OH&S information to the other Contractors e.g. design changes agreed with the Client and/or its Agent on its behalf and the Designer, instructions by the Client and/or his/her agent, exchange of information between Contractors, the reporting of hazardous/dangerous conditions/situations etc.

6. INTERPRETATION

a) The Act and its associated regulations shall have precedence in the interpretation of any ambiguity or inconsistency between it and this specification.

b) Compliance with the requirements of this specification does not necessarily result in compliance with the provisions of the Act.

c) The Occupational Health and Safety Act and all its Regulations, with the exception of the Construction Regulations, distinguish between the roles, responsibilities and functions of employers and employees respectively. It views consultants and contractors as employees of the "owner" of a construction or operational project, the "owner" being regarded as the employer.

d) The position taken by the Construction Regulations is that the "owner", in terms of its instructions, operates (has to operate) in the role of client as per relevant definition. The contractors working for the "client" are seen to be in two categories, i.e. the Principal Contractor and Contractors.

e) The Principal Contractor has to take full responsibility for the health and safety on the site of the relevant project / contract. This includes monitoring health and safety conditions and overseeing administrative measures required by the Construction Regulations from all contractors on the project site.

f) The words ***Principal Contractor*** and ***Contractor*** in this document are used interchangeable, unless clearly expressed otherwise to mean something else e.g. when used to describe roles, responsibilities, functions, acts or omissions of the sub-contractor(s).

7. RESPONSIBILITIES

7.1 Client

a) The Client or his appointed Agent on his behalf will appoint each Principal Contractor for this project or phase/section of the project in writing for assuming the role of Principal Contractor as intended by the Construction Regulations.

b) The Client or his appointed Agent on his behalf shall discuss and negotiate with the Principal Contractor the contents of the health and safety plan of both Principal Contractor and Contractor for approval.

c) The Client or his appointed Agent on his behalf will take reasonable steps to ensure that the health and safety plan of both the Principal Contractor and Contractor is implemented and maintained. The steps taken will include periodic audits at intervals of at least once every month.

d) The Client or his appointed Agent on his behalf, will prevent the Principal Contractor and/or the Contractor from commencing or continuing with construction work should the Principal Contractor and/or the Contractor at any stage in the execution of the works be found to:

- have failed to have complied with any of the administrative measures required by the Construction Regulations in preparation for the construction project or any physical preparations necessary in terms of the Act;
- have failed to implement or maintain their health and safety plan.
- have executed construction work which is not in accordance with their health and safety plan; or
- act in any way which may pose a threat to the health and safety of any person(s) present on the site of the works or in its vicinity, irrespective of him/them being employed or legitimately on the site of the works or in its vicinity.

7.2 Principal Contractor

a) The Principal Contractor shall accept the appointment under the terms and Conditions of Contract. The Principal Contractor shall sign and agree to those terms and conditions and shall, before commencing work, notify the Department of Labour of the intended construction. Annexure 2 of this construction regulation contains a "Notification of Construction Work" form. The Principal Contractor shall submit the notification in writing prior to commencement of work and inform the Client or his Agent accordingly.

b) The Principal Contractor shall ensure that he is fully conversant with the requirements of this specification and all relevant health and safety legislation.

c) The Principal Contractor will in no manner or means be absolved from the responsibility to comply with all applicable sections of the Act, the Construction Regulations or any Regulations proclaimed under the Act or which may perceivable be applicable to this contract.

d) The Principal Contractor shall provide and demonstrate to the Client a suitable and sufficiently documented health and safety plan based on this Specification, the Act and the Construction Regulations, which shall be applied from the date of commencement of and for the duration of execution of the works. This plan shall, as appendices, include the health and safety plans of all Sub-contractors for which he has to take responsibility in terms of this contract.

e) The Principal Contractor shall provide proof of his registration and good standing with the Compensation Fund or with a licensed compensation insurer prior to commencement with the works.

f) The Potential Principal Contractor shall, in submitting his tender, demonstrate that he has made provision for the cost of compliance with the specified health and safety requirements, the Act and Construction Regulations. (Note: This shall have to be contained in the conditions of tender upon which a tenderer's offer is based.)

g) The Principal Contractor shall consistently demonstrate his competence and the adequacy of his resources to perform the duties imposed on the Principal Contractor in terms of this Specification, the Act and the Construction Regulations.

h) The Principal Contractor shall ensure that a copy of his health and safety plan is available on site and is presented upon request to the Client, an Inspector, Employee or Sub-contractor.

i) The Principal Contractor shall ensure that a health and safety file, which shall include all documentation required in terms of the provisions of this Specification, the Act and the Construction Regulations, is opened and kept on site and made available to the Client or Inspector upon request. Upon completion of the works, the Principal Contractor shall hand over a consolidated health and safety file to the Client.

j) The Principal Contractor shall, throughout execution of the contract, ensure that all conditions imposed on his Sub-contractors in terms of the Act and the Construction Regulations are complied with as if they were the Principal Contractor.

k) The Principal Contractor shall from time to time evaluate the relevance of the Health and Safety Plan and revise the same as required, following which revised plan shall be submitted to the Client and/or his/her Agent for approval.

7.3 Contractor / sub-contractor

The contractor must demonstrate to the Principal Contractor that he has the necessary competencies and resources to perform the construction work safely.

Acceptance by the Principal Contractor of the contract with Public Works shall constitute acknowledgement that the Principal Contractor has familiarised him/herself with the contents of the OHSE Spec and that he/she will comply with all its obligations in respect thereof.

Due to fact that this document is based on legislative requirements, the Client requires that all Contractors comply with the requirements of this document and all other relevant legislative requirements not covered by this document.

The Client or its duly appointed Construction H&S Agent reserves the right to stop any Principal Contractor or Sub-Contractors from working whenever Safety, Health or Environmental requirements are being violated as required by regulation 5(1)(q). Any resultant costs of such work stoppages will be for the relevant Contractor's account.

The requirements as specified by the Client in this document must not be deemed to be exhaustive and the Client reserves the right to make changes as and when the Client deems fit to address issue of OHSE Compliance.

The Client will not entertain any claim of any nature whatsoever which arises as a result of costs incurred or delays being experienced due to the Contractor not complying with the requirements of this document and/or any other applicable legislative requirements imposed on the Contractor.

The contractor may only subcontract work in terms of a written subcontract and shall only appoint a subcontractor should he be reasonably satisfied that such a subcontractor has the necessary competencies and resources to safely perform the work falling within the scope of the contract. Such a subcontract shall require that the subcontractor:

- co-operate with the contractor as far as is necessary to enable both the contractor and sub-contractor to comply with the provisions of the Act; and
- as far as is reasonably practicable, promptly provide the contractor with any information which might affect the health and safety of any person at work carrying out work or any person who might be affected by the work of such a person at work or which might justify a review of the health and safety plan.

The contractor shall provide any sub-contractor who is submitting a tender or appointed to perform a sub-contract falling within the scope of the contract, with the relevant sections of this specification and the health and safety specification.

The contractor shall discuss and negotiate with each subcontractor performing construction work the subcontractor's health and safety plan and approve that plan for implementation.

The contractor shall take reasonable steps as are necessary to ensure that:

- potential contractors submitting tenders have made sufficient provision for health and safety measures during the construction process.
- each subcontractor is registered and in good standing with the compensation fund or with a licensed compensation insurer prior to their performance of work on site.
- all the subcontractor's employees have a valid medical certificate of fitness specific to the construction work which are to be performed which is issued by an occupational health and safety practitioner.
- all sub-contractors co-operate with each other to enable each of those sub-contractors to comply with the requirements of the Act and associated regulations.
- each subcontractor performing construction work has and maintains a health and safety file containing the relevant information described in 4.2.5; and
- each sub-contractor's health and safety plan is implemented and maintained.

The contractor shall conduct periodic document verifications and audits for compliance with the approved health and safety plan of every sub-contractor working on the site at intervals agreed upon with such subcontractors, but at least once per month.

The contractor shall stop any subcontractor from executing construction work which is not in accordance with the contractor's or subcontractor's health and safety plan for the site or which poses a threat to the health and safety of persons.

The contractor shall ensure that where changes to the works occur, including design changes, sufficient health and safety information and appropriate resources are made available to subcontractor to execute the work safely.

The contractor shall ensure that:

- every subcontractor is registered and in good standing with the compensation fund or with a licensed compensation insurer prior to work commencing on site.
- potential subcontractors submitting tenders have made provision for the cost of health and safety measures during the construction process; and
- every subcontractor has in place a documented health and safety plan prior to commencing any work on site which falls within the scope of the contract.

The contractor shall receive, discuss and approve health and safety plans submitted by subcontractors.

The contractor shall ensure that all subcontractors are informed regarding any hazard as stipulated in the risk assessment before any work commences, and thereafter at such times as may be determined in the risk assessment.

The contractor shall reasonably satisfy himself that all employees of subcontractors are informed, instructed and trained by a competent person regarding any hazard and the related work procedures before any work commences, and thereafter at such times as may be determined in the risk assessment.

The contractor shall satisfy himself and ensure that all subcontractor employees deployed in the site are:

- informed, instructed and trained by a competent person regarding any hazard and the related work procedures before any work commences, and thereafter at such times as may be determined in the risk assessment; and
- issued with proof of health and safety induction training issued by a competent person and carry proof such induction when working on site.

The contractor shall undertake a risk assessment together with subcontractors whenever subcontractors are working near other subcontractors particularly
activities involve excavations, the moving of earth, the movement of heavy machinery
and working at heights

7.4 Construction supervisors

The construction manager shall in writing appoint construction supervisors responsible for construction activities and ensuring occupational health and safety compliance on the construction site.

A contractor shall, after considering the size of the project and if considered necessary, appoint in writing one or more competent employees for different sections of the work to assist the construction supervisor.

7.5 Competent persons

The contractor shall appoint in writing competent persons to supervise or inspect, as relevant, any of the following:

- formwork and support work operations.
- excavation work.
- demolition work.
- scaffolding work operations.
- suspended platform work operations.
- material hoists.
- bulk mixing plants.
- temporary electrical installations.
- the stacking and storage of articles on the site; and
- fire equipment.

The contractor shall appoint in writing competent persons to:

- induct employees in health and safety; and
- prepare and update as necessary a fall protection plan and to provide the construction manager with a copy of the latest version of such plan.

Appointment of a Fulltime/ Part-time Safety Officer

The Principal Contractors will have to appoint a competent Construction H&S Officer as per the following criteria.

i. *Number of employees onsite between 30 but below 50 – Part Time Safety Officer shall be appointed and will be onsite at least 2 days a week.*
ii. *Number of employees above 50 – Fulltime Safety Officer should be appointed.*
iii. *Should the project require a Construction Work Permit – a Fulltime Safety Officer should be appointed.*

Further to the above criteria, should the Client or its Representative having considered the risks present and lack of compliance to the Occupational Health and Safety Act, Act 85 of 1993 and its applicable Regulations the Client or its Representative may issue an instruction that a Part/ Full-Time Construction Health and Safety Officer must be appointed, such a requirement will have to be met. Taking the Risk associated with this project into consideration it is deemed that a full-time Safety Officer needs to be always appointed and be present on site.

7.6 Construction Health & Safety Agent (SACPCMP)

The construction Health & Safety Agent act as a link between the client, Principal Contractor and the project team members with respect to health & Safety, they are required to ensure that the client carry out its H&S responsibilities in terms of Legislation as well as to co-ordinate and ensure good H&S practices are maintained throughout the duration of the project. In many cases this role starts from project

Initiation to project close-out.

a) H&S competence: If the client is unable to satisfy the requirements of the Construction Regulations for whatever reasons, the construction H&S agent may be appointed to perform these functions on behalf of the client. Given the need to appoint a registered construction H&S agent that is competent and adequately resourced with respect to H&S matters.
b) H&S goals: It is important that the construction H&S agents demonstrate clearly to clients how they are going to contribute to the achievement of any client H&S goals and objectives. They should also set their own H&S goals.
c) H&S responsibilities: Prior to accepting the H&S agent appointment from clients, H&S agents need to ensure that they brief clients fully on the client's particular responsibilities in terms of the OH&SA of 1993 and Construction Regulations as amended from time to time. In the absence of acceptance by

clients of these responsibilities, H&S agents will not be able to adequately meet their own H&S responsibilities and duties.

d) H&S information: H&S agents must provide the designer or design team with all H&S information to enable them to conduct a design HIRA to identify the significant hazards that need to be included in the H&S specification. This information may be gathered from multiple sources such as, for example, discussion with the client, previous historical use of the site or facility, previous surveys and investigations and past H&S files.

e) The employer's health and safety agent shall:

- audit the contractor's compliance with the requirements of this specification prior to the commencement of any physical construction activities on the site.
- accept or reject the contractor's health and safety plans, giving reasons for rejecting such plans.
- monitor the effective implementation of all safety plans.
- conduct periodic and random audits on the health and safety file to establish compliance with the requirements of this specification.
- visit the site at regular intervals to conduct site inspections, and based upon such visits issue, wherever necessary, Improvement Notices, Contravention Notices and Prohibition Notices, to the contractor or any of the contractor's subcontractors with a copy to the contract manager and, where relevant, to the contractor.

f) The contractor shall invite the employer's health and safety agent to audit compliance with the requirements of this specification before commencing with any physical construction activity on the site.

g) Other duties of a H&S is to ensure that, where applicable, the following is attended to:

1. **Application for a Construction Work Permit Number** *(as per DoL Chief Inspector, July 2018).*

   A client who intends to have construction work carried out, must at least 30 days before that work is to be carried out **apply to the provincial director in writing for a construction work permit to perform construction work** if the intended construction work starts on or after the 7th of August 2018 and exceeds 365 days; will involve more than 3600 person days of construction work; or the works contract in of a value exceeding thirteen million rand or Construction Industry Development Board (CIDB) grading level 7.

   The application for the Construction Work Permit Number as contemplated above shall be the responsibility of the client depending on the submission of all relevant documentation from the successful tenderer.

   After the Provincial Director of Labour has issued a Construction Work Permit, the Client's or its duly appointed Construction H&S Agent will issue a letter advising the Project Leader and the

Principal Agent to arrange the site handover meeting as all legislative requirements would have been complied with including as a copy of the construction permit to work.

2. **Tenderer's responsibility:**
   The tenderer (meeting the above criteria) must ensure that they attach a certified copy of the **SACPCMP** Certificate for a Registered Construction Manager together with their OHSE Plans.

7.6 Responsibilities towards employees and visitors

1. The contractor shall as far as is reasonably practicable, cause every employee to be made conversant with the hazards to his health and safety attached to any work which he has to perform, any article or substance which he has to produce, process, use, handle, store or transport and any plant or machinery which he is required or permitted to use, as well as with the precautionary measures which should be taken and observed with respect to those hazards or safe work procedures.
2. The contractor shall ensure that all employees under his or her control and the employees of his subcontractors who are performing construction work are:

- informed, instructed and trained by a competent person regarding any hazard and the related work procedures before any work commences, and thereafter at such times as may be determined in the risk assessment; and
- issued with proof of health and safety induction training issued by a competent person and carry proof of such induction when working on site.

3. The contractor shall cause a record of training to be kept which indicates the training dates, the names, identity numbers and job description of all those who attended such training and the name, identity number and competence of the person who provided the training.
4. The contractor shall not allow or permit any employee to enter the site, unless such person has undergone health and safety induction training pertaining to the hazards prevalent on the site at the time of entry.
5. The contractor shall ensure that each visitor to a construction site, save where such visitor only visits the site office and is not in direct contact with the construction work activities:
   a. undergoes health and safety instruction pertaining to the hazards prevalent on the site; an
   b. is provided with the necessary personal protective equipment.
6. The contractor shall provide suitable on-site signage to alert workers and visitors to health and safety requirements. Such signage shall include but not be limited to:
   a. unauthorized entrance prohibited.
   b. signage to indicate what personal protective equipment is to be worn; and
   c. activity related signs.
7. The contractor shall not permit any person who is or who appears to be under the influence of intoxicating liquor or drugs, to enter or remain at a workplace.

7.8 Design of temporary work

The contractor shall:

a) provide the health and safety agent with the names and contract particulars of the designers involved in the design of temporary works.

b) issue the designers with a copy of the health and safety specification as well as any pertinent information contained in the contract; and

c) provide the health and safety agent with certificates issued by the designer of the temporary works that such works are fit for purpose before such works are used in support construction activities

7.9 Notification of intention to commence construction work

i. The contractor shall on sites where no construction work permit has been issued by the Provincial Director of the Department of Labour notify such director in writing using a form similar to that contained in Annexure 2 of the Construction Regulations issued in terms of the Act before construction work commences and retain proof of such notification in the health and safety file where the work includes:
    a. excavation work.
    b. working at height where there is a risk of falling.
    c. the demolition of a structure.
    d. the use of explosives; or
    e. a single storey dwelling for a client who is going to reside in such dwelling upon completion

ii. The contractor shall ensure that no work commences on an electrical installation which requires a new supply or an increase in electricity supply before the person who supplies or contracts or agrees to supply electricity to that electrical installation has been notified of such work.

iii. The contractor shall ensure that no asbestos.

8. SCOPE OF WORK

- ALTERATIONS
- EARTH WORKS
- CARPENTRY AND JOINERY
- CEILING, PARTITION AND ACCESS FLOORING
- FLOOR COVERING, WALL LINING, ETC.
- IRONMANGERY
- PLUMBING AND GRAINAGE
- PAINTWORK

- ELECTRICAL WORKS
- MECHANICAL INSTALLATION

9. PREPARING A HEALTH & SAFETY PLAN

(a) The level of detail required for a H&S plan will depend on how complex the workplace is (in particular, the number of contractors at the workplace at any one time) and the risks involved in the work. The plan must be easily accessible in a construction site, and it must be clearly understood by management, supervisors & workers on construction site.

(b) The plan must be implemented, maintained and kept up to date during the construction of the project.

(c) The principal contractor should prepare a H&S plan that includes

- project information.
- client requirements for H&S management on the project.

Environmental restrictions and existing on-site risks arrangements, imposed by others or developed by the principal contractor, to control significant site H&S risks; H&S file & project H&S review.

(d) The H&S plan should include the following information:

- details of the client, that is the person commissioning the construction work, for example their name, representative and contact details.

details of the principal contractor.

- details of the construction project, for example address of the workplace, anticipated start and end date and a brief description of the type of construction work that the H&S plan will cover.
- details on how subcontractors will be managed and monitored, including how the principal contractor intends to implement and ensure compliance with the H&S plan such as checking on the performance of subcontractors and how non-compliance will be handled; and
- details on how the risks associated with falls, falling objects, moving plant, electrical work and all high-risk construction work that will take place on a construction project will be managed.

(e) The H&S plan should also include information on:

- the provision and maintenance of a hazardous chemicals register safety data sheets and hazardous chemicals storage.
- the safe use and storage of plant.
- the development of a construction project traffic management plan.
- obtaining and providing essential services information – electrical, gas, telecom, water and similar services.
- workplace security and public safety; and
- ensuring workers have appropriate licences and training to undertake the construction work.

(f) The H&S plan must contain:

- a general description of the type of work activities involved in the project and not just a description of the facility to be constructed.
- the project program or schedule details, including start and finish dates, showing principal activities.
- details of client, design team, principal contractor, subcontractors, and major suppliers; and
- extent and location of relevant existing records, surveys, site investigation and geotechnical reports, 'as-built' plans, H&S files.

10. HEALTH AND SAFETY FILE

a) The H&S file is a document prepared by the principal contractor containing important project H&S information for use by the owner of the completed structure after construction has been completed.

b) The principal contractor is responsible for producing an H&S file. It contains important project H&S information for use by the owner of the completed structure after construction has been completed.

c) It is essential that the process of compiling the file commences as early as possible to ensure sufficient time to gather the required information.

d) The Principal Contractor must, in terms of Construction Regulation 7(7), always keep a Health & Safety File on site that must include all documentation required in terms of the Act and Regulations and must also include a list of all Contractors on site that are accountable to the Principal Contractor and the agreements between the parties and details of work being done. A more detailed list of documents and other legal requirements that must be kept in the Health & Safety File.

e) The contractor must ensure that the client's format and layout of the H&S file is adhered to. The contractor must identify the responsible person that will prepare the H&S file and who will be responsible for the drafting of as-built drawings. The contractor must establish procedures:

f) The Health and Safety File will remain the property of the Client and/or its Agent on its behalf throughout the period of the project and shall be consolidated and handed over to the Client and/or its Agent on its behalf at the time of completion of the project.

g) The contractor shall establish and maintain on site a health and safety file which contains copies, as relevant of:

the following documents which shall be placed in the file prior to commencing with physical construction activities:

- copy of the contraction work permit issued in terms of the Construction Regulations 2014.
- the contractor's health and safety policy, signed by the chief executive officer, which outlines the contractor's objectives and how they will be achieved and implemented by the contractor.
- copies of all risk assessments that were conducted.
- the notification made to the Provincial Director of Labour, and if relevant, the notification of the person who supplies or contracts or agrees to supply electricity to that electrical installation.
- the letters of appointment, as relevant, together with a brief curricula vita (CV) of:

- the construction manager and any assistant construction managers.
- the construction health and safety manager
- the construction health and safety officer
- the risk assessor who is tasked to perform the risk assessments; and
- the registered person responsible for the electrical installation covered by the Electrical Installations Regulations.
- the authorised persons responsible for gas appliances, gas system gas reticulation system covered by the Pressure Equipment Regulations.

h) a copy of the certificate of registration of the registered person responsible for the electrical installation covered by the Electrical Installations Regulations.

i) the approval of the design of the part of an electrical installation which has a voltage in excess of 1 kV by a person deemed competent in terms of the Electrical Installations Regulations.

j) proof of registration of the electrical contractor who undertakes the electrical installation in terms of the Electrical Installations Regulations.

k) the preliminary hazard identification undertaken by a competent person.

l) the organogram which outlines the roles of the construction supervisor's assistants and safety officers; and

m) the contractor's health and safety plan.

n) the emergency procedures.

o) the procedure for the issuing and replacement of lost, stolen, worn or damaged personal protective clothing and equipment; and

p) proof that the contractor and all the subcontractors are registered and in good standing with the compensation fund or with a licensed compensation insurer relevant to the type of work performed.

q) the following documents, as relevant, which shall be placed in the file after construction activities have commenced.

r) the letters of appointments, if relevant, together with a brief curricula vita (CV) of:

- persons who are required to assist the construction supervisor.
- construction supervisor for the site in respect of construction work covered by the Construction Regulations.
- competent persons.
- assistants of construction supervisor; and
- designers of temporary works.

s) any revisions to the organogram which outlines the roles of the construction supervisor's assistants and safety officers.

t) every subcontract agreement and every subcontractor's approved health and safety plan.

u) proof that every subcontractor is registered and in good standing with the compensation fund or with a licensed compensation insurer relevant to the type of work performed.

v) proof of all subcontractor's induction training whenever it is conducted.
w) copies of the minutes of the contractor's subcontractor's health and safety meetings.
x) copies of each of the contractor's subcontractors' health and safety policy, signed by the chief executive officer, which outlines the contractor's objectives and how they will be achieved and implemented by the contractor.
y) the health and safety plans of all the contractor's subcontractors who are required to provide such plans.
z) copies of the fall protection plan and each revision thereof.
aa) a comprehensive and updated list of all the subcontractors employed on site by the contractor, indicating the type of work being performed by such sub-contractors.
bb) the outcomes of the monthly audits for compliance with the approved health and safety plan of every sub-contractor working on the site.
cc) any report made to an inspector by the health and safety committee.
dd) the minutes of all health and safety meetings and any recommendations made to the contractor by the health and safety committee.
ee) the findings of all audit reports made regarding the implementation of the contractor's or a subcontractor's health and safety plan.
ff) the inputs of the safety officer, if any, into the health and safety plan.
gg) details of induction training conducted whenever it is conducted including the list of attendees.
hh) proof of the following where suspended platforms are used:
- a certificate of system design issued by a professional engineer, professional certificated engineer or a professional engineering technologist.
- proof of competency of erectors, operators and inspectors.
- proof of compliance of operational design calculations with requirements of the system design certificate.
- proof of performance test results.
- sketches indicating the completed system with the operational loading capacity of the platform.
- procedures for and records of inspections having been carried out.
- procedures for and records of maintenance work having been carried out.
- proof that the prescribed documentation has been forwarded to the provincial director.

ii) letters of appointments for competent persons to supervise the activities which law requires to be so supervised.
jj) a copy of risk assessments made by competent persons.
kk) records of the register of inspections made by a competent person immediately before and during the placement of concrete or any other load on formwork.
ll) the names of the first aiders on site and copies of the first aid certificates of competency.

mm) the names of the persons the persons who are in possession of valid certificate of competency in first aid and copies of such certificates.

nn) medical certificates of fitness for the contractor's and subcontractors' employees specific to the construction work to be performed and issued by an occupational health and safety practitioner:

a. details of all incidents together with the Contractor's investigative report on such incident.

b. the record of inspections carried out by the designers of structures to ensure compliance with designs; and

oo) any other documentation required in terms of regulations issued in terms of the Act including a record of all drawings, designs, materials used and other similar information concerning the completed structure.

pp) The health and safety file shall be made available for inspection by any inspector, subcontractor, the contract manager, the employer's health and safety agent or employee of the contractor upon the request of such persons.

qq) The health and safety file shall be updated to ensure that its contents always reflect the latest available information.

rr) The contractor shall hand over a copy of the health and safety file to the employer's health and safety agent upon completion of the contract and if relevant, a certificate of compliance accompanied by a test report for the electrical installation in accordance with the provisions of the Electrical Installation Regulations.

11. OH&S GOALS AND OBJECTIVES AND ARRANGEMENTS FOR MONITORING AND REVIEWING OH&S PERFORMANCE

The Principal Contractor is required to maintain an acceptable disabling incident frequency rate (DIFR) and report on this to the Client and/or its Agent on its behalf on a monthly basis.

11.1 IDENTIFICATION OF HAZARDS AND DEVELOPMENT OF RISK ASSESSMENTS, STANDARD WORKING PROCEDURES (SWP) AND METHOD STATEMENTS.

The Principal Contractor is required to develop Risk Assessments, Standard Working Procedures (SWP) and Method Statements for each activity executed in the contract or project.

The identification of hazards is over and above the hazards identification programme and those hazards identified during the drafting of the Health and Safety Plan.

11.1.1 Monthly Audit by Client and/or its H&S Agent.

The Client and/or its H&S Agent on its behalf will be conducting Periodic Audits at times agreed with the Principal Contractor Audit to comply with Construction Regulation 4(1)(*d*) to ensure that the principal Contractor has implemented, is adhering to and is maintaining the agreed and approved OH&S Plan.

a) A representative of the Principal Contractor and the relevant Health and Safety Representative(s) (SHE-Reps) must accompany the Client and/or its Agent on its behalf on all Audits and Inspections and may conduct their own audit/inspection at the same time. Each party will, however, take responsibility for the results of his/her own audit/inspection results. The Client and/or its Agent on its behalf may require to be handed a copy of the minutes of the previous Health and Safety Committee meeting reflecting possible recommendations made by that committee to the Employer for reference purposes.

11.1.2 Health & Safety incident/accident reporting & investigations

a) The Principal Contractor shall report all incidents where an employee is injured on duty to the extent that he/she:
   i. dies
   ii. becomes unconscious
   iii. loses a limb or part of a limb
   iv. is injured or becomes ill to such a degree that he/she is likely either to die or to suffer a permanent physical defect or likely to be unable for a period of at least 14 days either to work or continue with the activity for which he/she was usually employed

   OR where:

a major incident occurred

   i. the health or safety of any person was endangered
   ii. where a dangerous substance was spilled
   iii. the uncontrolled release of any substance under pressure took place
   iv. machinery or any part of machinery fractured or failed resulting in flying, falling or uncontrolled moving objects
   v. Machinery ran out of control, to the Provincial Director of the Department of Labour within seven days and at the same time to the Client and/or its Agent on its behalf.

b) The Principal Contractor is required to provide the Client and/or its Agent on its behalf with copies of all statutory reports required in terms of the Act and the Regulations.

c) The Principal Contractor is required to provide the Client and/or its Agent on its behalf with a monthly "SHE Risk Management Report".

d) The Principal Contractor is required to provide a.s.a.p. the Client and/or its Agent on its behalf with copies of all internal and external accident/incident investigation reports.
   The Principal Contractor is responsible to oversee the investigation of all accidents/incidents where employees and non-employees were injured to the extent that he/she/they had to receive first aid or be referred for medical treatment by a doctor, hospital or clinic. (General Administrative Regulation 9)

e) The results of the investigation to be entered into the Accident/Incident Register listed above. (General Administrative Regulation 9)

f) The Principal Contractor is responsible for the investigation of all non-injury incidents as described in Section 24 (1) (b) & (c) of the Act and keeping a record of the results of such investigations including the steps taken to prevent similar incidents in future.

g) The Principal Contractor is responsible for the investigation of all accidents relating to the construction site and keeping a record of the results of such investigations including the steps taken to prevent similar accidents in future.

h) Notwithstanding the requirements of Section 24 of the Act, ALL incidents shall be investigated and reported on in writing, irrespective of whether such incident gave rise to injury or damage.

- Determine the underlying H&S deficiencies and other contributory factors
- Identification of corrective/preventative actions and continual improvement
- Communicating the outcome/results and documenting the events of the investigation.

Reporting of Near-Misses

- Department of Public Works views the reporting of near misses as a critical component in creating a positive health and safety awareness culture on site.
- Department of Public Works retains the right to enforce the reporting of near misses within 24 hours of occurrence.

12. Review

The Principal Contractor is to review the Hazard Identification, Risk Assessments and Standard Work Processes at each Production Planning and Progress Report meeting as the construction work develops and progresses and each time changes are made to the designs, plans and construction methods and processes.

The Principal Contractor must provide the Client and/or its Agent on its behalf, other Contractors and all other concerned parties with copies of any changes, alterations or amendments as contemplated in the above paragraph.

12.1 Site Rules and other Restrictions

a) Site OH&S Rules

The Principal Contractor must develop a set of site-specific OH&S rules that will be applied to regulate the Health and Safety Plan and associated aspects of the construction. When required for a site by law, visitors and non-employees upon entering the site shall be issued with the proper Personal Protective Equipment (PPE) as and when necessary.

b) Security Arrangements

The Principal Contractor must establish site access rules and implement and maintain these throughout the construction period. Access control must include the rule that non-employees shall always be provided with fulltime supervision while on site. The Principal Contractor must develop a set of Security rules and procedures and maintain these throughout the construction period.

If not already tasked to the H&S Officer appointed in terms of Construction Regulation, the Principal Contractor must appoint a competent person who must develop contingency plans for any emergency that may arise on site as indicated by the risk assessments.

12.1.1 Appointment of Health & Safety Representatives

a) H&S Representatives ('SHE – Reps')

Where the Principal Contractor employs more than 20 persons (including the employees of other Contractors (sub-contractors) he must appoint one H&S Representatives for every 50 employees or part thereof. (Section 17 of the Act and General Administrative Regulation 6. & 7.)

H&S Representatives must be appointed in writing, and the designation shall be in accordance with the Collective Agreement as concluded between the parties as is required in terms of General Administration Regulation 6.

12.1.2 Duties and Functions of the H&S Representatives

The contractor shall appoint in writing one health and safety representative for every 50 employees working on the site, whenever there are more than 20 employees on the site, to:

- conduct at least a weekly inspection of their respective areas of responsibility using a checklist developed by a Principal Contractor.
- review the effectiveness of health and safety measures.
- identify potential hazards and potential major incidents.
- in collaboration with his employer, examine the causes of incidents.
- investigate complaints by any employee of the contractor relating to that employee's health or safety on the site.
- make representations to the contractor on matters arising from a), b), c) or d) or on general matters affecting the health or safety of the employees at the workplace.
- inspect the site with a view to, the health and safety of employees, at regular intervals.
- participate in consultations with inspectors at the workplace and accompany inspectors on inspections of the workplace; and
- participate in any internal health or safety audit.

The report must be consolidated and submitted to the Health & Safety Committee.

H&S Representatives must form part of the incident/accident investigating team.

The contractor shall provide the health and safety representatives with the necessary assistance, facilities and training to carry out the functions established above.

12.1.3 Establishment of H&S Committee(s)

- The Principal Contractor must establish H&S Committees consisting of designated H&S Representatives together with a number of Employers Representatives appointed as per Section 19(3) that are not allowed to exceed the number of H&S Representatives on the committee.
- The persons nominated by the employer on a H&S Committee must be designated in writing for such period as may be determined by him. The H&S Committee shall co-opt advisory (temporary) members and determine the procedures of the meetings including the chairmanship.
- The H&S Committee must meet minimum monthly and consider, at least, an agreed Agenda for the first meeting. Thereafter the H&S Committee shall determine its own procedures

12.1.4 Training & Awareness

The contents and syllabi of all training required by the Act and Regulations including any other related or relevant training as required must be included in the Principal Contractor's Health and Safety Plan and Health and Safety File.

a) Training & Induction

All employees performing work or task on site that potentially impact on H&S must be competent & have the necessary appropriate education, training & experience.

All the training must be closely aligned with the risk profile of the project; procedures must be put in place to ensure that all workers are aware of the consequences of their work activities & benefits of improved H&S performance.

All employees of the principal and other Contractors must be in possession of proof of General Induction training

b) *Site Specific Induction Training*

All employees of the principal and other Contractors must be in possession of Site-Specific Occupational Health and Safety Induction or other qualifying training.

c) Other Training

All operators, drivers and users of construction vehicles, mobile plant and other equipment must be in possession of valid proof of training.


d) Copy of the Act

The contractor shall ensure that a copy of the Act and relevant regulations is available on site for inspection by any person engaged in any activity on the site.

13. PROJECT/SITE SPECIFIC REQUIREMENTS

The following is a list of specific activities and considerations that have been identified for the project and site and for which Risk Assessments, Standard Working Procedures (SWP), management and control measures and Method Statements (where necessary) have to be developed by the Principal Contractor:


a) Clearing & grabbling the area/site
b) Site establishment
c) Dealing with existing structures
d) Location of existing services
e) Boundary & Access control/Public liability exposures
f) Protection against heat exhaustion, dehydration, wet & cold conditions
g) Dealing with HIV & aids other related diseases
h) Use of portable electrical & explosive tools
i) Any Excavation work
j) Any welding work
k) Loading & offloading of trucks
l) Driving & operations of Construction vehicles & mobile plant
m) Temporal works and
n) Construction work as defined in the construction regulation 2014




14. OUTLINED DATA, REFERENCES AND INFORMATION ON CERTAIN AND/OR SPECIFIC OBLIGATORY REQUIREMENTS TO ENSURE COMPLIANCE

Administrative & Legal Requirements


(a) OHS Act Section/ (b) Regulation	b) Subject	*(1) Requirements*
Construction. Regulation	**Notice of carrying out Construction work**	• Department of Labour notified • Copy of Notice available on Site
General Admin. Regulation 4	**Copy of OH&S Act (Act 85 of 1993)**	• Updated copy of Act & Regulations on site. • Readily available for perusal by employees.
COID Act Section 80	**Registration with Compensation Insurer.**	• Written proof of registration/Letter of good standing available on Site
Construction. Regulation 4 & 5(1)	**H&S Specification & Programme**	• H&S Spec received from Client and/or its Agent on its behalf • OH&S programme developed & updated regularly
Section 8(2)(d) Construction. Regulation 7	**Hazard Identification & Risk Assessment**	• Hazard Identification carried out/Recorded • Risk Assessment and – Plan drawn up/Updated • RA Plan available on Site • Employees/Sub-Contractors informed/trained
Section 16(2)	**Assigned duties (Managers)**	• Responsibility of complying with the OH&S Act assigned to another person/s by CEO.
Construction. Regulation 6(1)	**Designation of Person Responsible on Site**	• Competent person appointed in writing as • Construction Supervisor with job description
Construction. Regulation 6(2)	**Designation of Assistant for above**	• Competent person appointed in writing as • Assistant Construction Supervisor with job description
Section 17 & 18 General Administrative Regulations 6 & 7	**Designation of Health & Safety Representatives**	• More than 20 employees - one H&S Representative, one additional H&S Rep. for each 50 employees or part thereof. • Designation in writing, period and area of responsibility specified in terms of GAR 6 & 7 • Meaningful H&S Rep. reports. • Reports actioned by Management.
Section 19 & 20	**Health & Safety Committee/s**	• H&S Committee/s established.



General Administrative Regulations 5		• All H&S Reps shall be members of H&S Committees • Additional members are appointed in writing. • Meetings held monthly; Minutes kept. • Actioned by Management.
Section 37(1) & (2)	**Agreement with Mandatories/ (Sub-)Contractors**	• Written agreement with (Sub-)Contractors • List of Subcontractors displayed. • Proof of Registration with Compensation Insurer/Letter of Good Standing • Construction Supervisor designated • Written arrangements re. • H&S Reps & H&S Committee • Written arrangements re. First Aid
Section 24 & General Admin. Regulation 8 COID Act Sect.38, 39 & 41	**Reporting of Incidents (Dept. of Labour)**	• Incident Reporting Procedure displayed. • All incidents in terms of Sect. 24 reported to the Provincial Director, Department of Labour, within 3 days. (Annexure 1) (WCL 1 or 2) and to the Client and/or its Agent on its behalf • Cases of Occupational Disease Reported • Copies of Reports available on Site • Record of First Aid injuries kept
General Admin. Regulation 9	**Investigation and Recording of Incidents**	• All injuries which resulted in the person receiving medical treatment other than first aid, recorded and investigated by investigator designated in writing. • Copies of Reports (Annexure 1) available on Site • Tabled at H&S Committee meeting • Action taken by Site Management.
Construction. Regulation 8	**Fall Prevention & Protection**	• Competent person appointed to draw up the Fall Protection Plan • Proof of appointees' competence available on Site • Risk Assessment carried out for work at heights • Fall Protection Plan drawn up/updated • Available on Site
Construction. Regulation Driven Machinery Regulations 18 & 19	**Cranes & Lifting Machines Equipment**	• Competent person appointed in writing to inspect Cranes, Lifting Machines & Equipment • Written Proof of Competence of above appointee available on Site. • Cranes & Lifting tackle identified/numbered • Register kept for Lifting Tackle • Logbook kept for each individual Crane



		• Inspection: - All cranes - **daily by operator** - Tower Crane/s - **after erection/6monthly** - Other cranes - **annually by comp. person** • - Lifting tackle (slings/ropes/chain slings etc.) - daily or before every new application
General Safety Regulation 8(1)(a)	**Designation of Stacking & Storage Supervisor.**	• Competent Person/s with specific knowledge and experience designated to supervise all Stacking & Storage • Written Proof of Competence of above appointee available on Site
Construction. Regulation Environmental Regulation 9	**Designation of a Person to Co-ordinate Emergency Planning and Fire Protection**	• Person/s with specific knowledge and experience designated to co-ordinate emergency contingency planning and execution and fire prevention measures • Emergency Evacuation Plan developed: • Drilled/Practiced • Plan & Records of Drills/Practices available on Site • Fire Risk Assessment carried out • All Fire Extinguishing Equipment identified and on ***register***. • Inspected weekly. Inspection Register kept • Serviced annually
General Safety Regulation 3	**First Aid**	• Every workplace provided with sufficient number of First Aid boxes. (Required where 5 persons or more are employed) • First Aid freely available • Equipment as per the list in the OH&S Act. • One qualified First Aider appointed for every 50 employees. (Required where more than 10 persons are employed) • List of First Aid Officials and Certificates • Name of person/s in charge of First Aid box/es displayed. • Location of First Aid box/es clearly indicated. • Signs instructing employees to report all • Injuries/illness including first aid injuries
General Safety Regulation 2	**Personal Safety Equipment (PSE)**	• PSE Risk Assessment carried out • Items of PSE prescribed/use enforced • Records of Issue kept • Undertaking by Employee to use/wear PSE • PSE remain property of Employer, not to be removed from premises GSR 2(4)



General Safety Regulation 9	**Inspection & Use of Welding/Flame Cutting Equipment**	• Competent Person/s with specific knowledge and experience designated to Inspect Electric Arc, Gas Welding and Flame Cutting Equipment • Written Proof of Competence of above appointee available on Site • All new vessels checked for leaks; leaking vessels NOT taken into stock but returned to supplier immediately • Equipment identified/numbered and entered into a register • Equipment inspected weekly. Inspection Register kept • Separate, purpose made storage available for full and empty vessels
General Safety Regulation 13A	**Inspection of Ladders**	• Competent person appointed in writing to inspect Ladders • Ladders inspected at arrival on site and weekly thereafter. Inspections register kept • Application of the types of ladders (wooden, aluminium etc.) regulated by training and inspections and noted in register
General Safety regulation 13B	**Ramps**	• Competent person appointed in writing to supervise the erection & inspection of Ramps. Inspection register kept. • Daily inspected and noted in register

15. THE PRINCIPAL CONTRACTOR'S GENERAL DUTIES

i. General

- The Principal Contractor shall always ensure his status of an "employer" as referred to in the Act, and will abide by his/her responsibilities, duties and functions as per the requirements of the Act and Regulations with specific reference to Section 8 of the Act.
- The Principal Contractor shall keep, and on demand make available, a copy of the Act on site at all times and in addition to that he/she will introduce and maintain a file titled "Health and Safety File", or other record in permanent form, which shall contain all relevant aspects and information as contemplated in the Construction Regulations. He/she will make this file available to the client or his representative whenever necessary or on request to an interested party.
- The project under control of the Principal Contractor shall be subject to periodic health and safety audits that will be conducted by the client at intervals agreed upon between the Principal Contractor and the client, provided such intervals will not exceed periods of one month.
- The Principal Contractor is to ensure that he/she and all persons under his control on the construction site shall adhere to the above specifications.
- The Principal Contractor should note that he/she shall be held liable for any anomalies including costs and resulting deficiencies due to delays caused by non-conformance and/or non-compliance to the above Health and Safety Specifications and the Health and Safety Plan based on these specifications.

ii. Personal protective equipment and clothing

The contractor shall ensure that:

- all workers are issued with the necessary personal protective clothing.
- all workers are always identifiable by having the company for which they work for printed on the back or front of their overalls; and
- clear procedures are in place for the replacement of lost, stolen, worn or damage personal protective clothing.

iii. Competent persons

The principal contractor and other contractors shall appoint in writing competent persons to supervise or inspect, as relevant, any of the following:

- formwork and support work operations.
- excavation work.
- demolition work.
- scaffolding work operations.
- suspended platform work operations.
- material hoists.

- bulk mixing plants.
- temporary electrical installations.
- the stacking and storage of articles on the site; and
- fire equipment.

The contractor shall appoint in writing competent persons to:

- induct employees in health and safety; and
- prepare and update as necessary a fall protection plan and to provide the construction manager with a copy of the latest version of such plan.

16. THE PRINCIPAL CONTRACTOR'S SPECIFIC DUTIES

The Principal Contractor's specific duties in terms of these specifications are detailed in the Construction Regulations as published under government notice 07 August 2014, stipulated in Section 7.

17. THE PRINCIPAL CONTRACTOR'S SPECIFIC RESPONSIBILITIES WITH REGARD TO HAZARDOUS ACTIVITIES

The following examples of activities are identifiable as hazardous in terms of the Construction Regulations. The contractor shall execute the activities in accordance with the following Construction Regulations and other applicable regulations of the Act:

- Fall protection
- Structures
- Excavation work
- Demolition work
- Scaffolding
- Construction vehicles & mobile plant.
- Water environments
- Housekeeping on construction sites
- Fire precautions on construction sites.

This list must not be taken to be exclusive or exhaustive! All the above requirements will be read in conjunction with the relevant regulations and health and safety standards as required by the Act. All documents and records required by the Construction Regulations will be kept in the Health and Safety File and will be made available at any time when required by the client or his representative, or on request to an interested party.

18. GENERAL NOTES TO THE PRINCIPAL CONTRACTOR

i. Legal Framework

Part of legal obligations

The more important Acts and relevant subordinate/secondary legislation as well as other (inter alia Local Government) legislation that also apply to the State as well as to State owned buildings and premises: -

a. The latest issue of SABS 0142: "Code of Practice for the Wiring of Premises"
b. The Local Government Ordinance 1939 (Ordinance 17 of 1939) as amended and the municipal by-laws and any special requirements of the local supply authority
c. The Fire Brigade Services Act 1987, Act 99 of 1987 as amended
d. The National Building Regulations and Building Standards Act 1977 (Act 103 of 1977) as amended and relevant proclaimed Regulations (SABS 0400)
e. The Post Office Act 1958 (Act 44 of 1958) as amended
f. The Electricity Act 1984, Act 41 of 1984
g. The Regulations of Local Gas Board(s), including Publications of the SABS Standards and Codes of Practice, with specific reference to GNR 17468 dated 4th October 1997
h. Legislation pertaining to water usage and the environment
i. Legislation governing the use of equipment, which may emit radiation (e.g. X-Rays etc.)
j. Common Law

ii. General requirements

The contractor shall:

a) create and maintain as reasonably practicable a safe and healthy work environment,
b) execute the work in a manner that complies with all the requirements of the Act and all its associated regulations, and in so doing, minimize the risk of incidents occurring.
c) conspicuously display any site-specific number assigned to the construction site in terms of the Construction Regulations 2014 at the main entrance to the site; and
d) respond to the notices issued by the employer's health and safety agent as follows:

- Improvement Notice: improve health and safety performance over time so that repeat notices are not issued.
- Contravention Notice: rectify contravention as soon as possible.

Prohibition Notice: terminate affected activities with immediate effect and only recommence activities when it is safe to do so

Note: Financial penalties can be applied should Contravention Notices be issued. This should be dealt under the subheading "NON-CONFORMANCES" in the same document.

19. HOUSE KEEPING

Good housekeeping will be always maintained as per Construction Regulation No. 25. Poor housekeeping contributes to three major problems, namely, costly or increased accidents, fire or fire hazards and reduction in production. Good housekeeping will enhance production time.

In promotion of environmental control all waste, rubble, scrap etc., will be disposed of at a registered dump site and records will be maintained. Where it is found to be impractical to use a registered dump site or it is not available, the Principal Contractor will ensure that the matter is brought to record with the client or his representative, after which suitable, acceptable alternatives will be sought and applied.

Dross and refuse from metals, and waste matters or by-products whose nature is such that they are poisonous or capable of fermentation, putrefaction or constituting a nuisance shall be treated or disposed of by methods approved of by an inspector.

NOTE: No employer (Principal Contractor) shall require or permit any person to work at night or after hours unless there is adequate, suitable artificial lighting including support services in respect of Health and Safety.

FACILITIES

The site establishment plan shall make provision for:

a) Dining room facilities

The contractor shall make provision for adequate dining room facilities for his employees on site.

b) Change rooms

The contractor shall make provision for adequate change rooms for his employees on site.

c) Ablution facilities

The contractor shall make a provision for adequate ablution facilities for his employees on site.

These facilities shall be maintained by the contractor.

d) Smoking Areas

Designated smoking areas shall be established by Department of Public Works $ Infrastructure

Drinking Water Facilities

The provision of drinking water facilities shall be negotiated between the Contractor and Department of Public Works $ Infrastructure.

e) Equipment Compliance Certificates

Before equipment is brought on site valid certificates of compliance issued by a competent person shall be presented. The equipment includes but shall not be limited to:

i. lifting equipment and lifting tackle
ii. power driven machinery
iii. electrical equipment
iv. testing and monitoring equipment

f) Barricading

All barricading shall be of the rigid type unless the use of non-rigid barricading has been approved in writing by the Department of Public Works and Infrastructure Project Manager. The contractors' barricading standard shall be included in the Health and Safety Plan.

Where more than one contractor is working on a site, the fixed barricading shall be clearly marked with the company's name, site contact person as well as the contact number/s.

g) Erection of Structures for Logistic Support

Prior to site establishment, the Department of Public Works and Infrastructure shall approve the contractor's site plan.
The Department of Public Works and Infrastructure shall approve all structures erected for logistical support by the contractor. These structures include fences, workshops, tool sheds, offices, ablution facilities, etc.

h) Salvage Yard Management

Depending on the site-specific arrangements and procedures, the Department of Public Works and Infrastructure may provide the salvage yard and the resources to manage it.

The salvage yard management shall conform to safety, health and environmental requirements. The contractors are required to move the equipment from the place of work to the salvage yard.

i) Fall Arrest and Prevention Equipment

Approved fall prevention equipment shall be used at heights of less than 2.0 metres. Above heights of 2.0 metres fall prevention equipment shall include fall arrest equipment. Users of fall arrest equipment shall, amongst other things, be trained in what an appropriate load bearing point is for

connecting fall prevention equipment. Any deviation from this requirement shall be negotiated and agreed with the Department of Public Works in writing.

j) Hazardous Chemical Substances Waste Removal

The Department of Public Works and Infrastructure shall provide a facility to collect all hazardous chemicals waste material.

The contractor shall provide adequately marked and sealable containers for transport The hazardous chemical waste from the source to the approved Department of Public Works disposal point.

k) Personal Protective Equipment (PPE)

Personal protective equipment issued shall be specific to the risks associated with the work to be performed and specific to conditions on site and shall comply with South African National Standards (SANS) or similar.

20. LOCKOUT SYSTEMS

A system of control shall be established in order that no unauthorized person can energize a circuit, open a valve, or activate a machine on which people are working or doing maintenance, even if equipment, plant or machinery is out of commission for any period, thus eliminating injuries and damage to people and equipment as far as is reasonably practicable.

Physical/mechanical lock-out systems shall be part of the safety system and included in training. Lockouts shall be tagged, and the system tested before commencing with any work or repairs.

21. IMPORTANT LISTS AND RECORDS TO BE KEPT

The following are lists of several records that are to be kept in terms of the Construction Regulations. The lists are:

i. List of appointments
ii. List of record keeping responsibilities
iii. Inspection checklist

a) Contractor Risk Assessment Process

The risk assessment process shall include:

1) an evaluation of the method of the work to be conducted
2) the method statement on the procedure to be followed in performing the task shall be developed
3) the risk assessment will also include activities like:
    i. Transportation of passengers and goods to and from site
    ii. Site establishment

iii. Physical and mental capabilities of employees

iv. Others as may be specified.

4) the hazards as listed in the paragraph – Site Specific Health and Safety Hazards

5) a review plan for risk assessments shall provide for:

i. the quarterly review of all applicable risk assessments

ii. the review of an assessment if there is reason to believe that the previous assessment is no longer valid, or there has been a change in a process, work methods, equipment or procedures and working conditions

iii. Risk assessment/s to be reviewed if the outcome of incident investigations and audits etc. requires such action.

A pre - task risk assessment shall be conducted in writing on every task and be facilitated by the team leader. All risk assessments and pre-task risk assessments shall be filed and be available on site.

b) Risk Profile

All contractors shall submit a risk profile of the work to be conducted with their Health and Safety Plan.

c) Risk Based Inspection Program

The inspection programme shall be risk based. The inspection plan shall form part of the Health and Safety Plan.

22. MEASUREMENT AND PAYMENT

The payment items for Occupational Health & Safety are contained in the Bill of Quantities. The same rules are applicable in respect of the pricing of these items as for every other payment item. Attention is drawn to the Pricing Instructions in this document.

23. NON-CONFORMANCES

Should, at any time, the works, or part of the works, be stopped due to unsafe acts or non-compliance with the Clients or PCs H&S Plan; neither the PC nor any other Contractor shall have a claim for extension of time or any other compensation.

Minor: Penalty: R50/count	**Medium: Penalty: R500/count and a non-conformance**	**Severe Penalty: R5000/count, a non-conformance and/or activity stoppage**
Non-use of PPE supplied	Toilets not supplied or regularly serviced; lack of drinking water	Contractors working without Health and Safety Plan approval
Non-completion of registers for plant and equipment on site	Contractors not audited	Workers transported in contravention of the OHS plan or legal requirements
Lack of H&S signage at work areas	Working without training or the appropriate, approved H&S method statements	Invalid Letters of Good Standing

Minor: Penalty: R50/count	Medium: Penalty: R500/count and a non-conformance	Severe Penalty: R5000/count, a non-conformance and/or activity stoppage
Tools and equipment identified in poor condition during inspections	Legal non-conformances identified during the previous audit and not addressed within the agreed time frame	Non-compliance with traffic accommodation requirements: layout or physical conditions
	No monthly OHS report at site meeting to report on	Any serious breach of legal requirements
	No certificates of fitness for workers as required	
	Working without approved method statements	

4.8 Failure to Comply with Provisions

Failure or refusal on the part of the PC or their Contractors to take the necessary steps to ensure the safety of workers and the public in accordance with these specifications or as required by statutory authorities or ordered by the engineer, shall be sufficient cause for the engineer to apply penalties as follows:

(i) A penalty as shown in the Table above shall be deducted for every occurrence of non-compliance with any of the requirements of the H&S Specification.

(ii) In addition, a time-related penalty of R500,00 per hour over and above the fixed penalty may be deducted for non-compliance to rectify any non-conformance within the allowable time after a site instruction to this effect has been given by the Client's representative. The site instruction shall state the agreed time, which shall be the time in hours for reinstatement of the defects. Should the Contractor fail to adhere to this instruction, the time-related penalty shall be applied from the time the instruction was given.

The payment items for Occupational Health & Safety are contained in the Bill of Quantities. The same rules are applicable in respect of the pricing of these items as for every other payment item. Attention is drawn to the Pricing Instructions in this document.

24. INSPECTIONS, FORMAL ENQUIRES AND INCIDENTS

1. The contractor shall inform the relevant safety representative:
   i. beforehand of inspections, investigations or formal inquiries of which he has been notified by an inspector; and
   ii. as soon as reasonably practicable of the occurrence of an incident on the site.
2. The contractor shall record all incidents and notify the employer's health and safety agent of any incident, except in the case of a traffic accident on a public road, as soon as possible after it has occurred and report such incidence to an inspector of the department of labour

and notify the Provincial Director of the Department of Labour of such incident within 7 days on the prescribed form.

3. The contractor shall investigate all incidents and issue the employer's health and safety agent with copies of such investigations.
4. The contractor shall in the event of an incident in which a person dies, or is injured to such an extent that he is likely to die, or suffered the loss of a limb or part of a limb:
    i. notify the Provincial Director of the Department of Labour of such incident by telephone, facsimile or similar means of communication.
    ii. ensure that no person disturbs the site at which the incident occurred or remove any article or substance involved in the incident therefrom, without the consent of an inspector, unless an action is necessary to prevent a further incident, to remove the injured or dead, or to rescue persons from danger.
    iii. and provide the Provincial Director of the Department of Labour with a report which includes the measures that the contractor or his subcontractor intends to implement to ensure a safe site as reasonably practicable.
5. The contractor shall notify the Provincial Director of the Department of Labour of the death of any person which results from injuries sustained in an incident.

25. EMERGENCY PROCEDURES

The contractor shall submit for acceptance to the employer's health and safety agent an emergency procedure which include but are not limited to fire, spills, accidents to employees, exposure to hazardous substances, which:

- identifies the key personnel who are to be notified of any emergency.
- sets out details including contact particulars of available emergency services; and
- the actions or steps which are to be taken during an emergency.

The contractor shall within 24 hours of an emergency taking place notify the employer's health and safety agent in writing of the emergency and briefly outline what happened and how it was dealt with.

IMPORTANT CONTACT DETIALS

(FOR HEALTH & SAFETY ASPECTS ONLY)

The contractor is to add all the important contact information about essentials services, support and assistance.

	SERVICE	NUMBER	CONTACT PERSON
	Hospital		
	Ambulance		
	Water Electricity		
	Police		
	Fire Brigade		
	Engineer		

ADD OTHER IMPORTANT HEALTH & SAFETY CONTACT DETAILS AS MAY BE FOUND NECESSARY.

PART C1.3: DISPUTE RESOLUTION MECHANISM

C1.3 CIDB ADJUDICATOR'S AGREEMENT

This agreement is made on the ..... day of ..... between:.....
..... (name of company / organization) of .....
..... (address)
and. ..... (name of company / organization) of .....
.....
..... (address) (the Parties) and. .....
..... (name) of .....
..... (address) (the Adjudicator).

Disputes or differences may arise/have arisen* between the Parties under a Contract dated ..... and known as. ..... and these disputes or differences shall be/have been* referred to adjudication in accordance with the CIDB Adjudication Procedure, (hereinafter called "the Procedure") and the Adjudicator may be or has been requested to act.

* Delete as necessary

IT IS NOW AGREED as follows:

1 The rights and obligations of the Adjudicator and the Parties shall be as set out in the Procedure.
2 The Adjudicator hereby accepts the appointment and agrees to conduct the adjudication in accordance with the Procedure.
3 The Parties bind themselves jointly and severally to pay the Adjudicator's fees and expenses in accordance with the Procedure as set out in the Contract Data.
4 The Parties and the Adjudicator shall at all times maintain the confidentiality of the adjudication and shall endeavour to ensure that anyone acting on their behalf or through them will do likewise, save with the consent of the other Parties which consent shall not be unreasonably refused.
5 The Adjudicator shall inform the Parties if he intends to destroy the documents which have been sent to him in relation to the adjudication and he shall retain documents for a further period at the request of either Party.

SIGNED by: _____	SIGNED by: _____	SIGNED by: _____
Name:	Name:	Name:
who warrants that he / she is duly authorized to sign for and on behalf of the first Party in the presence of	who warrants that he / she is duly authorized to sign for and behalf of the second Party in the presence of	the Adjudicator in the presence of
Witness _____	Witness: _____	Witness: _____
Name: _____	Name _____	Name: _____
Address:	Address:	Address:
Date: _____	Date: _____	Date: _____

Contract Data

1	The Adjudicator shall be paid at the hourly rate of R. . . . . in respect of all time spent upon, or in connection with, the adjudication including time spent travelling.
2	The Adjudicator shall be reimbursed in respect of all disbursements properly made including, but not restricted to: a) Printing, reproduction and purchase of documents, drawings, maps, records and photographs. b) Telegrams, telex, faxes, and telephone calls. c) Postage and similar delivery charges. d) Travelling, hotel expenses and other similar disbursements. e) Room charges. f) Charges for legal or technical advice obtained in accordance with the Procedure.
3	The Adjudicator shall be paid an appointment fee of R . . . . This fee shall become payable in equal amounts by each Party within ..... days of the appointment of the Adjudicator, subject to an Invoice being provided. This fee will be deducted from the final statement of any sums which shall become payable under item 1 and/or item 2 of the Contract Data. If the final statement is less than the appointment fee the balance shall be refunded to the Parties.
4	The Adjudicator is/is not* currently registered for VAT.
5	Where the Adjudicator is registered for VAT, it shall be charged additionally in accordance with the rates current at the date of invoice.
6	All payments, other than the appointment fee (item 3) shall become due in 30 days after receipt of invoice, thereafter interest shall be payable at 5% per annum above the Reserve Bank base rate for every day the amount remains outstanding.

* Delete as necessary

PART C2: PRICING DATA

C2.1 Pricing Instructions

C2.1 Pricing Instructions

1 The Bills of Quantities have been drawn up in accordance with the Standard System of Measuring Building Work as amended) published and issued by the Association of South African Quantity Surveyors (Sixth Edition (Revised)), 1999. Where applicable the:
   a) Civil engineering work has been drawn up in accordance with the provisions of the latest edition of SABS 1200 Standardised Specifications for Civil Engineering Works.
   b) Mechanical work has been drawn up in accordance with the provisions of the latest edition of SABS 1200 Standardised Specifications for Mechanical Engineering Works.
   c) Electrical work has been drawn up in accordance with the provisions of the latest edition of SABS 1200 Standardised Specifications for Electrical Engineering Works.

2 The agreement is based on the JBCC Edition 6.2of 2018 with amendments from JBCC Edition, prepared by the Joint Building Contracts Committee, the additions, deletions and alterations to the JBCC Principal Building Agreement as well as the contract specific variables are as stated in the Contract Data. Only the headings and clause numbers for which allowance must be made in the Bills of Quantities are recited.

3 Preliminary and general requirements are based on the preliminaries for the use of JBCC Edition 6.2– May 2018. Only the headings and clause numbers for which allowance must be made in the Bills of Quantities are recited.

4 It will be assumed that prices included in the Bills of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for tenders. (Refer to www.stanza.org.za or www.iso.org for information on standards).

5 The drawings listed in the Scope of Works used for the setting up of these Bills of Quantities are kept by the Principal Agent or Engineer and can be viewed at any time during office hours up until the completion of the works.

6 Reference to any particular trademark, name, patent, design, type, specific origin or producer is purely to establish a standard for requirements. Products or articles of an equivalent standard may be substituted.

7 The bills of quantities forms part of and must be read and priced in conjunction with all the other documents forming part of the contract document, The Standard Conditions of Tender, Conditions of Contract, Specifications, Drawings, The document "Construction Works: Specifications: General Specification (PW371-A) Edition 2.0" is obtainable on the Department's website (http://www.publicworks.gov.za/ under "Consultants Guidelines"), and shall be read in conjunction with the **bills of quantities** / lump sum document and be referred to for the full descriptions of work to be done and materials to be used The document "Construction Works: Specifications: Particular Specification (PW371-B) Edition 2.0" is issued together with the drawings and shall be read in conjunction with the drawings and the **bills of quantities** / lump sum document

8 Where any item is not relevant to this specific contract, such item is marked N/A (signifying "not applicable")

9 The Contract Data and the standard form of contract referenced therein must be studied for the full extent and meaning of each and every clause set out in Section 1 (Preliminaries) of the Bills of Quantities

10 The Bills of Quantities is not intended for the ordering of materials. Any ordering of materials, based on the Bills of Quantities, is at the Contractor's risk.

11 The amount of the Preliminaries to be included in each monthly payment certificate shall be assessed as an amount prorated to the value of the work duly executed in the same ratio as the preliminaries bears to the total of prices excluding any contingency sum, the amount for the Preliminaries and any amount in respect of contract price adjustment provided for in the contract.

12 Where the initial contract period is extended, the monthly charge shall be calculated on the basis as set out in 11 but taking into account the revised period for completing the works.

13 The amount or items of the Preliminaries shall be adjusted to take account of the theoretical financial effect which changes in time or value (or both) have on this section. Such adjustments shall be based on adjustments in the following categories as recorded in the Bills of Quantities:
   a) an amount which is not to be varied, namely Fixed (F)
   b) an amount which is to be varied in proportion to the contract value, namely Value Related (V); and
   c) an amount which is to be varied in proportion to the contract period as compared to the initial construction period excluding revisions to the construction period for which no adjustment to the contractor is not entitled to in terms of the contract, namely Time Related (T).

14 Where no provision is made in the Bills of Quantities to indicate which of the three categories in 13 apply or where no selection is made, the adjustments shall be based on the following breakdown:
   a) 10 percent is Fixed
   b) 15 percent is Value Related
   c) 75 percent is Time Related

15 The adjustment of the Preliminaries shall apply notwithstanding the actual employment of resources in the execution of the works. The contract value used for the adjustment of the Preliminaries shall exclude any contingency sum, the amount for the Preliminaries and any amount in respect of contract price adjustment provided for in the contract. Adjustments in respect of any staged or sectional completion shall be prorated to the value of each section.

16 The tender price must include Value Added Tax (VAT). All rates, provisional sums, etc. in the bills of quantities must however be net (exclusive of VAT) with VAT calculated and added to the Total Value thereof in the Final Summary.

17. The Contractor shall adhere to "The national minimum wage determined by the Minister in accordance with the National Minimum Wage Act (NMWA)", and yearly pronounced increases for duration of contract.

EPWP REQUIREMENTS AND SPECIFICATION

SCOPE OF WORKS IN RESPECT OF WORK RELATING TO THE EXPANDEND PUBLIC WORKS PROGRAMME (EPWP)			
Project Name	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**	SCMU Number	**SCMU5–26/27-0013 CHR**

Introductory notes:

1. The works, or parts of the works will be constructed using labour-intensive methods only in terms of this specification. The use of plant to provide such works, other than plant specifically provided for in the scope of work, is a variation to the contract. The items marked with the letters **LI** are not necessarily an exhaustive list of all the activities which must be done by hand, and this clause does not over-ride any of the requirements in the generic labour-intensive specification in the Scope of Works.

2. Payment for items which are designated to be constructed labour-intensively (either in this schedule or in the Scope of Works) will not be made unless they are constructed using labour-intensive methods. Any unauthorised use of plant to carry out work which was to be done labour-intensively will not be condoned and any works so constructed will not be certified for payment.

DESCRIPTION OF THE WORKS

Employer's objectives

The employer's objectives are to deliver public infrastructure using labour-intensive methods.

Labour-intensive works

Labour-intensive works comprise the activities described in the Labour-Intensive Specification. Labour-intensive works shall be constructed/maintained using local workers who are temporarily employed in terms of the scope of work.

LABOUR-INTENSIVE COMPETENCIES OF SUPERVISORY AND MANAGEMENT STAFF

Contractors shall only engage supervisory and management staff in labour-intensive works that have completed the skills programme including Foremen/ Supervisors at NQF level 4 "National Certificate: Supervision of Civil Engineering Construction Processes" and Site Agent/ Manager at NQF level 5 "Manage Labour-Intensive Construction Processes" or equivalent QCTO qualifications (See Appendix C). at NQF outlined in Table 1.

Emerging contractors shall have personally completed or be registered on a skills programme for the NQF level 2-unit standard. All other site supervisory staff in the employ of emerging contractors must have completed or be registered on a skills programme for the NQF level 2-unit standards or NQF level 4-unit standards. Table 1: Skills programme for supervisory and management staff.

Table 1: Skills programme for supervisory and management staff

Personnel	NQF level	Unit standard titles	Skills programme description
Team leader / supervisor	2	Apply Labour-Intensive Construction Systems and Techniques to Work Activities	This unit standard must be completed, and
		Use Labour-Intensive Construction Methods to Construct and Maintain Roads and Storm water Drainage	any one of these 3 unit standards
		Use Labour-Intensive Construction Methods to Construct and Maintain Water and Sanitation Services.	

		Use Labour-Intensive Construction Methods to Construct, Repair and Maintain structures	
Personnel	**NQF level**	**Unit standard titles**	**Skills programme description**
Foreman/supervisor	4	Implement Labour-Intensive Construction Systems and Techniques	This unit standard must be completed, and
		Use Labour-Intensive Construction Methods to Construct and Maintain Roads and Storm water Drainage	any one of these 3-unit standards
		Use Labour-Intensive Construction Methods to Construct and Maintain Water and Sanitation Services	
		Use Labour-Intensive Construction Methods to Construct, Repair and Maintain structures	
Site Agent /Manager (i.e. the contractor's most senior representative that is resident on the site)	5	Manage Labour-Intensive Construction Processes	Skills Programme against this single unit standard
Details of these skills programmes may be obtained from the CETA ETQA manager (e-mail: gerard@ceta.co.za, Tel: 011-265 5900)			

EMPLOYMENT OF UNSKILLED AND SEMI-SKILLED WORKERS IN LABOUR INTENSIVE WORKS

1.1 Requirements for the sourcing and engagement of labour.

1.1.1 Unskilled and semi-skilled labour required for the execution of all labour-intensive works shall be engaged strictly in accordance with prevailing legislation and SANS 1914-5, Participation of Targeted Labour.

1.1.2 The rate of pay set for the SPWP per task or per day will be an acceptable rate determined by the Department of Labour.

1.1.3 Tasks established by the contractor must be such that:

a) the average worker completes 5 tasks per week in 40 hours or less; and

b) the weakest worker completes 5 tasks per week in 55 hours or less.

1.1.4 The contractor must revise the time taken to complete a task whenever it is established that the time taken to complete a weekly task is not within the requirements of 1.1.3.

1.1.5 The Contractor shall, through all available community structures, inform the local community of the labour-intensive works and the employment opportunities presented thereby. Preference must be given to people with previous practical experience in construction and / or who come from households:

a) where the head of the household has less than a primary school education;

b) that have less than one full-time person earning an income;

c) where subsistence-agriculture is the source of income.

d) that who are not in receipt of any social security pension income

1.1.6 The Contractor shall endeavour to ensure that the expenditure on the employment of unskilled and semi-skilled workers is in the following proportions:

a) 55 % women;

b) 55% youth who are between the ages of 18 and 35; and

c) 2% on persons with disabilities.

1.2 Specific provisions pertaining to SANS 1914-5

1.2.1 Definitions

Targeted labour: Unemployed persons who are employed as local labour on the project.

1.2.2 Contract participation goals

1.2.2.1 There is no specified contract participation goal for the contract. The contract participation goal shall be measured in the performance of the contract to enable the employment provided to targeted labour to be quantified.

1.2.2.2 The wages and allowances used to calculate the contract participation goal shall, with respect to both time-rated and task rated workers, comprise all wages paid and any training allowance paid in respect of agreed training programmes.

1.2.3 Terms and conditions for the engagement of targeted labour

Further to the provisions of clause 3.3.2 of SANS 1914-5, written contracts shall be entered into with targeted labour.

1.2.4 Terms and conditions for the engagement of targeted labour

Further to the provisions of clause 3.3.2 of SANS 1914-5, written contracts shall be entered into with targeted labour.

1.2.5 Variations to SANS 1914-5

1.2.5.1 The definition for net amount shall be amended as follows:
Financial value of the contract upon completion, exclusive of any value added tax or sales tax which the law requires the employer to pay the contractor.

1.2.5.2 The schedule referred to in 5.2 shall in addition reflect the status of targeted labour as women, youth and persons with disabilities and the number of days of formal training provided to targeted labour.

1.3 Training of targeted labour

1.3.1 The contractor shall provide all the necessary on-the-job training to targeted labour to enable such labour to master the basic work techniques required to undertake the work in accordance with the requirements of the contract in a manner that does not compromise worker health and safety.

1.3.2 The cost of the formal training of targeted labour, will be funded by the local office of the Department of Labour. This training will take place as close to the project site as practically possible. The contractor must access this training by informing the relevant regional office of the Department of Labour in writing, within 14 days of being awarded the contract, of the likely number of persons that will undergo training and when such training is required.

1.3.3 The contractor shall do nothing to dissuade targeted labour from participating in training programmes and shall take all reasonable steps to ensure that each beneficiary is provided with two days of formal training for every 22 days worked.

1.3.4 An allowance equal to 100% of the task rate or daily rate shall be paid by the contractor to workers who attend formal training, in terms of the above.

1.3.5 Proof of compliance with the above requirements must be provided by the Contractor to the Employer prior to submission of the final payment certificate.

GENERIC LABOUR-INTENSIVE SPECIFICATION

1 Scope

This specification establishes general requirements for activities which are to be executed by hand involving the following:

a) trenches having a depth of less than 1.5 metres
b) storm water drainage
c) low-volume roads and sidewalks

2 Precedence

Where this specification is in conflict with any other standard or specification referred to in the Scope of Works to this Contract, the requirements of this specification shall prevail.

3 Hand excavatable material

Hand excavatable material is material:

a) Granular materials:

i) whose consistency when profiled may in terms of table 1 be classified as very loose, loose, medium dense, or dense; or

ii) where the material is a gravel having a maximum particle size of 10mm and contains no cobbles or isolated boulders, no more than 15 blows of a dynamic cone penetrometer are required to penetrate 100mm;

b) Cohesive materials:

i) whose consistency when profiled may in terms of table 1 be classified as very soft, soft, firm, stiff and stiff / very stiff; or

ii) where the material is a gravel having a maximum particle size of 10mm and contains no cobbles or isolated boulders, no more than 8 blows of a dynamic cone penetrometer is required to penetrate 100mm;

Note: 1) A boulder, a cobble and gravel is material with a particle size greater than 200mm, between 60 and 200mm.

Table 1: Consistency of materials when profiled

GRANULAR MATERIALS		COHESIVE MATERIALS	
CONSISTENCY	**DESCRIPTION**	**CONSISTENCY**	**DESCRIPTION**
Very loose	Crumbles very easily when scraped with a geological pick.	Very soft	Geological pick head can easily be pushed in as far as the shaft of the handle.
Loose	Small resistance to penetration by sharp end of a geological pick.	Soft	Easily dented by thumb; sharp end of a geological pick can be pushed in 30-40 mm; can be moulded by fingers with some pressure.
Medium dense	Considerable resistance to penetration by sharp end of a geological pick.	Firm	Indented by thumb with effort; sharp end of geological pick can be pushed in up to 10 mm; very difficult to mould with fingers; can just be penetrated with an ordinary hand spade.

Dense	Very high resistance to penetration by the sharp end of a geological pick; requires many blows for excavation.	Stiff	Can be indented by thumbnail; slight indentation produced by pushing geological pick point into soil; cannot be moulded by fingers.
Very dense	High resistance to repeated blows of a geological pick.	Very stiff	Indented by thumbnail' with difficulty; slight indentation produced by blow of a geological pick point.

4 Trench excavation

All hand excavatable material in trenches having a depth of less than 1,5 metres shall be excavated by hand.

5 Compaction of backfilling to trenches (areas not subject to traffic)

Backfilling to trenches shall be placed in layers of thickness (before compaction) not exceeding 100mm. Each layer shall be compacted using hand stampers

a) to 90% Proctor density;

b) such that in excess of 5 blows of a dynamic cone penetrometer (DCP) is required to penetrate 100 mm of the backfill, provided that backfill does not comprise more than 10% gravel of size less than 10mm and contains no isolated boulders, or

c) such that the density of the compacted trench backfill is not less than that of the surrounding undisturbed soil when tested comparatively with a DCP.

6 Excavation

All hand excavatable material including topsoil classified as hand excavatable shall be excavated by hand. Harder material may be loosened by mechanical means prior to excavation by hand.

The excavation of any material which presents the possibility of danger or injury to workers shall not be excavated by hand.

7 Clearing and grubbing

Grass and small bushes shall be cleared by hand.

8 Shaping

All shaping shall be undertaken by hand.

9 Loading

All loading shall be done by hand, regardless of the method of haulage.

10 Haul

Excavation material shall be hauled to its point of placement by means of wheelbarrows where the haul distance is not greater than 150 m.

11 Offloading

All material, however transported, is to be off-loaded by hand, unless tipper-trucks are utilised for haulage.

12 Spreading

All material shall be spread by hand.

13 Compaction

Small areas may be compacted by hand provided that the specified compaction is achieved.

14 Grassing

All grassing shall be undertaking by sprigging, sodding, or seeding by hand.

15 Stone pitching and rubble concrete masonry

All stone required for stone pitching and rubble concrete masonry, whether grouted or dry, must be collected, loaded, off loaded and placed by hand.

Sand and stone shall be hauled to its point of placement by means of wheelbarrows where the haul distance is not greater than 150m.

Grout shall be mixed and placed by hand.

16 Manufactured Elements

Elements manufactured or designed by the Contractor, such as manhole rings and cover slabs, precast concrete planks and pipes, masonry units and edge beams shall not individually, have a mass of more than 320kg. In addition, the items shall be large enough so that four workers can conveniently and simultaneously acquire a proper handhold on them.

PART C3: SCOPE OF WORKS

C3 Scope of Work

Project Name:	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
Tender No:	**SCMU5–26/27-0013 CHR**

C3.1 SCOPE OF WORKS

DESCRIPTION OF THE WORKS

The work will consist of the following major items:

Gubenxa Clinic

- ALTERATIONS
- EARTHWORKS (PROVISIONAL)
- CONCRETE, FORMWORK AND REINFORCEMENT
- ROOF COVERINGS, CLADDING, ETC.
- CARPENTRY AND JOINERY
- CEILING, PARTITION, AND ACCESS FLOORING
- FLOOR COVERING, WALL LINING, ETC
- IRONMONGERY
- PLUMBING AND DRAINAGE (PROVISIONAL)
- PAINTWORK
- EXTERNAL WORKS
- ELECTRICAL INSTALLATION (PROVISIONAL)
- MECHANICAL INSTALLATION (PROVISIONAL)

Nkwenkwana Clinic

- ALTERATIONS
- ROOF COVERINGS, CLADDINGS, ETC.
- CARPENTRY AND JOINERY
- CEILINGS, PARTITIONS AND ACCESS FLOORING
- IRONMONGERY
- PAINTWORK
- PLUMBING AND DRAINAGE (PROVISIONAL)
- ELECTRICAL INSTALLATIONS (PROVISIONAL)
- MECHANICAL INSTALLATIONS (PROVISIONAL)

C3.2 METHODOLOGY OF PROJECT EXECUTION

- Contractor will be given access to all works at date of site possession.
- Bidders to price accordingly, as no additional costs pertaining to the execution of projects shall be entertained.

C3.3 ACCESS AND SITE ESTABLISHMENT

- Prospective bidders are to fully familiarize themselves with the site and access to the site and restricted area for site establishment. Allowance for temporary construction access etc. shall be deemed to be included in contractor's price/bid. Prospective bidders are to familiarize themselves with the site as no additional costs shall be entertained.

- Identified area for site establishment shall be pointed out to prospective bidders at mandatory site inspection. The contractor shall be liable for security, fencing (if required), water, sewer, ablutions, electricity, etc. for the site establishment area.
- No Contractor's representatives, worker are allowed to sleep at establishment area or with in housing complex.

C3.4 ACCEPTANCE OF TENDERS

- The Employer is not bound to accept the lowest, or any tender, or any portion of any tender

C3.5 MINIMUM WAGE

- The Contractor shall adhere to "The national minimum wage determined by the Minister in accordance with the National Minimum Wage Act (NMWA)", and yearly pronounced increases for duration of contract.

C3.6 TEMPORARY WORKS

- All temporary work to comply with the Construction Health and safety Act (Act 85 of 1993) and its regulations.

C3.7 EMPLOYER'S DESIGN

N/A

C3.8 DESIGN BRIEF

N/A

C3.9 DRAWINGS

A1: Tender Drawings

PART C4
SITE INFORMATION

C4.1 SITE INFORMATION

Project title:	**CLUSTER D: REPAIRS AND RENOVATIONS TO GUBENXA AND NKWENKWANA CLINICS IN ENGCOBO**
Project Number:	**SCMU5–26/27-0013 CHR**

GENERAL

Prospective bidders to familiarize themselves with the locality, access, any other "restrictions". (Refer to *Scope of Works C3)*

The site is the existing – Gubenxa Clinic in Engcobo

Existing Site/Premises to be fenced at all times.

Prospective bidders are to note that it is a condition of contract that the facility shall be always fenced and secure.

GEOTECHNICAL INVESTIGATION REPORT

Not applicable



The site is the existing – Nkwenkwana Clinic in Engcobo

ANNEXURES


ANNEXURE A1

TENDER DRAWINGS

ANNEXURE A2

C2.2 Pricing Schedule

BILL OF QUANTITIES



GUBENXA BILL OF QUANTITIES

		UNIT	QTY	RATE	AMOUNT
	SECTION NO. 1				
	BILL NO. 1				
	PRELIMINARIES AND GENERAL				
1	Contractor to provide a R..... for Preliminaries and General (P& G)	Item	1		
	Carried to Section Summary				R

	UNIT	QTY	RATE	AMOUNT
SECTION NO. 2				
BILL NO.1				
ALTERATIONS				
PREAMBLES				
For Preambles refer to "Department of Public Works: Specification of materials and methods to be used - PW371".				
SUPPLEMENTARY PREAMBLES				
Tenderers are advised to visit the site before tendering and satisfy themselves as to the nature and extent of the works to be done,means of access to the site, and portions of the building to be demolished.No claims will be entertained due to the tenderer having failed to comply with the above conditions				
Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Project Manager				
The Contractor is advise to check all dimensions and heights on site affecting the existing buildings				
In taking down and removing existing work, the utmost care is to be observed to avoid any structural or other damage to the remaining portion of the building. The contractor must protect all work not removed, such as walls, floors, doors windows or other joinery or fittings from damage during the progress of work and provide all necessary for so doing so.				
OLD MATERIALS TO BECOME PROPERY OF THE CONTRACTOR: Old material from alterations except where described to be re-used or hand over,become the property of the contractor				
OLD MATERIALS TO CARTED AWAY : Old material from alterations except where described to be re-used or hand over, as well as rubbish etc.must be regulary carted from the site and not be allowed to accumulate on or around the site				
OLD MATERIALS NOT TO BE REUSED : None of the old material are to be used for new work except where specifically described as being set aside for re-use				
ASBESTOS REMOVAL AND DISPOSAL: When dealing with asbestos ,it is absolutely necessary fo follow all regulation in an effort to protect the health. The price of removing the asbestos should include the disposal.Asbestos waste must be disposed of in an area that has been approved for asbestos dumping.				
Carried to section summary			R	

	UNIT	QTY	RATE	AMOUNT
DEMOLITION,REMOVALS AND WORKS ON SITE: The Tenderers should take particular note of and allow accordingly in their prices for the type of structure and material to be encountered and the thickness of walls,concrete slabs,etc. to be demolished.Non of the old bricks from the demolitions are to be re-used for any new brickwork				
BRICKING UP,ALTERING OR BREAKING NEW OPENING IN EXISTING WALLS: Where the contractor is required to form openings,alter openings or brick up openings in existing walls all brickwork shall be made good at jambs including properly bonding to existing.Brickwork in bricking up openings shall be wedged and pinned up to brickwork or concrete over in cement mortar				
Cement screed,pavings,granolithic,etc.in openings are to be levelled and prepared for raising of brickwork.Plaster to reveals to openings are to have all extrnal angles rounded and making good of finishes is to conclude for junction with existing finishes				
The contractor will be be held solely responsible for checking all floor levels and dimensions in the existing building in order that the new extensions may be correctly lined up.Should any discrepancies be found in the Architect's drawings he should be asked for a decision before continuing with the work				
The contractor will be held solely responsible for any damage to persons and property, for the safety of new and existing structure throughot the whole of the the contract and must make good at his own expense any damage that may occur				
Allow for giving notice to local or other authorities for disconnecting electric light,water and drainage mains and removing telephone wire,etc.and pay all fees in connecting therewith and afford every facility to the workmen carrying out this work				
PROCEDURE OF WORK: The Architect reserves the right to direct the order in which the contract will be executed,should circumstances necessitate such action				
LOSS BY THEFT,FIRE OR OTHERWISE: The risk of loss by theft,fire,storm,riot or otherwise of the buildings to be demolished and the material therein shall rest entirely with contractor immediately upon the handing over of the site.He shall take steps as he may deem fit forhis own protection against such loss.				
NOISE PREVENTION: The contractor shall take special care to minimise noisy operations during business hours.Such measures will include,inter alia,the use of silent compressors and strict control of wormen				
MAKING GOOD,etc. Making good shall include all labour and materials required to match existing work and is to include making good new work up to existing and leave complete and perfect in every respect				
Carried to section summary				R

		UNIT	QTY	RATE	AMOUNT
	DEMOLISH, REMOVE AND REPLACE				
	Taking down and removing roofs ,floors,panelling ceilings,partitions ,etc.				
1	Hack up and remove existing concrete walk way from the main clinic to nurses home and prepare surfaces for new walk way (elsewhere measured)	m^3	15		
2	Carefully take out and remove all damaged roof covering (Harvey tile) from the main Clinic, nurses home, managers office, Guard house and ablutions to receive new (elsewhere measured)	m^2	388		
3	Carefully remove the existing damaged Ceiling boards and comice from the whole clinic and replace with new (elsewhere measured)	m^2	240		
4	Hack up and remove existing floor tiles and prepare the surface to receive new (elsewhere measured)	m^2	240		
5	Carefully remove the damaged existing skirting to receive new (elsewhere measured)	m	166		
6	Carefully remove worn out Facsia boards and Barge boards from the whole clinic and replace with new (elsewhere measured)	m	88		
	Taking out and removing ironmongery from doors, windows, glazing, etc.				
7	Carefully take out and remove all windows and replace with new (elsewhere measured)	No	15		
8	Carefully take out and remove all doors and raplace with new (elsewhere measured)	No	24		
	SUNDRIES				
	Chip off ,hack off and remove loose plaster surrounding crack and chip or cut crack in brickwork to depth of 30mm,apply SBE Duralatex primer to cracks and surfaces to be plastered and make good				
9	Minor Crack repair, remove plaster surrounding the crack, use a small grinder to cut the sharp edge where the existing plaster begins. Rake out / Grind out the Bed joints between the brick courses 30mm deep (every course)	m	20		
10	Medium to Major Crack repairs, Remove plaster surrounding the crack, 300mm each way across the crack (600mm total width). Use a small crinder to cut a sharp edge where the existing plaster begins Rake out / Grind out the bed-joints between the brick courses 40mm deep (Every course), 300mm each way across the crack	m	25		
11	Carefully reomove existing old shower with wall tiles and prepare the surfaces for new (elsewhere measured)	item	1		
12	Carefully remove damaged toilets sets with wall tiles from nurses home and the main clinic and replace with new (elsewhere measured)	No	2		
13	Carefully remove all damaged hand wash basins with wall tiles and replace wih new (elsewhere measured)	No	5		
14	Carefully remove all damaged carpentry and joinery (shelves, kitchen cupboards) from the whole clinic and replace with new (else where measured)	Item	1		
15	Hack off and remove cracked and damaged apron around managers office (8,2m x 5,7m) and replace with new (elsewhere measured)	Item	1		
	Carried to Section Summary				R

	UNIT	QTY	RATE	AMOUNT
SECTION No. 2 **BILL No. 2** **EARTHWORKS (Provisional)**				
NOTE:				
For Preambles, see "Specification of materials and methods to be **used - PW371 A and PW371 B"**				
Details or schedules reffered to in this document must be viewed on the architectural and engineering drawings.				
SUPPLEMENTARY PREAMBLES				
Proprietary products in descriptions:				
Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent.				
Nature of ground:				
A soils investigation has been conducted by a geotechnical engineer. It indicates that the site is underlain by two distinguishable layers of imported fill, consisting of superficial gravel and underlying clay, which is then underlain by fine alluvium, consisting of a mixture of clay, silt sand and gravel size particles, which will all be classified as "earth" with little to no "soft rock" and/or "hard rock"				
Carting away of excavated material:				
Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from excavations, or alternatively, from stock piles situated on the building site.				
Dewatering of excavations:				
The Contractor shall allow for removing seepage and other water from subterranean sources from excavations by pumping, bailing or otherwise.				
Accurate records of all such dewatering shall be kept to determine the total volume of				
Carried to Section Summary				

		UNIT	QTY	RATE	AMOUNT
	Subterranean water:				
	No subterranean water is expected				
	Density testing on filling:				
	Rates for filling, etc. shall include for all density and soil type testing to prove that the specified compaction is achieved. When additional testing is done upon instruction from the Principal Agent and these tests are succesful, they will be paid for additionally.				
	Filling				
	Filling and bedding to trenches etc. to be in compliance with SANS 1200 D and related SANS specifications				
	Nothwithstanding the reference to multiple handling in the Standard System for Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling.				
	Removal of services:				
	Rates for excavations for trenches, holes etc. shall include the removal of disused drains, pipes, cables etc encountered during excavations and shall include cutting and stopping off.				
	EXCAVATIONS, ETC				
	Site clearance etc:				
1	Digging up and removing rubbish, debris, vegetation, hedges, shrubs, bush etc. and trees not excceding 200mm girth. (Decanting space)	m2	560		
	EARTH FILLING, ETC.				
	Imported natural G7 Gravel compacted to 95% Mod AASHTO density in maximum 150mm thick layers at optimum moisture content				
2	Under floors, steps, paving, etc	m^3	18		
	Imported sand material, supplied and carted onto site by the Contractor, compacted to 90% modified AASHTO density under solid floors, etc.				
3	Under floors, steps, pavings, etc	m^3	18		
	150mm insitu material, supplied and carted onto the site by the Contractor, compacted to 90% modified AASHTO under solid floors.				
4	Under floors, steps, paving, etc.	m^3	15		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	Compaction of surfaces:				
5	Compaction of ground surface under floors etc including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density	m2	166		
	Prescribed density tests on filling:				
6	Allow for compaction tests by an approved laboratory to determine density of filling material.	No	5		
	SOIL POISONING				
	Soil insecticide in accordance with SANS 5859				
7	Under floors, etc. including forming and poisoning shallow furrows against foundation walls etc. , filling in furrows and ramming.	m2	166		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	SECTION NO.2				
	BILL NO. 3				
	CONCRETE, FORMWORK AND REINFORCEMENT				
	PREAMBLES				
	Products of similar quality and specification may only be used with prior approval by the Principal Agent.				
	Cost of tests:				
	The costs of making, storing and testing of concrete test cubes as required under clause 7 "Tests" of SANS 1200 G shall include the cost of providing cubes moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the Principal Agent. The testing shall be undertaken by an independent firm or institution nominated by the Contractor to the approval of the Principal Agent.				
	Formwork:				
	Descriptions of formwork shall be deemed to include use and waste only (except where described as left in or permanent), for fitting together in the required forms, wedging, plumbing and fixing to true angles and surfaces as necessary to ensure easy release during stripping and for reconditioning as necessary before re-use.				
	The vertical strutting shall be carried down to such construction as is sufficiently strong to afford the required support without damage and shall remain in position until the newly constructed work is able to support itself.				
	UNREINFORCED CONCRETE				
	10MPa/19mm concrete:				
1	Surface blinding under footings and bases	m^3	3		
2	Surface blinding under surface bed	m^3	1		
	REINFORCED CONCRETE				
	25MPa/19mm concrete:				
3	Strip footings	m^3	3		
4	Sruface bed	m^3	4		
5	Ramps	m^3	5		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	CONCRETE TESTS **Test blocks:**				
6	Making and testing set of three 150x150x150mm concrete strength test cubes (Provisional).	No	3		
	CONCRETE SUNDRIES				
	Finishing top surfaces of concrete smooth with wood float				
7	Surface beds, slabs, etc	m²	50		
	Finishing top surfaces of concrete smooth with power float to smooth finish				
8	Surface beds, slabs, etc	m²	4		
	REINFORCEMENT (PROVISIONAL)				
	Fabric reinforcement:				
9	REF. 311 fabric reinforcement in concrete surface beds, slabs, trenches, etc.	m²	30		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	SECTION No. 2 **BILL No. 4** **ROOF COVERINGS, ETC.**				
	NOTE:				
	For Preambles, see "Specification of materials and methods to be used - PW371 A and PW371 B"				
	Details or schedules reffered to in this document must be viewed on the architectural and engineering drawings.				
	SUPPLEMENTARY PREAMBLES				
	Proprietary products in descriptions:				
	Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent.				
	ROOF COVERINGS, CLADDINGS, ETC				
	PROFILED METAL SHEETING AND ACCESSORIES				
	0.58mm "IBR686" Z275 Galvanised metal roof sheet with Colomet finish, (Colour to match existing) to one side and standard grey backing coat to the other side etc, including fixing to timber purlins (Elsewhere measured), strictly in accordance with manufacture's specification				
1	Roof covering with pitch not exceeding 25° (main clinic, nurses home, managers office and the ablutions)	m²	388		
	0.58mm "IBR686" Z275 Galvanised metal roof sheet accessories to preceding roof covering				
2	Barge Flashing 462mm girth one times bent along the girth	m	26		
3	Roll-top type ridge cappings 462mm girth, including dressing edges into corrugations of roof covering on both sides	m	42		
4	Roll-top type hip cappings 462mm girth, including dressing edges into corrugations of roof covering	m	42		
5	Valley gutters 462mm girth	m	12		
6	Head wall flashings 462mm girth	m	18		
	INSULATION				
7	Envirotuff Roof Insulation (Non-combustible) laid with Carried to Collection on top of timber purlins on and including 2mm diameter galvanised wires tightly strained across tops of purlins at 500mm centres	m²	366		
				R	

		UNIT	QTY	RATE	AMOUNT
	SECTION No. 2 **BILL No. 5** **CARPENTRY AND JOINERY**				
	NOTE:				
	For Preambles, see "Specification of materials and methods to be used - PW371 A and PW371 B"				
	Details or schedules reffered to in this document must be viewed on the architectural and engineering drawings.				
	SUPPLEMENTARY PREAMBLES				
	Proprietary products in descriptions:				
	Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent.				
	EAVES, VERGES, ETC				
	Medium density plain grooved Nutec				
1	150 x 15mm thick Nutec Eaves boards, fixed to timber rafters twice screwed with 12 x 40mm countersunk brass screws with PVC H-profile corner joiners at board ends (around the clinic as a whole)	m²	56		
2	22 x 219mm barge boards	m	22		
3	22 x 219mm Fascia nutec Fascia Boards	m	43		
	SKIRTINGS, ETC **Meranti hardwood**				
4	21 x 150mm Meranti hardwood skirting and quadrant plugged onto wall above selected floor finish to cover	m	166		
	BUILT IN SHELVES				
5	Melamine or similar approved boards for built in shelves where necessary	m²	94		
6	Melamine or similar approved boards for built in cupboard where necessary	m²	60		
	DOORS ETC.				
	SUPPLEMENTARY PREAMBLES				
	Approved solid core flush doors, with commercial veneer both sides and with hardwood edge strips, tongued				
7	44mm thick semi solid internal doors, size 813 x 2032mm high.	No	15		
8	44mm thick braced solid meranti external doors, size 900mm wide x 2032mm high	No	9		
	Carried to Section Summary			R	

	UNIT	QTY	RATE	AMOUNT
SECTION No. 2 **BILL No. 6** **CEILINGS AND PARTITIONS**				
NOTE:				
For Preambles, see "Specification of materials and methods to be used - PW371 A and PW371 B"				
Details or schedules reffered to in this document must be viewed on the architectural and engineering drawings.				
SUPPLEMENTARY PREAMBLES				
Proprietary products in descriptions:				
Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent.				
Fixing				
Items described as "nailed" shall be be deemed to be fixed with hardened steel nails or pins, or to be shotpinned, to brickwork or concrete.				
Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as bolted the bolts have have been given.				
Ceilings				
Unless otherwise described ceilings shall be deemed to be horizontal				
Bulkheads				
Bulkheads are defined as those portions of ceilings which are stepped down from the general ceiling level in a particular room or area and which generally occur along the perimeter. Their purpose is either to conceal services or to create architectural features				
Carried to Section Summary				R

		UNIT	QTY	RATE	AMOUNT
	6.4mm x 1.2m x2.7m Gypsum ceiling board fixed with recommended adhesive at 200 intervals to timber brandering installed at maximum 400mm centres transverisy to trusses and edge-fixed with concealed ceiling clips screwed to timber brandering. Boards to be secured to perimeter brandering with drywall screws and washers at 300mm centres				
1	Ceilings fixed to 38 x 38mm brandering at 400mm centres	m²	274		
2	Extra over ceiling for 600 x 600mm trap door complete with trimmers, frames, ceiling board, etc and fitted flush in opening	No	2		
	Aerolite Insulation:				
3	2 layers of 50mm thick fibre-glass blanket laid on top of ceiling brandering between roof timbers, etc (at approximate centres).	m²	274		
4	Gypsum cornice	m	166		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	SECTION NO. 2				
	BILL NO.7				
	FLOOR COVERING,WALL LININGS, ETC				
	Vinyl Floor tiles				
	2.5mm thick "Marley Superflex" or other approved vinyl asbestos tiles size 300 x 300mm laid and bonded to screed surface colour to match existing				
1	On floors	m2	240		
	Wall Tiling				
	Combination of 330mm x 330mm glazed ceramic tiles, laid on 15mm thick plaster prepared to receive wall tiles fixed with approved adhesive and grout in compkiance with the manufacture's specification and government standard specification and laid from finish floor level to window level and emulsion paint to specification "R1" applied from top of window level to ceiling height all in strict compliance to manufacture's instructions				
2	On walls.	m2	48		
3	On walls in narrow widths	m	8		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	SECTION NO. 2				
	BILL NO.8				
	IRONMONGERY				
	For Preambles, see "Specification of materials and methods to be used - PW371 A and PW371 B"				
	Details or schedules reffered to in this document must be viewed on the architectural and engineering drawings.				
	SUPPLEMENTARY PREAMBLES				
	Proprietary products in descriptions:				
	Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent.				
	Finishes to ironmongery				
	Where applicable, finishes to ironmonery are indicated by suffixes i Satin bronze lacquered Chromium plated BS Satin chromium plated CP Silver enamelled SC Grey enamelled SE Anodised silver GE Anodised bronze AS Anodised gold AB Anodised black AG Polished brass ABL Polished and lacquered PB Epoxy coated PL Sanded fixing				
	Fixing				
	Description of wall mounted and floor standing ironmongery items shall be deemed to include for fixing in position and all fixing shall be deemed to include for fixing in position and all fixing accessories				
	HINGES, BOLTS, ETC				
	LOCKS				
	Keys Unless otherwise described locks shall have two keys each				
	DOOR LOCKS				
1	DCLSA Euro Profile or similar approved cylinder morce sashlock with reversable latch lock boxed, polished brass	No	22		
	DOOR STOPS				
2	DCLSA Half Moon or similar approved brass plated floor mounted	No	2		
	PICTURE SIGNS, ETC				
	Plate 1.2mm				
3	Male indicator sign	No	2		
4	Female indicator sign	No	2		
5	Paraplegic sign	No	1		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	SECTION No. 2 **BILL No. 9** **PLUMBING AND DRAINAGE (Provisonal)**				
	NOTE:				
	For Preambles, see "Specification of materials and methods to be used - PW371 A and PW371 B"				
	Details or schedules reffered to in this document must be viewed on the architectural and engineering drawings.				
	SUPPLEMENTARY PREAMBLES				
	Proprietary products in descriptions:				
	Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent.				
	Copper pipes				
	Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Capillary solder fittings and compression fittings shall be 'Cobra Watertech' type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be in walls or in ground.				
	Chasing				
	Chasing pipes into new walls shall be regarded as "building in" and is not measured separately. The cost of chasing, wrapping in suitable brown paper and making good shall be included in the rates for pipes.				
	Holes for pipes through walls				
	No allowance for holes and drilling for pipes through new walls has been made in the bills of quantities. The price for all holes and making good shall be deemed to be included in the description of pipes.				
1	Equal and approved 0.6mm Ogee profiled pre-coated seamless aluminium gutters including matching rivet fixed mitres and end caps internally sealed using silicon mastic, hung by nail fixed internal alumiium hangers at 600mm centres installed strictly according to manufacturer's specification	m	78		
2	Extra on eaves gutter for stopped end.	No	9		
3	Extra on eaves gutter for external angle.	No	9		
4	Extra on eaves gutter for outlet with nozzle for and joint 100 x 75mm aluminium rainwater downpipe, including galvanised wire ballon grating	No	8		
5	75 x 50 x 0,6mm thick aluminium downpipe Marble White fixed to wall with straps at 1500mm centres using nail plugs, with downpipes riveted and silicon sealed to gutters outlets	m	18		
6	Extra on last for shoe.	No	8		
7	Ditto, eaves offset.	No	8		
	WATER SUPPLIES				
8	Provide sum of R60 000.00 (Sixty thousand rands) for water supplies including pumps, purification, piping and all necessary fittings to supply the whole clinic	item	1	60 000,00	R 60 000,00
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	SANITARY FITTINGS				
	The following in wash hand basin fixed complete in position and connected to services				
9	Betta PP 470 Flair Claokroom wall hung white Basin	No	4		
10	Marley (or similar and approved) P-Trap Mini Basin with 50 x 40mm Adaptor White 32 x 40mm	No	4		
11	Builders (or similar and approved) Allure Basin Pillar tap Basin 15mm	No	8		
12	Cobra (or similar and approved) type 503-21B/N medical basin tap with extended elbow	No	4		
13	Cobra (or similar and approved) angle regulating valve, with 350mm long flexi tube, chrome-plated, including sliding wall flange and 1/2" BSP male inlet x 1/2BSP male outlet, 206mm x 65 x 360mm	No	1		
14	15 mm Copper (1.2 mm thick) service pipe average 350 mm girth, bent as necessary, including one straight copper to iron fitting (tap)				
15	15 mm Castle (or similar and approved) ballostop				
	The following in WC suite complete				
16	Betta Low Level Contractors Suite Complete White	No	2		
17	15 mm Copper (1.2 mm thick) service pipe average 350 mm girth, bent as necessary, including one straight copper to iron fitting (tap)	No	2		
18	15 mm Chromium plated ballostop	No	2		
19	Walk in SGUVK Matte Black shower Faucet set rainfall bathroom shower system, Fixture 10Inch high pressure square rain with all necessary fittings	No	1		
	TESTING, ETC				
20	Provide all necessary apparatus, water, etc. for and test the internal and external hot and cold water and fire reticulation to the satisfaction of the Representative/Agent	item	1		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	Section No. 2				
	BILL NO.: 10				
	METALWORK				
	ALUMINIUM WINDOWS, DOORS, ETC				
	Anodised Aluminium windows complete with anodised aluminium coated subframes,120 x 35 x 3.3mm aluminium handles for heavy duty windows, 6mm safety glass, stainless steel `Dormakaba` or similar approved cover BTS75 adjustable size en1-4, hold open certified to EN1154 with double action accessories				
1	980 x 1500mm high window size	No	4		
2	900 x 980mm high window size	No	1		
3	650 x 1000mm window size	No	1		
4	650 x 500mm window size	No	3		
5	500 x 900mm window size	No	1		
6	1450 x 900mm window size	No	1		
	Carried to section summary				R

		UNIT	QTY	RATE	AMOUNT
	SECTION NO. 2				
	BILL NO.11				
	PAINT WORK				
	Previously painted surfaces				
	All new painted surfaces should match existing paint				
	NOTE				
	Previously painted surfaces				
	Surfaces shall be thoroughly washed down and allow to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed.				
	Previously painted metal surfaces				
	Surfaces shall be thoroughly rubbed and cleaned down Blistered or peeling paint shall be completely removed down to bare metal				
	PAINTWORK, ETC TO NEW WORK				
	ON FIBRE-CEMENT BOARD SURFACES				
	Apply one coat of Professional Gypsum and Plaster Primer (PP700) to achieve a continuous film and apply two full coats of Professional Superior Low Sheen (PEM 1000/TLS) to achieve complete obliteration to (colour to match existing)				
1	Fascias and barge boards not exceeding 300mm girth	m	80		
	ON FIBRE CEMENT				
	One coat Professional Plaster Primer and two coats Professional Superior Matt				
2	On boarded ceilings and gypsum cornices	m²	274		
	ON WOOD				
	Three coats polyurethane clear varnish				
3	On doors	m²	45		
4	On door frames	m²	16		
5	On Skirting	m	166		
	PREVIOUSLY PAINTED SURFACES				
	General Notes: All surfaces to be perfectly dry & in a fit state to receive paint before any application commence				
	ON PLASTER				
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blisteres or peeling paint shall be completely removed and cracks shall be opened, filled with suitable filler and finished smooth				
	Prepare and paint one coat resistant primer, one coat undercoat and two coats high sheen acrylic paint on plastered wall				
6	On internal walls	m²	390		
7	On external walls	m²	230		
	ON METAL				
	Spot priming defects in pre-primed surfaces with zinc chromate primer and applying one undercoat and two coats matt enamel on steel				
8	On roof sheetings	m²	388		
9	On parking area (dividing parkings and numbering)	m	25		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	SECTION NO. 3				
	BILL NO.1				
	EXTERNAL WORKS				
	SUPPLEMENTARY PREAMBLES				
	Proprietary products in descriptions:				
	Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent.				
	Testing of material and filling				
	Descriptions of earth filling, compaction, etc shall be deemed to include for all necessary testing required in accordance with the SABS 1200 series.				
	Precast concrete block road surfacing				
	Paving shall be laid to herringbone pattern on maximum 25mm bedding sand treated with approved weedkiller.				
	Clean sand shall be swept into joints at completion.				
	ROADWORK, PARKING AREAS AND PAVING				
	EARTHWORKS				
1	Excavate in earth to open face over site to reduce levels	m^3	26		
	Extra over bulk excavations in earth for excavation in				
2	Soft Rock	m^3	5		
3	Hard Rock	m^3	5		
	Extra over all excavations for carting away				
4	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor.	m^3	15		
	Selected earth filling obtained from stock piles on site, deposited in layers not exceeding 150mm thick, watered and consolidated				
5	Backfilling behind kerbs	m^3	5		
	PRECAST CONCRETE				
	Precast cement concrete (20MPa) kerbs and channels finished smooth from the mould on exposed surfaces and including excavation, backfilling, etc.				
6	Kerb and channel formed of Fig. 7 kerb size 180 x 280mm high overall and Fig. 14 tapered channel 300 x 125mm high, laid in lengths not exceeding 1000mm on a well rammed earth or base course (as per engineer detail), bedded on 60mm thick, 15MPa concrete with 200 x 265mm high triangular haunching behind kerb and jointed in 3:1 cement mortar.	m	35		
7	Ditto, but circular on plan to not exceeding 4000mm radius	m	10		
	BRICK AND BLOCK PAVING				
	60mm thick grey double zig-zag interlocking concrete paving blocks (SA) with chamfered edges, laid on a 20mm thick river sand bedding (elsewhere measured) including cement and sand filling to joints and vibrating, to roadways and parking bays				
8	On aprons, walkways, paving area etc.	m^2	390		
	Carried to Section Summary				R

		UNIT	QTY	RATE	AMOUNT
	20mm river sand				
9	Under concrete pavers	m²	220		
	Approved weed killer (Certificate to be provided before payment)				
10	Hyvar X or other equally approved soil herbicide at a rate of 50 gram/m2 under paving etc.	m²	220		
	PREFABRICATED CONTAINERS				
11	Provide and install one permanent fully furnished prefabricated structure that will be used as despensary room and one structrure to be used as a store room.	item	1		
	Carried to Section Summary				R

		UNIT	QTY	RATE	AMOUNT
	SECTION NO. 4				
	BILL NO.1				
	PROVISIONAL SUMS				
	ELECTRICAL INSTALLATION				
	The building contractor must appoint a recognized electrical contractor, with full credentials, for the supply, delivery, installation, commissioning and testing of the electrical services needed.				
	NOTE: The electrical sub-contractor, after testing the electrical installation, shall issue a Certificate of Compliance (C.O.C).				
1	Provide sum of One Hundred thousand rands (100 000.00) for installation to be executed by a nominated sub-contractor	Item	1	100 000,00	R 100 000,00
2	Allow for profit on the above	Item	1		
3	Allow for general attendance	Item	1		
	COMMUNITY LIAISON OFFICER				
4	Provide the sum of R36000.00(Thirty Six thousand Rand) for emplyment of Community Liason Officer for the duration of the project	Item	1	36 000,00	R 36 000,00
	MECHANICAL INSTALLATION AND FIRE				
5	Provide sum of Seventy thousand rands (R70 000.00) for installation to be executed by a nominated sub-contractor	item	1	70 000,00	R 70 000,00
6	Allow for profit on the above	item	1		
7	Allow for general attendance	item	1		
	PROJECT STEERING COMMITTTEE				
8	Provide sum of nine thousand rands (R9000.00) for employment of Project Steering Commity for three members of the Project Steering Committee to attend one sitting per month at R500.00 (Five hundred rand only per person per sitting)	item	1	9 000,00	R 9 000,00
	DECANTING				
9	Provide sum of One hundred and twenty thousand rands (R 120 000,00) for decanting to accommodate the operations of the clinic while the contractor is on site.	item	1	120 000,00	R 120 000,00
	FENCING				
10	Provide sum of R50 00,00 (Fifty thousand rands) to fix the falling fence	item	1	50 000,00	R 50 000,00
	Carried to Final Summary				R

FINAL SUMMARY

	Page No			AMOUNT
Preliminaries and General	1			
Alterations	4			
Earthworks	7			
Concrete, Formwork and Reinforcement	9			
Roof Covering	10			
Carpentry and Joinery	11			
Ceiling partition and Access Flooring	13			
Floor Covering, Wall Lining, etc	14			
Ironmongery	15			
Publing and Drainage	17			
Metalwork	18			
Paintwork	19			
External Works	21			
Provisional Sums	22			
Contigencies				
Allow the sum of 10% for Contigencies and any Additional Services to be used at the Client discretion or deduction in whole or part if not required				
SUB-TOTAL		Item	1	10%
TOTAL				

Total Carried to Form of Offer

NKWENKWANA BILL OF QUANTITIES

		UNIT	QTY	RATE	AMOUNT
	SECTION NO. 1				
	BILL NO. 1				
	PRELIMINARIES AND GENERAL				
1	Contractor to provide a R..... for Preliminaries and General (P& G)	Item	1		
	Carried to Section Summary				R

	UNIT	QTY	RATE	AMOUNT
SECTION NO. 2				
BILL NO.1				
ALTERATIONS				
PREAMBLES				
For Preambles refer to "Department of Public Works: Specification of materials and methods to be used - PW371".				
SUPPLEMENTARY PREAMBLES				
Tenderers are advised to visit the site before tendering and satisfy themselves as to the nature and extent of the works to be done,means of access to the site, and portions of the building to be demolished.No claims will be entertained due to the tenderer having failed to comply with the above conditions				
Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Project Manager				
The Contractor is advise to check all dimensions and heights on site affecting the existing buildings				
In taking down and removing existing work, the utmost care is to be observed to avoid any structural or other damage to the remaining portion of the building. The contractor must protect all work not removed, such as walls, floors, doors windows or other joinery or fittings from damage during the progress of work and provide all necessary for so doing so.				
OLD MATERIALS TO BECOME PROPERY OF THE CONTRACTOR: Old material from alterations except where described to be re-used or hand over,become the property of the contractor				
OLD MATERIALS TO CARTED AWAY : Old material from alterations except where described to be re-used or hand over, as well as rubbish etc.must be regulary carted from the site and not be allowed to accumulate on or around the site				
OLD MATERIALS NOT TO BE REUSED : None of the old material are to be used for new work except where specifically described as being set aside for re-use				
ASBESTOS REMOVAL AND DISPOSAL: When dealing with asbestos ,it is absolutely necessary fo follow all regulation in an effort to protect the health. The price of removing the asbestos should include the disposal.Asbestos waste must be disposed of in an area that has been approved for asbestos dumping.				
Carried to Section Summary			R	

	UNIT	QTY	RATE	AMOUNT
DEMOLITION,REMOVALS AND WORKS ON SITE: The Tenderers should take particular note of and allow accordingly in their prices for the type of structure and material to be encountered and the thickness of walls,concrete slabs,etc. to be demolished.Non of the old bricks from the demolitions are to be re-used for any new brickwork				
BRICKING UP,ALTERING OR BREAKING NEW OPENING IN EXISTING WALLS: Where the contractor is required to form openings,alter openings or brick up openings in existing walls all brickwork shall be made good at jambs including properly bonding to existing.Brickwork in bricking up openings shall be wedged and pinned up to brickwork or concrete over in cement mortar				
Cement screed,pavings,granolithic,etc.in openings are to be levelled and prepared for raising of brickwork.Plaster to reveals to openings are to have all extrnal angles rounded and making good of finishes is to conclude for junction with existing finishes				
The contractor will be be held solely responsible for checking all floor levels and dimensions in the existing building in order that the new extensions may be correctly lined up.Should any discrepancies be found in the Architect's drawings he should be asked for a decision before continuing with the work				
The contractor will be held solely responsible for any damage to persons and property, for the safety of new and existing structure throughot the whole of the the contract and must make good at his own expense any damage that may occur				
Allow for giving notice to local or other authorities for disconnecting electric light,water and drainage mains and removing telephone wire,etc,and pay all fees in connecting therewith and afford every facility to the workmen carrying out this work				
PROCEDURE OF WORK: The Architect reserves the right to direct the order in which the contract will be executed,should circumstances necessitate such action				
LOSS BY THEFT,FIRE OR OTHERWISE: The risk of loss by theft,fire,storm,riot or otherwise of the buildings to be demolished and the material therein shall rest entirely with contractor immediately upon the handing over of the site.He shall take steps as he may deem fit forhis own protection against such loss.				
NOISE PREVENTION: The contractor shall take special care to minimise noisy operations during business hours.Such measures will include,inter alia,the use of silent compressors and strict control of wormen				
MAKING GOOD,etc. Making good shall include all labour and materials required to match existing work and is to include making good new work up to existing and leave complete and perfect in every respect				
Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	DEMOLISH, REMOVE AND REPLACE				
	Take out carefully and remove doors, windows including thresholds, sills etc, from brickwork to remain (builing up or altering openings elsewhere measured				
1	Carefully remove Timber single door and replace with new (elesewhere measured)	No	8		
2	Carefully remove aluminium door hinges and replace with new (elesewhere measured)	No	5		
	Taking down and removing roofs ,floors,panelling ceilings,partitions ,etc.				
3	Carefully remove damaged roof covering in the ambulance waiting area	m^2	80		
4	Carefully take out and remove all damaged ceiling board, cornice and brandering, and prepare the surface to receive new ceiling boards (elsewhere measured)	m^2	120		
5	Hack up and remove all damaged skirtings	m	140		
	Chip off ,hack off and remove loose plaster surrounding crack and chip or cut crack in brickwork to depth of 30mm,apply SBE Duralatex primer to cracks and surfaces to be plastered and make good				
6	On External plastered wall	m^2	45		
	Wash down, remove all loose & flaking paint, rake out all cracks & crevices and fill approved flexible acrylic sealant, spot prime and rub down to even surface to receive new paint				
7	On internal plastered walls	m^2	80		
8	On external plastered walls	m^2	50		
	Carried to Section Summary			R	
		UNIT	QTY	RATE	AMOUNT

SECTION No. 2
BILL No. 2
ROOF COVERINGS, ETC.

NOTE:

For Preambles, see "Specification of materials and methods to be used - PW371 A and PW371 B"

Details or schedules reffered to in this document must be viewed on the architectural and engineering drawings.

SUPPLEMENTARY PREAMBLES

1 Proprietary products in descriptions:

Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent.

Guarantee:

The contractor will be required to provide a written guarantee, stating that:

1. The roof sheeting is of the specified thickness.

2. The client is idemnified against any defects, including colour deterioration for a minimum period of 15 years.

Pricing:

Prices for roof covering and cladding are to include for all necessary drive screws, hook bolts, sheet bolts, nuts, washers, etc. , for drilling holes for screws and bolts including removing all swarf from the sheeting and all right angle cutting and waste (measured net).

CLIP ROOF

1	Roof covering with pitch nto exceeding 50 degrees (to cover the waiting area and the veranda)	m^2	140		
2	Counter flashing	m	20		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	SECTION No. 2 **BILL No. 3** **CARPENTRY AND JOINERY**				
	NOTE:				
	For Preambles, see "Specification of materials and methods to be used - PW371 A and PW371 B"				
	Details or schedules reffered to in this document must be viewed on the architectural and engineering drawings.				
	SUPPLEMENTARY PREAMBLES				
	Proprietary products in descriptions:				
	Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent.				
	Joinery:				
	Descriptions of frames shall be deemed to include frames, transomes, mullions, rails, etc.				
	Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes.				
	Fixing:				
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete.				
	Where items are described as "bolted" the bolts have been measured elswhere.				
	Approved solid flush doors, with approved veneer both sides and concealed hardwood edges with 30 minutes fire resistance				
1	762 x 2032 x mm high x 44mm thick Solid Core door . timber Door complete with kick plate and push plate installation, all in accordance with manufacturer's recommendations	No	8		
2	813 x 2032 mm Swartland Winsters Framed, ledged battened ply back door	No	2		
	SKIRTING ETC				
	Meranti Hardboard				
3	21 x 150mm Meranti hardwood skirting and quadrant plugged onto wall above selected floor finish	m	140		
	BUILT IN SHELVES				
4	Melamine or similar approved boards for built in clinic shelves	m^2	40		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	SECTION NO. 2				
	BILL NO.4				
	CEILINGS PARTITIONS AND ACCESS FLOORING				
	NAILED UP CEILINGS				
	SUPPLEMENTARY PREAMBLES				
	Prices for openings for light fittings, ventilation grilles, air conditioning diffusers, etc are to include for any necessary additional support, trimming around, etc.				
	6,4mm x 1,2m x2,7m Gypsum ceiling board fixed with recommended adhesive at 200 intervals to timber brandering installed at maximum 400mm centres transverisy to trusses and edge-fixed with concealed ceiling clips screwed to timber brandering. Boards to be secured to perimeter brandering with drywall screws and washers at 300mm centres				
1	Ceilings fixed to 38 x 38mm brandering at 400mm centres	m2	120		
2	Gypsum comice	m	55		
	Aerolite Insulation:				
3	2 layers of 50mm thick fibre-glass blanket laid on top of ceiling brandering between roof timbers, etc (at approximately centres)	m2	120		
	Carried to Section Summary				R

		UNIT	QTY	RATE	AMOUNT
	SECTION NO. 2				
	BILL NO.5				
	IRONMONGERY				
	For Preambles, see "Specification of materials and methods to be used - PW371 A and PW371 B"				
	Details or schedules reffered to in this document must be viewed on the architectural and engineering drawings.				
	SUPPLEMENTARY PREAMBLES				
	Proprietary products in descriptions:				
	Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent.				
	Finishes to ironmongery				
	Where applicable, finishes to ironmonery are indicated by suffixes i Satin bronze lacquered Chromium plated BS Satin chromium plated CP Silver enamelled SC Grey enamelled SE Anodised silver GE Anodised bronze AS Anodised gold AB Anodised black AG Polished brass ABL Polished and lacquered PB Epoxy coated PL Sanded fixing				
	Fixing				
	Description of wall mounted and floor standing ironmongery items shall be deemed to include for fixing in position and all fixing shall be deemed to include for fixing in position and all fixing accessories				
	HINGES, BOLTS, ETC				
	LOCKS				
	Keys Unless otherwise described locks shall have two keys each				
	DOOR LOCKS				
1	DCLSA Euro Profile or similar approved cylinder morce sashlock with reversable latch lock boxed, polished brass	No	10		
	HANDLES				
2	ASSA ABLOY Silver Anodised pull handle	No	20		
	DOOR STOPS				
3	DCLSA Half Moon or similar approved brass plated floor mounted	No	4		
4	Flush hinge, grey aluminium 100mm with screws	No	2		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	SECTION NO. 2				
	BILL NO.6				
	PAINT WORK				
	Previously painted surfaces				
	All new painted surfaces should match existing paint				
	NOTE				
	Previously painted surfaces				
	Surfaces shall be thoroughly washed down and allow to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed.				
	Previously painted metal surfaces				
	Surfaces shall be thoroughly rubbed and cleaned down Blistered or peeling paint shall be completely removed down to bare metal				
	PAINTING				
	Previously painted wall surfaces				
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and services shall be primed, filled with suitable filler and finished				
	PAINTWORK, ETC TO NEW WORK				
	ON FIBRE CEMENT				
	One coat Professional Plaster Primer and two coats Professional Superior Matt				
1	On boarded ceilings and coved cornices (Gypsum board)	m²	120		
	Prepare and apply one coat Professional Plaster Primer and two coats Wall and All paint, applied strictly according to manufacturer's specifications				
	ON WOOD				
	Prepare and apply three coats polyurethane clear varnish				
2	On timber doors	m²	17		
3	On door frames	m²	8		
4	On skirting	m	140		
	ON PLASTER				
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied, blistered or peeling paint shall be completely removed and cracks shall be opened, filled with suitable filler and finished smooth.				
	Prepare and paint one coat resistant primer, one coat undercoat and two coats high sheen acrylic paint on plastered wall				
5	On internal wallls (to match existing paint)	m²	80		
6	On external walls (to match existing paint)	m²	50		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	SECTION No. 2 **BILL No. 7** **PLUMBING AND DRAINAGE (Provisonal)**				
	NOTE:				
	For Preambles, see "Specification of materials and methods to be used - PW371 A and PW371 B"				
	Details or schedules reffered to in this document must be viewed on the architectural and engineering drawings.				
	SUPPLEMENTARY PREAMBLES				
	Proprietary products in descriptions:				
	Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent.				
	Holes for pipes through walls				
	No allowance for holes and drilling for pipes through new walls has been made in the bills of quantities. The price for all holes and making good shall be deemed to be included in the description of pipes.				
	RAINWATER DISPOSAL				
1	Helderbergor Equal and Approved, Aluminium Guttering residential Small Ogee profile aluminium seamless gutter, overall size 85 x 85 x 0,6mm thick, coated internally and externally with ColourTech G4 in colour Marble White including cut and mitred angles covered with a mitre externally, stop ends crimped and all sealed on the inside with Dow Corning 813 silicone sealer, secured to metal roof sheets with 25 x 2,5mm L -Shaped and internal brackets at 600mm centres using aluminium pop rivets, including expanded aluminium mesh leaf guard set over gutter.	m	12		
2	Extra on eaves gutter for stopped end.	No	2		
3	Extra on eaves gutter for external angle.	No	2		
4	75 x 50 x 0,6mm thick aluminium downpipe Marble White fixed to wall with straps at 1500mm centres using nail plugs, with downpipes riveted and silicon sealed to gutter outlets	m	12		
5	Extra on last for shoe.	No	2		
6	Ditto, eaves offset.	No	2		
	Carried to Section Summary			R	

		UNIT	QTY	RATE	AMOUNT
	SECTION NO. 3				
	BILL NO.1				
	PROVISIONAL SUMS				
	ELECTRICAL INSTALLATION				
	The building contractor must appoint a recognized electrical contractor, with full credentials, for the supply, delivery, installation, commissioning and testing of the electrical services needed.				
	NOTE: The electrical sub-contractor, after testing the electrical installation, shall issue a Certificate of Compliance (C.O.C).				
	It is advised that the electrical sub-contractor liase with the building contractor, regarding chasing, placement of sleeves etc., before commencement of electrical service.				
	The contractor should provide the following items and including unforseen items				
1	Provide sum of One Hundred thousand rands (R100 000.00) for Electrical installation to be executed by a nominated sub-contractor	Item	1	100 000,00	R 100 000,00
2	Allow for profit on the above	Item	1		
3	Allow for general attendance	Item	1		
	COMMUNITY LIAISON OFRICER				
4	Provide the sum of R36 000.00(Thirty six thousand Rand) for employment of Community Liaison Officer for a period of Four months	Item	1	36 000,00	R 36 000,00
	Carried to Final Summary			R	

FINAL SUMMARY

	Page No			AMOUNT
Preliminaries and General	1			
Alterations	4			
Roof covering	5			
Carpentry and Joinery	6			
Ceiling and Partition	7			
Ironmongery	8			
Paintwork	9			
Publing and Drainage	11			
Provisional Sums	12			
Contigencies				
Allow the sum of 10% for Contigencies and any Additional Services to be used at the Client discretion or deduction in whole or part if not required	Item	1	10%	
SUB-TOTAL				
TOTAL				
Total carried to final summry				

FINAL SUMMARY

	UNIT	QTY	Rate	Amount
PRELIMINARIES				
GUBENXA CLINIC				
NKWENKWANA CLINIC				
SUB-TOTAL				
VALUE ADDED TAX @ 15% ***(If applicable)***			15%	
TOTAL				
CARRY TO FORM OF OFFER AND ACCEPTANCE			R	